INSTINCT


Flushing

Section	Page No.			
Frames + Concealed Cisterns				
WC Frames				
Instinct 400mm Wall Hung Bidet and WC Frame	120			
Instinct 820mm Wall Hung Frame and Cistern	120			
Instinct 1000mm Wall Hung Frame and Cistern	120			
Instinct 1170mm Wall Hung Frame and Cistern	120			
Concealed Cisterns				
Instinct In-Wall Dual Flush Cistern	121			
Instinct Comfort Concealed Dual Flush Cistern	121			
Instinct Torrent Concealed Dual Flush Cistern	121			
Instinct Cascade Side Entry Concealed Cistern	121			

Dual Flush Plates + Buttons				
Dual Flush Plates				
Nuance	122			
Kiso	122			
Instinct Glass	123			
Hemsworth	123			
Espada	123			
Dual Flush Buttons				
new Oval	124			
Nuance	124			
Kiso	124			

Contactless Flushing			
Instinct Contactless Close Coupled Flushing	125		
Instinct Contactless Remote Sensor	125		
Instinct Touch Sensor Flush Plate	125		

What's new and trending this season...







WC Frames Page 120

Flushing Range Selector

				Comp	atibility			
Range	Page No.	Standard Depth 500 BTW Unit	Standard Depth 600 BTW Unit	Slim Depth 500 BTW Unit	Slim Depth 600 BTW Unit	Boxed/Tiled in with Worktop	Boxed/Tiled in Full Height	Boxed/Tiled in Full Heigh – Slim Stud Wall
Instinct 400mm Wall Hung Bidet and WC Frame	120	۰	• ^	\bullet^{Δ}	• ^	•		
Instinct 820mm Wall Hung Frame and Cistern	120		•*		•*	•	٠	
Instinct 1000mm Wall Hung Frame and Cistern	120					•	٠	
Instinct 1170mm Wall Hung Frame and Cistern	120						•	•

*Use with adaptor kit INST13007 $\ ^{\Delta}$ Use with concealed cisterns INST13001 or INST13002

Concealed Cisterns								
			Compatibility					
Range	Page No.	Standard Depth 500 BTW Unit	Standard Depth 600 BTW Unit	Slim Depth 500 BTW Unit	Slim Depth 600 BTW Unit	Boxed/Tiled in with Worktop	Boxed/Tiled in Full Height	Supplied with Concealed Cisterr
Instinct In-Wall Dual Flush Concealed Cistern	121					٠	•	
Instinct Comfort Dual Flush Concealed Cistern	121	٠	٠	٠	٠			•
Instinct Bottom Entry Dual Flush Concealed Cistern	121	٠	•	•	٠			•
Instinct Side Entry Dual Flush Concealed Cistern	121	•	٠	٠	٠			•

Flushing Features

There are many features in our flushing range. Use the icons to help choose the right option for you.



Guarantees All WC frames, concealed cisterns, flush plates, flush buttons and contactless flushing products come with a five year guarantee.



Dual Flush Volume The Dual Flush allows you to save water while providing you with the flexibility to choose between a water saving 3 litre flush or a standard 6 litre flush.

wall pans.

0

Easy Install

installation.

Our concealed cisterns

and WC frames are

designed for easy

maintenance and



Back To Wall Pans Wall Hung Pans Can be used for back to Allows wall hung pans to be used.



Insulation The Instinct concealed cistern jackets are fully insulated.



Wall Hung Bidets Can be used for wall hung bidets.



Low Battery Alarm Alarm activates when batteries are running low.



Air Gap WRAS approved Air Gap inlet valve included.



Contactless Controls Infrared switch allows control with the wave of your hand.

WC Frames

Flushing

Guarantees

5 Years on WC Frames + Concealed Cisterns





Instinct 400mm Wall Hung Bidet + WC Frame

Width – 400mm Adjustable depth – 170-335mm Adjustable leg height – 200mm Compatibility – INST13001 and INST13008 cisterns (see page 121) Fixings – Brackets, fixings and 1st fix protective covers included Allows Wall Hung Pans to be used in narrow furniture units



£164.00



Instinct 1000mm Wall Hung Frame + Cistern

Width – 500mm Adjustable depth – 167-215mm Adjustable leg height – 200mm Maintenance – Top and front access for easy maintenance and installation Fixings – Brackets, fixings and 1st fix protective covers included Ideal for use below windows Flush Valve – WRAS approved 6/3 Litre pneumatic flush valve Inlet Valve – WRAS approved side entry ½" (female) inlet valve with Air Gap



£333.00



Instinct 820mm Wall Hung Frame + Cistern Width – 500mm Adjustable depth – 167-215mm Adjustable leg height – 200mm Maintenance – Front access for easy maintenance and installation Fixings – Brackets, fixings and 1st fix protective covers included Flush Valve – WRAS approved 6/3 Litre pneumatic flush valve Inlet Valve – WRAS approved side entry ½" (female) inlet valve with Air Gap



INST13005		£327.00
INST13007	Furniture Adaptor Kit	£72.00



Instinct 1170mm Wall Hung Frame + Cistern

Adjustable depth – 140-200mm (for side or floor exit pipe runs) Adjustable leg height – 200mm

Maintenance – Front access for easy maintenance and installation Fixings – Brackets, fixings and 1st fix protective covers included Compatible with pneumatic flush plates & buttons (sold separately) Flush Valve – WRAS approved 6/3 Litre pneumatic flush valve Inlet Valve – WRAS approved side entry ½" (female) inlet valve with Air Gap



INST13006

Concealed Cisterns



Instinct In-Wall Dual Flush Concealed Cistern

Flush - 6/3 Litre flush

Insulation – Jacket insulated

Maintenance - Top or front access for easy maintenance and installation

Flush Valve – Pneumatic flush valve

Inlet Valve – WRAS approved Air Gap Side Inlet valve Flush plate/button - Not supplied (Ensure maintenance access is available if a button

or contactless sensor)

Dimensions - 745(h) Max x 600(w) x 138-194(d) mm



£156.00



Instinct Comfort Dual Flush Concealed Cistern

Flush - 6/3 Litre flush Insulation – Jacket insulated Maintenance – Top or front access for easy maintenance and installation Flush Valve – Pneumatic flush valve Inlet Valve - WRAS approved Air Gap Bottom Inlet Valve Flush plate/button – Round button supplied with cistern as standard For use in 820mm high furniture Dimensions - 324(h) x 437(w) x 165(d) mm



INST13008

£132.00



Instinct Bottom Entry Dual Flush Concealed Cistern


Flush – 6/3 Litre flush

Insulation – Jacket insulated

Maintenance - Top or front access for easy maintenance and installation

Flush Valve – Pneumatic flush valve

Inlet Valve – WRAS approved Air Gap Bottom Inlet Valve Flush plate/button – Round button supplied with cistern as standard Dimensions - 365(h) x 434(w) x 140(d) mm



£132.00



Instinct Side Entry Dual Flush Concealed Cistern

Flush – 6/3 Litre flush Insulation - Jacket insulated

Maintenance - Top or front access for easy maintenance and installation Flush Valve – Pneumatic flush valve

Inlet Valve – WRAS approved Air Gap Bottom Inlet Valve Flush plate/button – Round button supplied with cistern as standard Dimensions - 365(h) x 464(w) x 140(d) mm



INST13002

Guarantees



Flush Plates

Flush Plates + Flush Buttons

					Compatibil	lity			
Range	Page No.	Nuance Flush Plate	Kiso Flush Plate	Espada Flush Plate	Instinct Glass Flush Plate	Hemsworth Flush Plate	Nuance Square + Kiso Round Buttons	Instinct Contactless Remote Sensor Kit	Instinct Touch Sensor Flush Plate
Instinct 820mm Wall Hung Frame and Cistern	120	•	٠	•	•	•*	•*	•*	•
Instinct 1000mm Wall Hung Frame and Cistern	120	•	٠	•	•	•*	•*	•*	•
Instinct 1170mm Wall Hung Frame and Cistern	120	•	٠	٠	•	•*	•*	•*	•
Instinct In-Wall Dual Flush Concealed Cistern	121	•	٠	•	•	•*	•*	•*	•
Instinct Comfort Dual Flush Concealed Cistern	121	•	• ⁺	•*	• ⁺	٠	•	٠	•*
Instinct Bottom Entry Dual Flush Concealed Cistern	121	٠	•	٠	•	٠	٠	٠	•*
Instinct Side Entry Dual Flush Concealed Cistern	121	•	•	٠	•	٠	٠	•	•*

*Compatible, so long as provision made for maintenance access *Compatible when used in standard depth furniture only


Nuance Dual Flush Plates




Flush – Dual Dimensions – 137(h) x 210(w) x	12(d) mm	
INST13036	Brushed Brass	£125.00




Flush — Dual	
Dimensions –	
137(h) x 210(w) x	12(d) mm
INICT 1 2020	





INST13010	Chrome	£55.00
Dimensions – 137(h) x 210(w) x	12(d) mm	
Flush — Dual		



Flush – Dual Dimensions -137(h) x 210(w) x 12(d) mm INST13019 Stainless Steel

£55.00

Flush Plates Compatibility All are suitable with the cisterns on page 121 except where shown or require allowance for maintenance access. Note: Flush plates are not compatible with the comfort cistern in slim depth fitted furniture installations.



Flushing

From hygienic, contactless flushing to flush plates and buttons, Instinct will have the flushing solution for you. Scan to view the range



Flush Plates

Kiso Dual Flush Plates



137(h) x 210(v		
INST13021	Black	£55.00



Flush — Dual Dimensions -137(h) x 210(w) x 12(d) mm INST13012 Chrome £55.00

Hemsworth Dual Flush Plate

Instinct Glass Dual Flush Plate (Copper Nickel Buttons)



Flush – Dual Dimensions -137(h) x 210(w) x 12(d) mm INST13030 Black Glass



Flush – Dual Dimensions -137(h) x 210(w) x 18(d) mm INST13017 £62.00 Chrome



137(h) x 210(w)	x 12(d) mm Brushed Brass	£125.00
Flush – Dual Dimensions –		

Espada Dual Flush Plate



Flush – Dual Dimensions -142(h) x 210(w) x 16(d) mm INST13004 Chrome





£139.00




Flush Plates Compatibility All are suitable with the cisterns on page 121 except where shown or require allowance for maintenance access. Note: Flush plates are not compatible with the comfort cistern in slim depth fitted furniture installations.

Flushing

Guarantees

5 Years on Flush Buttons



Flush Buttons Compatibility

Suitable with the cisterns on page 121 except where shown or require allowance for maintenance access (INST02036 + INST02037 not suitable). Replacement buttons for close coupled ceramic cisterns – Ø38mm buttons are suitable for use with Espada (INST01009), Keros (INST01002), Kinsley (INST02022) close coupled ceramic cisterns. Ø48mm sized buttons are suitable for use with Eske (INST02058), Firbeck (INST01055), Lissett (INST02034) + Brierley (INST01034). Replacement dual flush buttons INSFBBB and INSFBMB are only compatible with Dene (INSDN002), Ecstasy (INSEC002N), Loch (INSL0002), Nuance (INSSA002), Samos (INSSA002), Skean (INSKN002), Tulla (INST0002) + Wave (INSWA002R + INSWA002D)

ushing



Instinct Contactless Close Coupled Flushing

Finish – Chrome

Compatibility – INST02041 compatible with Espada, Keros, Kinsley and Lissett cisterns to upgrade to contactless flush. Use INST02042 for Eske, Firbeck and Brierley Cistern Both kits compatible with most paddle operated flush valves for retrofit applications If retrofitting to cisterns with cable operated or screw in buttons, replace flush valve with INST02043 which has a 2" base



INST02041	Close Coupled Sensor Flush Kit (For ø38mm Cistern Hole)	£94.00
INST02042	Close Coupled Sensor Flush Kit (For ø48mm Cistern Hole)	£94.00
INST02043	Paddle Operated Close Coupled Dual Flush Valve 2"	£34.00





Instinct Contactless Remote Sensor Kit (Pneumatic Concealed Cisterns)

Power Source – Powered by 4 x AA batteries (lasts about one year) Dimensions – 104(h) x 73(w) x 97(d) mm






£157.00



Contactless Flushing

Close Coupled sensor flush kit – for ø38mm cistern hole





Instinct Touch Sensor Flush Plate (In-Wall Concealed Cistern and Wall Hung Frames)

Compatibility – Compatible when used in standard depth furniture Power Source – Powered by 4 x AA batteries (lasts about one year) Dimensions – $137(h) \times 210(w)$ mm

Touch version recommended for low height plate installations

() R	

I

I

INST13016	Touch Sensor Flush Plate (Recommended for INST13005)	£186.00
INST13025	Contactless Sensor Flush Plate (For INST13009, INST13006, INST13015)	£186.00