

# Consumables

Section Page No.

## Press Tools

<b>new</b> ROTHENBERGER Press Tool	102
<b>new</b> ZUPPER® Press Tool	103

## Plumbing Tools

Monument Masters SweatBOX®	104
Soldering + Brazing	105
Monument Masters + Bending	106
Copper Pipe Cutting + Deburring	107
Plastic Pipe Cutting	109
Sawing + Cutting	110
Radiators	111
Taps + Stopcocks	112
Compression Fittings + Immersion Heaters	113
Boilers, Flues + System Testing	114
Wrenches + Spanners	115
Miscellaneous	115
<b>new</b> Detection	116
Servicing Essentials	116
Aerosol, Grease + Solutions	118
PPE + Cleaning	119

## Pre-Packed Fittings

Pre-Packed Fittings	120
PTFE Tape 12mm x 12m Reel (WRAS)	127
PTFE Tape 12mm x 5m Reel (Gas)	127

## Pipe Clips + Trunking

Pipe Clips	128
Trunking Accessories	129

## Consumables Features

There are many features in our Instinct Pro Consumables range. Use the icons to help choose the right option for you.



### App Control

The ROMAX COMPACT III is ROTHENBERGER's first smart press machine with Bluetooth connectivity. Via the ROTHENBERGER app, tool and smartphone can be connected, providing the user real-time access to relevant machine and press data.



### Press Cycle Time

A pressing can take no more than either 2 or 3 seconds.



### Service Interval

The ZUPPER MP-1930 press tool requires a service every 20,000 pressings/2 years.

The ROTHENBERGER ROMAX Compact III press tool requires a service every 40,000 pressings/2 years.

## Our frequently ordered Consumable products...



**Instinct Pro  
15mm Pipe Bender**  
Page 106



**15mm Autocut®  
Copper Pipe Cutter**  
Page 107



**15mm Drain  
Down Hose**  
Page 114



**200mm (8") Wide Jaw  
Adjustable Wrench  
38mm Cap**  
Page 115



**Omat® 250mm (10")  
Soldering + Brazing  
Pad**  
Page 105

**ROTHENBERGER**  
pipetool technologies at work



# NEW

## DRILLING & CUTTING ACCESSORY RANGE

Quality you can trust from ROTHENBERGER

Use bonus points that are packaged with the Compact III at [www.rothenberger.com/gb-en/bonus-programme/](http://www.rothenberger.com/gb-en/bonus-programme/) to claim a new battery FOC

Guarantees

**2** Years  
on Rothenberger Press Tool

# Press Tools

**new**

**Compact Design**

**R-System Label**  
Jaw matching indicator reduces misuse risk of attaching incompatible jaws

**Balanced Design**  
Optimized in weight and size for better machine handling in daily use

**New Jaw Lock System**  
New Jaw Locking System allows convenient Attaching/Detaching of Press Jaws

**Multiple battery systems**  
Suitable for AMPShare or CAS battery systems

**Bluetooth® inside**  
Connects the machine with ROTHENBERGER App

**Take a closer look at the ROMAX Compact III features video, scan to find out more**

**100000 4333**



## ROTHENBERGER ROMAX Compact III

Smart Electro-Hydraulic Press Tool (battery-operated) for pressing of fittings up to 35mm (Metal) and / or 40mm (Plastic / Multilayer) with 19kN.

The ROMAX Compact III is 3 seconds fast, 2.5kg light and 19kN strong.

Through the perfect handling, the machine is particularly suitable for domestic installations, high volume pressings or service installations.

### Features + Benefits

**Connected** – Real-Time Data Gathering of Pressing Data and Creation of Job Reports via ROTHENBERGER App. Remote locking.

**Fast** – thanks to turbo pressure a pressing takes only 3 seconds

**Strong** – presses metal fittings up to Ø 35mm and multilayer up to Ø 40mm

**Handy** – perfectly balanced, the centre of gravity is where the user holds the tool

**Small + lightweight** – with 34cm in length, the ROMAX Compact III weighs just 2.5kg

**Tool Servicing** – The first service is free!

Finish – Black / Red

Dimensions – 140(h) x 390(w) x 390(d) mm



**1000004271** ROMAX Compact 3 Press Crimping Tool – Basic Set 1

**1000004333** ROMAX Compact 3 Press Crimping Tool + M Profile Jaw Set 15-22-28mm

**1000004278** ROMAX Compact 3 Press Crimping Tool + SV Profile Jaw Set 15-22-28mm

**1000004285** ROMAX Compact 3 Press Crimping Tool + U Profile Jaw Set 16-20-25mm

**1000004424** ROMAX Compact 3 Press Crimping Tool + TH Profile Jaw Set 16-20-26mm



### Specification

Voltage	18 V
Working area diameter	12 - 40mm
Working area Temperature	-10°C up to 60°C
Battery System	Li-Ion / Li-Po battery (rechargeable)
Press Jaw System	Press Jaw Compact
Piston Force	19kN
Time Press Cycle with Unit of Measurement	3 sec
Capacity Battery with Unit of Measurement	2Ah

**Guarantees**

**2** Years  
on ZUPPER® Press Tool

**Press Tools**

180° rotatable head

Take a closer look at the ZUPPER® MP-1930 features video, scan to find out more

new

Efficient + Reliable

40 Min. Charge Time

Enclosed screw structure prevents sand and dust

One key control switch, automatically completes press cycle

Ergonomic design, comfortable operation

Brushless Motor with longer motor life and more run time

180° jaw adaptor allows for pressing in tight areas

**ZUPPER® MP-1930 Battery Powered Mechanical Press Tool**

The MP-1930 is the newest addition of press tool with mechanical system, it is faster and efficient way to join metal pipe and plastic pipe.

It works with copper, stainless steel, PEX and multi-layer composite pipe and fittings. The hard outer case is easy carry and houses all of the components for the Z-Press M-Profile Press tool.

**Features + Benefits**

The tool is **easier to do maintenance**

Enclosed screw structure prevents sand and dust

Brushless motor with **longer motor life and more run-time**

High efficiency screw drive, **faster pressing time**

Ergonomic design, **comfortable operation**

ONE KEY control switch, **automatically completes press cycles**

The indicator light, with green indicating completion of press cycle, and red indicating press error or tool malfunction

OLED display shows battery percentage, press cycles, fault code, maintenance note

**Capacity** – Up to 35mm Stainless steel pipe, Copper pipe.  
Up to 40mm Plastic pipe, Multi-layer composite pipe

Finish – Black / Blue

Dimensions – 530(h) x 380(w) x 130(d) mm



**MLPM-1930**

MP-1930 Battery Press Tool Kit (Inc. Outer Case, Crimp Tool, Jaws 15mm, 22mm, 28mm & 35mm Charger, Two Batteries and Strap)



**Specification**

Output	19 kN
Stroke	30 mm
Press Cycle Time	2S
Battery	18V Li-Ion 2.0Ah
Battery Charger	AC 100V-240V 50-60Hz
Charging Time	Approx. 40mins
Weight	Approx. 2.4kg (tool with battery)


## Guarantees

**1** Year  
on Plumbing Tools

# Plumbing Tools



Take a closer look at the  
SweatBOX® features video



### Monument Masters SweatBOX®

The SweatBOX® is the ultimate plumbers soldering tray.

The SweatBOX® features a flame retardant engineering grade plastic with a patented clamp for holding different sizing of copper pipe up to 22mm or ¾".

There is a silicone strip edge to the SweatBOX® ensuring heat is not conducted from the hot copper pipe to the plastic of the SweatBOX® or the clients property. Adhesive rubber feet are included, helping to prevent scratches to surfaces. The sealed compartments are ideal for holding a gas bottle, separated blowtorch and all the essentials needed for soldering or sweating a joint. There's even a compartment for flux brushes.

Finish – Yellow

Dimensions – 435(h) x 330(w) x 240(d) mm

**MAST20201L**

**Guarantees**

**1** Year  
on Plumbing Tools

# Plumbing Tools

## Soldering + Brazing

### Omat® Soldering + Brazing Pad

#### 250mm (10") Soldering + Brazing Pad

The INST2361 OMAT® is a patented, slotted protection mat for soldering pipes and tubes to protect walls, cables, carpets and other flammable material. The OMAT® slot has an overlap at the back which enables the protective mat to go either side of the tube or pipe being soldered so as to protect the surrounding area from burning or scorching as well as reducing the risk of fire. It is particularly useful under kitchen units and on pipes perpendicular to the wall where the use of a non-slotted mat would not easily cover the area. The OMAT® is designed for use on pipes and tubes 15 to 22mm diameter.

#### 150mm (6") Soldering + Brazing Pad

A patented, slotted protection mat or pad for soldering and brazing 15mm and 22mm copper tube and pipe. The size of the mat is 150mm x 150mm (6" x 6") for use in really awkward places where the larger sizes of Omat® would obstruct easy access of the soldering torch. It is designed to protect walls, cables, carpets and other flammable material surrounding a pipe being soldered/brazed. The slot in the Monument 2363L Micro Omat® has an overlap at the back which enables the protective mat to go either side of the tube or pipe being soldered/brazed so as to protect the surrounding area from burning or scorching, as well as reducing the risk of fire. It is particularly useful under kitchen units and on pipes perpendicular to the wall where the use of a non-slotted mat would provide inadequate cover of the area to prevent damage.

Quantity – 1

Dimensions –


240(h) x 240(w) x 5(d) mm (INST2361)

155(h) x 155(w) x 5(d) mm (INST2363)



**INST2361** Omat® 250mm (10") Soldering + Brazing Pad

**INST2363** Omat® 150mm (6") Soldering + Brazing Pad



### 300mm (12") Soldering + Brazing Pad

Quantity – 1 of Each

Dimensions – 310(h) x 310(w) x 10(d) mm

**INST2350**



### Flux Brushes

Quantity – Pack of 5 or 10

Dimensions – 200(h) x 10(w) x 10(d) mm

**INST3015-1**

Pack of 5

**INST3015-10**

Pack of 10



### Flux Soldering Paste

Dimensions –

66(h) x 100(w) x 100(d) mm

**701103**

250g

# Plumbing Tools

Guarantees

**1** Year  
on Plumbing Tools

## Monument Masters + Bending

### 15mm Pipe Bender (With INST1715 15mm Copper Pipe Cutter)

The Pipe Bender is a single sized pipe bender for 15mm copper pipe (0.7mm wall).

#### Features + Benefits

**Less fiddly** – with the integrated hook and nylon guide, the integrated hook stop won't flop from side to side and the guide(s) won't fall out

**Lighter in the hand** than a combi – the pipe bender weighs 1.9kg

**Less cumbersome** – you are only using a bender for the size of pipe being bent

**Better sight lines** – as the bend is in the same plane as the arms of the bender it is easier to line up by eye

**Smaller than a combi** – the pipe bender has an arm length of 40cm approx. (a combi arm length is 65cm). It even fits in a tool bag

Quantity – 1

Dimensions – 470(h) x 190(w) x 65(d) mm



**Best  
Seller**



INST1215AV

Instinct Pro  
15mm Pipe Bender

1322EXTENDED

Monument Masters XXII  
Extended 22mm Bender



### 15mm + 22mm Copper Pipe Bender (Guides)

The INST2600 15mm and 22mm Copper Pipe Bender is designed to professionally bend BSEN1057 15mm and 22mm copper pipe and 15mm stainless steel tube. The aluminium formers are marked with bending angles of 30, 45 and 90 degree offsets allowing for accurate bending. The Instinct Pro Pipe Bender is supplied with replaceable 15mm and 22mm aluminium bending guides.

Quantity – 1

Dimensions – 700(h) x 135(w) x 155(d) mm

INST2600



### 15mm Copper Pipe Bender Guide

Quantity – 1

Dimensions – 165(h) x 20(w) x 15(d) mm

INST2601



### 22mm Copper Pipe Bender Guide

Quantity – 1

Dimensions – 230(h) x 22(w) x 25(d) mm

INST2603

**Guarantees**

**1** Year  
on Plumbing Tools

# Plumbing Tools

## Copper Pipe Cutting + Deburring



**10mm Copper Pipe Cutter**  
Quantity – 1  
Dimensions – 45(h) x 45(w) x 30(d) mm

INST1810N



**15mm Autocut® Copper Pipe Cutter**  
Quantity – 1  
Dimensions – 50(h) x 50(w) x 30(d) mm

INST1715



**22mm Autocut® Copper Pipe Cutter**  
Quantity – 1  
Dimensions – 58(h) x 58(w) x 30(d) mm

INST1722



**28mm Autocut® Copper Pipe Cutter**  
Quantity – 1  
Dimensions – 65(h) x 65(w) x 30(d) mm

INST1728



**Spare Wheels (Autocut® + Pipeslice®)**  
Quantity – Pack of 2  
Dimensions – 35(h) x 40(w) x 40(d) mm

INST0269



**15mm + 22mm Autocut® Copper Pipe Cutter**  
Quantity – 1  
Dimensions – 55(h) x 55(w) x 40(d) mm

INST17151722

**15mm + 22mm Autocut®  
Copper Pipe Cutters  
(Restricted Access Handles)**

The Restricted Access Handles are designed as an aid for rotating the INST1715 + INST1722 in confined spaces where the users' hands will not fit. Made from bright zinc plated steel the handles engage in the outer casing of the INST1715 + INST1722. They are designed to be easily slipped on and off of the cutter body from either side of the pipe cutter, even when it is engaged on the pipe to be cut.

Quantity – Pack of 2  
Dimensions – 170(h) x 70(w) x 30(d) mm



INST1739

# Plumbing Tools

Guarantees

**1** Year  
on Plumbing Tools

## Copper Pipe Cutting + Deburring



### Size 3mm-22mm Copper Pipe Cutter

Quantity – 1  
Dimensions – 45(h) x 70(w) x 30(d) mm

INST0264



### Size 4mm-28mm Copper Pipe Cutter

Quantity – 1  
Dimensions – 185(h) x 55(w) x 30(d) mm

INST0265



### Size2A 12mm-43mm Copper Pipe Cutter

Quantity – 1  
Dimensions – 220(h) x 65(w) x 40(d) mm

INST0266



### 35mm Internal + External Pipe Deburrer

Quantity – 1  
Dimensions – 75(h) x 45(w) x 45(d) mm

INST0365



### 12-54mm Inside/Outside Deburrer

Quantity – 1  
Dimensions – 85(h) x 65(w) x 65(d) mm

INST0374



### Spare Wheel (Size 0-1-2A Copper Pipe Cutters)

Quantity – Pack of 2  
Dimensions – 40(h) x 55(w) x 55(d) mm

INST0273



### 15mm + 22mm Copper Pipe + Fitting Brush

Quantity – 1  
Dimensions – 195(h) x 45(w) x 30(d) mm

INST3033



### Deburring Tool

Quantity – 1  
Dimensions – 143(h) x 15(w) x 10(d) mm

INST3020



### Cleaning Abrasive Strips

Quantity –  
10 Pack (INST3024), Twinpack (INST3024-6)  
Dimensions –  
2.55(h) x 40(w) x 10(d) mm (INST3024)  
1.40(h) x 60(w) x 40(d) mm (INST3024-6)

**INST3024** Cleaning Abrasive Strips

**INST3024-6** 3m Rolls of Cleaning Abrasive Strips

**Guarantees**

**1** Year  
on Plumbing Tools

# Plumbing Tools

## Plastic Pipe Cutting



**6-28mm Plastic Pipe Cutter**  
Quantity – 1  
Dimensions – 195(h) x 70(w) x 20(d) mm

INST2644



**Burrfect Square Plastic Waste Pipe Deburrer**  
Quantity – 1  
Dimensions – 80(h) x 80(w) x 3(d) mm

INST2116



**20-42mm Plastic Pipe Cutter**  
Quantity – 1  
Dimensions – 220(h) x 125(w) x 25(d) mm

INST2645




**15mm + 22mm Autocut®  
(Plastic Pipe Cutter)**  
Quantity – 1  
Dimensions –  
75(h) x 75(w) x 40(d) mm (INST0115)  
70(h) x 70(w) x 40(d) mm (INST0122)

INST0115	15mm
INST0122	22mm



**1 1/4" + 1 1/2" Autocut®  
(Plastic Waste Pipe Cutter)**  
Quantity – 1  
Dimensions –  
70(h) x 70(w) x 50(d) mm (INST1114)  
70(h) x 70(w) x 55(d) mm (INST1112)

INST1114	1 1/4"
INST1112	1 1/2"



**Spare Blades for Autocut®  
(Plastic Pipe Cutter)**  
Quantity – Pack of 5  
Dimensions – 50(h) x 50(w) x 5(d) mm

INST0100



Take a closer look  
at the Autocuts tool  
in action!



# Plumbing Tools

## Guarantees

**1** Year  
on Plumbing Tools

### Sawing + Cutting

#### 300mm (12") Hacksaw

The INST1921D 300mm (12") Hacksaw has a die-cast aluminium handle and square section tubular steel frame, which combine to give a lightweight hacksaw with great tensile strength. Adjusts to give 45° angle for flush cutting.

Quantity – 1  
Dimensions – 440(h) x 140(w) x 20(d) mm



INST1921D



#### Junior Hacksaw

Quantity – 1  
Dimensions – 245(h) x 75(w) x 10(d) mm


INST2000



#### Folding Knife

Quantity – 1  
Dimensions – 75(h) x 55(w) x 10(d) mm

INST1023



#### 300mm (12") Hacksaw Blades

Quantity – Pack of 3  
Dimensions – 310(h) x 40(w) x 3(d) mm

INST1923



#### Spare Blade (Junior Hacksaw)

Quantity – Pack of 10  
Dimensions – 160(h) x 35(w) x 10(d) mm

INST1120

#### Standard Trapezoidal Knife Blades

The INST1024 Pack of Ten Standard Trapezoidal Knife Blades. Trimming knife blades are suitable for the trade trimming knife. Supplied in a dispenser.

Quantity – Pack of 10  
Dimensions – 65(h) x 65(w) x 20(d) mm



INST1024



#### Six Flat Bits

Quantity – Pack of 6  
Dimensions – 155(h) x 50(w) x 20(d) mm

INST1950

# Plumbing Tools

## Guarantees

**1** Year on Plumbing Tools

### Radiators



#### Universal Radiator Valve Spanner

Quantity – 1  
Dimensions – 110(h) x 40(w) x 20(d) mm

INST2052



#### Radiator Step Wrench + Ratchet

Quantity – 1  
Dimensions – 275(h) x 45(w) x 30(d) mm

INST2048



#### 1/2, 3/4 + 1" Lockshield Radiator Valve Key

Quantity – 1  
Dimensions – 85(h) x 85(w) x 20(d) mm

INST2056



#### Four-Way Multipurpose Key

Quantity – 1  
Dimensions – 75(h) x 75(w) x 20(d) mm

INST2059



#### TRV Tail Driver

Quantity – 1  
Dimensions – 60(h) x 30(w) x 30(d) mm

INST2166



#### Radiator Bleed Keys

Quantity – Pack of 3  
Dimensions – 35(h) x 68(w) x 5(d) mm

INST2058-1

**Are you looking to replace or install a new radiator?**

Pages 70-73

With a slim profile and smooth, white finish, Henrad Compact and Compact K3 radiators will blend into any room in the house, to provide guaranteed heating performance.

**Multiple Sizes**



#### 3-in-1 and 4-in-1 Radiator Valve Spanners

Quantity –  
Pack of 1 (INST2053 + INST2054)  
Pack of 2 (INST2055)  
Dimensions – 135(h) x 60(w) x 20(d) mm

INST2053 Radiator Valve Spanner 10mm Square + 5mm Balancing Tool

INST2054 Radiator Valve Spanner 12mm Hex., Air Release + 4mm Balancing Tool

INST2055 Twinpack

# Plumbing Tools

Guarantees

**1** Year  
on Plumbing Tools

## Taps + Stopcocks



### Contractors Telescopic Back Nut Wrench

Quantity – 1  
Dimensions – 280(h) x 150(w) x 30(d) mm

INST0781



### Domestic Mains Water Mini Stopcock Key

Quantity – 1  
Dimensions – 220(h) x 45(w) x 40(d) mm

INST0331



### Parallel Bush Tap Reseater (Three Cutters)

Quantity – 1  
Dimensions – 135(h) x 40(w) x 50(d) mm

INST0450



### 1050mm (42") Mains Water Tapered 1/2" + 3/4" Stopcock Key

Quantity – 1  
Dimensions – 1060(h) x 160(w) x 20(d) mm

INST0339



### Pro Adjustable Basin Wrench (Two Jaws)

Quantity – 1  
Dimensions – 255(h) x 90(w) x 80(d) mm

INST0345



### 27 x 32mm Tap Back Nut Box Spanner

Quantity – 1  
Dimensions – 157(h) x 40(w) x 40(d) mm

INST0319



### 45 x 50mm Waste Nut Box Spanner

Quantity – 1  
Dimensions – 200(h) x 60(w) x 50(d) mm

INST0308



### 8mm-13mm Monobloc Box Spanners

Quantity – Set of 3  
Dimensions – 185(h) x 45(w) x 20(d) mm

INST3240



### Malleable Cast Basin Back Nut Wrench

Quantity – 1  
Dimensions – 260(h) x 27(w) x 45(d) mm

INST0327

## Guarantees

**1** Year  
on Plumbing Tools

# Plumbing Tools

## Compression Fittings + Immersion Heaters



### Compression Fitting Nut Spanners

Quantity – Pack of 2  
Dimensions – 160(h) x 55(w) x 10(d) mm

INST2042



### Box Ring Immersion Heater Spanner

Quantity – 1  
Dimensions – 295(h) x 50(w) x 30(d) mm

INST0358



### Pro Cast Immersion Heater Spanner 86mm A/F

Quantity – 1  
Dimensions – 250(h) x 110(w) x 50(d) mm

INST0361



Additionally there is a power tool drive to make this indispensable tool even more useful!

**Just remember to have your drill set to drive not reverse.**

### 15mm + 22mm Compression Fitting Olive Puller

The INST2036 works by engaging the tool in the end of the copper pipe and then winding the appropriate bush - 15mm and 22mm included - counter clockwise until it stops at the olive to be removed. The threaded bush is then screwed into the compression nut which is held captive on the pipe on the other side of the olive. Then by rotating the handle clockwise the compression fitting nut is drawn up the pipe and pulls the olive off the pipe without damaging it.

Quantity – 1  
Dimensions – 150(h) x 60(w) x 40(d) mm

INST2036



### 22mm Compression Fitting Olive Cutter

Quantity – 1  
Dimensions – 192(h) x 55(w) x 25(d) mm

INST2031



### 15mm Compression Fitting Olive Cutter

The INST2030 15mm and INST2031 22mm are designed to remove an olive from copper pipe without damage to the pipe and without producing swarf. The latest version includes replaceable, interchangeable and reversible tungsten carbide blades.

**Please note – Not for use on steel olives.**

Quantity – 1  
Dimensions – 195(h) x 55(w) x 20(d) mm

INST2030

# Plumbing Tools

Guarantees

**1** Year  
on Plumbing Tools

## Boilers, Flues + System Testing

### 30mb Gas Test Gauge

The INST0257 30mb Gas Test Gauge is Made in Britain and is made from tough plastic. It is used both for testing pipework installations with air for leaks before the introduction of gas and for checking and setting correct gas pressures on domestic and commercial appliances. Extruded cover slides off and may be clipped over the base for standing the tool vertically during use. Hanging tab permits vertical hanging from suitable protrusions. Marked in millibars, the scale adjusts for zeroing the water level.

Quantity – 1

Dimensions – 550(h) x 75(w) x 30(d) mm



INST0257



### Mains Water Pressure Test Gauge 11 Bar x 3/4" BSP

Quantity – 1

Dimensions – 285(h) x 55(w) x 40(d) mm

INST1510

### Dry Test Kit 15mm x 4 Bar

The INST1512 Pipe Dry Testing Kit is ideal for dry testing pipe work during and after installation. It has an easy to read triple scale bar, psi and kPa and is suitable for water, air, gas and petroleum oil pipes up to 4 bar, and for testing combi systems. Can be left on test, while flooring is laid to reveal any nail damage also test hot and cold supplies separately to ensure pipes are not crossed. Fitted with a Schrader Valve and 15 mm push fit fitting for quick and easy assembly and has a rubber boot for added protection.

Quantity – 1

Dimensions – 130(h) x 55(w) x 30(d) mm



INST1512



### Flue Brushes

Quantity – Pack of 3

Dimensions – 500(h) x 120(w) x 55(d) mm

INST3014



### 15mm + 22mm Pipe End Plugs

Quantity – 1 of Each

Dimensions – 65(h) x 65(w) x 20(d) mm

INST1368



### 15m Drain Down Hose

Quantity – 1

Dimensions – 280(h) x 240(w) x 175(d) mm

INST2404



### 2m Spare Gas Test Gauge Hose (LPG)

Quantity – 1

Dimensions – 260(h) x 40(w) x 30(d) mm

INST1731

**Guarantees**

**1** Year  
on Plumbing Tools

# Plumbing Tools

## Wrenches + Spanners



**Wide Jaw Adjustable Wrench**

Quantity – 1

<b>INST3140</b>	150mm (6") 34mm Cap
<b>INST3141</b>	200mm (8") 38mm Cap
<b>INST3143</b>	250mm (10") 50mm Cap



**Thin Jaw Adjustable Wrench**

Quantity – 1

<b>INST4140</b>	150mm (6")
<b>INST4141</b>	200mm (8")
<b>INST41499</b>	150mm (6") + 200mm (8") Twinpack



**Mongoose One Handed Slip Joint Pliers**

Quantity – 1

<b>INST2071</b>	175mm (7")
<b>INST2072</b>	250mm (10")
<b>INST2073</b>	300mm (12")

## Miscellaneous



**Tape Measure (Backing Card)**

Quantity – 1

Dimensions – 150(h) x 85(w) x 35(d) mm

<b>INST196155</b>	5m
<b>INST196258</b>	8m



**Screwdriver**

Quantity – 1

Dimensions – 410(h) x 30(w) x 40(d) mm

<b>INST1518</b>	450mm (18") Flat Head Screwdriver
<b>INST1517</b>	300mm (12") No.2 Phillips Screwdriver



**20ft Drain Cleaner**

Quantity – 1

Dimensions – 285(h) x 285(w) x 185(d) mm

**INST3310**



**D-End Manhole Lifting Keys**

Quantity – 1 x Set of Keys

Dimensions – 105(h) x 125(w) x 30(d) mm

**INST1010**



**Handy Plunger**

Quantity – 1

Dimensions – 320(h) x 125(w) x 90(d) mm

**INST1460**



**Toilet Plunger**

Quantity – 1

Dimensions – 620(h) x 125(w) x 130(d) mm

**INSTM1600**

# Plumbing Tools

## Detection



**SleepSafe Photoelectric Smoke Alarm**

Quantity – 1  
 Dimensions – 110(h) x 110(w) x 50(d) mm  
**SA1**



**SleepSafe Carbon Monoxide Alarm (10 Year)**

Quantity – 1  
 Dimensions – 110(h) x 115(w) x 35(d) mm  
**COA10**

## Servicing Essentials



**Collapsible Bucket (10 Litre)**

Quantity – 1  
 Dimensions – 50(h) x 330(w) x 345(d) mm  
**CWB10L**



**Medium Grade Steel Wool (450g)**

Quantity – 1  
 Dimensions – 90(h) x 90(w) x 380(d) mm  
**WB28**



**Arctic Access Panel**

Quantity – 1  
 Panels to fit following opening dimensions –  
 150(h) x 230(w) mm (APS150)  
 200(h) x 200(w) mm (APS200)  
 300(h) x 300(w) mm (APS300)

<b>APS150</b>	Arctic Access Panel 150 – 230mm
<b>APS200</b>	Arctic Access Panel 200 – 200mm
<b>APS300</b>	Arctic Access Panel 300 – 300mm



**Collapsible Bucket (20 Litre)**

Quantity – 1  
 Dimensions – 30(h) x 310(w) x 150(d) mm  
**CWB20L**



**Steel Wool**

Quantity – Pack of 8  
 Dimensions – 53(h) x 140(w) x 210(d) mm  
**WB8**

# Plumbing Tools

## Servicing Essentials



### Work Mat

Quantity – 1  
Dimensions –  
180(h) x 70(w) x 114(d) mm (WM1)  
240(h) x 80(w) x 150(d) mm (WM2)  
300(h) x 70(w) x 225(d) mm (WM3)

<b>WM1</b>	1200 x 750mm
<b>WM2</b>	1800 x 850mm
<b>WM3</b>	1800 x 1500mm



### Cotton Dust Sheet (12' x 9')

Quantity – 1  
Dimensions – 545(h) x 464(w) x 28(d) mm  
**AD62822**



### Laminated Dust Sheet (12' x 9')

Quantity – 1  
Dimensions – 430(h) x 520(w) x 20(d) mm  
**A666013**



### Blue Hard Floor Protector

Quantity – 1  
Dimensions –  
600(h) x 67(w) x 67(d) mm (HFP1)  
600(h) x 105(w) x 105(d) mm (HFP1-50M)

<b>HFP1</b>	600mm x 25m
<b>HFP1-50M</b>	600mm x 50m



### Carpet Protector

Quantity – 1  
Dimensions –  
600(h) x 70(w) x 70(d) mm (CP1)  
600(h) x 105(w) x 105(d) mm (CP1-50M)

<b>CP1</b>	600mm x 25m
<b>CP1-50M</b>	600mm x 50m



### Aluminium Foil Tape (50mm x 45m)

Quantity – 1  
Dimensions – 122(h) x 122(w) x 48(d) mm

**A662021**



### General Purpose Cloth Tape (50mm x 50m)

Quantity – 1  
Dimensions – 132(h) x 132(w) x 50(d) mm

**A662020**

# Plumbing Tools

## Aerosol, Grease + Solutions



### Silicone Grease + Spray

Quantity – 1

Dimensions –

157(h) x 57(w) x 57(d) mm (A665016)

48(h) x 70(w) x 70(d) mm (A665016-TUB)

**A665016**

100g Tube

**665016-TUB**

100g Tub

Dimensions –

110(h) x 103(w) x 103(d) mm (A665017)

183(h) x 60(w) x 60(d) mm (PH040)

**A665017**

500g Tub

**PH040**

400ml Silicone Spray



### Pipe Cement (125ml + 250ml)

Quantity – 1

Dimensions –

75(h) x 55(w) x 55(d) mm (PVCC125)

88(h) x 75(w) x 75(d) mm (PVCC250)

**PVCC125**

125ml

**PVCC250**

250ml



### Air Duster Spray (120ml + 300ml)

Quantity – 1

Dimensions –

165(h) x 65(w) x 65(d) mm (ZE29)

201(h) x 65(w) x 65(d) mm (ZE294)

**ZE29**

120ml

**ZE294**

300ml



### Leak Detector Fluid (250ml)

Quantity – 1

Dimensions –

130(h) x 60(w) x 60(d) mm (PH026)

160(h) x 60(w) x 60(d) mm (PH026A)

**PH026**

250ml (Brush On)

**PH026A**

250ml (Atomiser)



### Leak Detector Spray (400ml)

Quantity – 1

Dimensions – 238(h) x 65(w) x 65(d) mm

**PH020**

# Plumbing Tools

## PPE + Cleaning



### Blue Paper Roll (3Ply)

Quantity – 1  
Dimensions – 253(h) x 125(w) x 125(d) mm

A445031



### Heavy Duty Dirty Scrubbers Wipe (80 Pack)

Quantity – 1  
Dimensions – 245(h) x 110(w) x 110(d) mm

DSW80



### 21" x 29" Black Rubble Sacks (10 Roll)

Quantity – 1  
Dimensions – 275(h) x 60(w) x 60(d) mm

BRS1



### Puggy Work Gloves

Quantity – 1  
Dimensions – 362(h) x 136(w) x 33(d) mm

<b>445036M</b>	Medium
<b>445036</b>	Large
<b>445036XL</b>	XLarge



### Plain Grip Gloves (6g)

Quantity – Box of 100  
Dimensions – 241(h) x 125(w) x 65(d) mm

<b>AHPGG6GM</b>	Medium
<b>AHPGG6GL</b>	Large
<b>AHPGG6GXL</b>	XLarge



### Diamond Grip Gloves (8g)

Quantity – Box of 50  
Dimensions – 235(h) x 126(w) x 65(d) mm

<b>AHDGG8GM</b>	Medium
<b>AHDGG8GL</b>	Large
<b>AHDGG8GXL</b>	XLarge



### Microfibre Cloth Range

Our multi-purpose cleaning cloths are highly absorbent, lint-free, and perfect for any surface—metal, plastic, wood, ceramics, glass, and more.

Dimensions –  
145(h) x 55(w) x 205(d) mm (MFCBOX5)  
150(h) x 45(w) x 300(d) mm (MFCBOX12)  
300(h) x 100(w) x 100(d) mm (MFCROLL30)  
145(h) x 155(w) x 310(d) mm (MFCBOX50)

<b>MFCBOX5</b>	Box of 5
<b>MFCBOX12</b>	Box of 12
<b>MFCROLL30</b>	Roll of 30
<b>MFCBOX50</b>	Box of 50

# Pre-Packed Fittings

Guarantees

**1** Year  
on Pre-Packed Fittings



## 12" Oval Link Chain (Chrome) (Stay)

Quantity – 1  
Dimensions – 340(h) x 60(w) x 2(d) mm  
**200082-INS**



## 18" Bath Ball Chain (Chrome) (S Hook CP)

Quantity – 1  
Dimensions – 458(h) x 3(w) x 3(d) mm  
**200111-INS**



## 18" Oval Link Chain (Chrome) (S Hooks)

Quantity – 1  
Dimensions – 470(h) x 2(w) x 6(d) mm  
**200128-INS**



## 12" Basin Ball Chain (Chrome) (Metal Stay CP)

Quantity – 1  
Dimensions – 300(h) x 2(w) x 23(d) mm  
**200147-INS**



## O Rings (Basin + Bath Plugs)

Quantity – 1 (5 x Basin + 5 x Bath)  
Dimensions – 325(h) x 2(w) x 2(d) mm  
**200666-INS**



## Brass Basin Plug (Chrome) (Triangle)

Quantity – 1  
Dimensions – 13(h) x 38(w) x 38(d) mm  
**200716-INS**



## Brass Bath Plug (Chrome) (Triangle)

Quantity – 1  
Dimensions – 14(h) x 43(w) x 43(d) mm  
**200739-INS**



## Basin Poly Plug (Black) (12" Ball Chain + Stay)

Quantity – 1  
Dimensions – 80(h) x 60(w) x 14(d) mm  
**200764-INS**



## 1 1/2" Poly Plug (Black) (Triangle)

Quantity – 2  
Dimensions – 15(h) x 38(w) x 38(d) mm  
**200833-INS**



## 1 3/4" Poly Plug (Black) (Triangle)

Quantity – 2  
Dimensions – 15(h) x 45(w) x 45(d) mm  
**200837-INS**



## 1 1/2" + 1 3/4" Poly Plug Kit (Black)

Quantity – 1 (1 of each Plug)  
Dimensions – 15(h) x 90(w) x 120(d) mm  
**200839-INS**



## 1 1/2" Plastic Basin Plug (White)

Quantity – 2  
Dimensions – 21(h) x 38(w) x 38(d) mm  
**200842-INS**



## 1 3/4" Bath Plastic Plug (White)

Quantity – 2  
Dimensions – 21(h) x 43(w) x 43(d) mm  
**200844-INS**



## 1 1/2" Pop Up Plug Only (Chrome)

Quantity – 1  
Dimensions – 72(h) x 40(w) x 40(d) mm  
**200867-INS**



## Tap Hole Stopper Abs (Chrome)

Quantity – 1  
Dimensions – 32(h) x 50(w) x 50(d) mm  
**201051-INS**



## Domed Chain Hole Stopper (Chrome)

Quantity – 1  
Dimensions – 41(h) x 13(w) x 13(d) mm  
**201052-INS**

**Guarantees**

**1** Year  
on Pre-Packed Fittings

# Pre-Packed Fittings



**Rubber Washer  
(Sink Waste)**

Quantity – 5  
Dimensions – 1.5(h) x 84(w) x 84(d) mm  
**201230-INS**



**Rubber Washer  
(Basin Waste)**

Quantity – 5  
Dimensions – 1.5(h) x 60(w) x 60(d) mm  
**201231-INS**



**Rubber Washer  
(Bath Waste)**

Quantity – 5  
Dimensions – 3(h) x 62(w) x 62(d) mm  
**201233-INS**




**Seal Kit  
(Basin Waste)**

Quantity – 1  
Dimensions – 22(h) x 68(w) x 68(d) mm  
**201686-INS**



**Brass Basin Plug (Chrome)  
12" Ball Chain + Stay**

Quantity – 1  
Dimensions – 15(h) x 80(w) x 120(d) mm  
**201924-INS**



**Brass Bath Plug (Chrome)  
18" Ball Chain + S Hook**

Quantity – 1  
Dimensions – 16(h) x 80(w) x 120(d) mm  
**201925-INS**



**Tap Hole Stopper (White)**

Quantity – 1  
Dimensions – 32(h) x 50(w) x 50(d) mm  
**202118-INS**



**Bath Poly Plug (Black)  
(18" Ball Chain)**

Quantity – 1  
Dimensions – 15(h) x 60(w) x 80(d) mm  
**202255-INS**



**Contract Cistern Lever**

Quantity – 1  
Dimensions – 150(h) x 34(w) x 119(d) mm  
**202298-INS**



**Seal (Clicker Waste  
201753 201773)**

Quantity – 2  
Dimensions – 4(h) x 37(w) x 37(d) mm  
**202510-INS**



**O Ring (Basin Mushroom  
Clicker Waste 201314)**

Quantity – 2  
Dimensions – 4(h) x 40(w) x 40(d) mm  
**202515-INS**



**Rubber MT Cock Washer**

Quantity – 5  
Dimensions – 2(h) x 13(w) x 13(d) mm  
**303396-INS**



**Cone Washer (Bottom  
Entry Float Valve)**

Quantity – 2  
Dimensions – 6(h) x 38(w) x 38(d) mm  
**306290-INS**



**Torbeck Valve Washers**

Quantity – 1  
Dimensions – 17(h) x 30(w) x 30(d) mm  
**306492-INS**



**HydroFlo Black Rubber  
Diaphragm Washer**

Quantity – 1  
Dimensions – 14.5(h) x 28(w) x 28(d) mm  
**345366-INS**



**Part 2 Ball Valve Washer**

Quantity – 5  
Dimensions – 6(h) x 32(w) x 32(d) mm  
**306730-INS**

# Pre-Packed Fittings

Guarantees

**1** Year  
on Pre-Packed Fittings


## 1/2" Plastic Piston Pack

Quantity – 2  
Dimensions – 32(h) x 16(w) x 16(d) mm

306810-INS



## 1/2" HP Plastic Seat

Quantity – 5  
Dimensions – 16(h) x 22(w) x 22(d) mm

306816-INS



## 1/2" Red Fibre Seating Washer (Float Valve)

Quantity – 5  
Dimensions – 1.5(h) x 22(w) x 22(d) mm

306832-INS



## 1/2" Part 1 Cotter Pin

Quantity – 5  
Dimensions – 34(h) x 7(w) x 3(d) mm

306850-INS



## 5/8" Flat Tap Washer

Quantity – 2  
Dimensions – 5(h) x 22(w) x 22(d) mm

306880-INS



## Dome Tap Washers

Quantity – 2  
Dimensions –  
7(h) x 17(w) x 17(d) mm (306882-INS)  
10(h) x 23(w) x 23(d) mm (306884-INS)

306882-INS 1/2"

306884-INS 3/4"



## Delta Tap Washers

Quantity – 5  
Dimensions –  
5(h) x 16(w) x 16(d) mm (306886-INS)  
5(h) x 18(w) x 18(d) mm (306888-INS)

306886-INS 1/2"

306888-INS 3/4"



## Pillar Tap Washer

Quantity – 10  
Dimensions – 1.5(h) x 44(w) x 44(d) mm

306924-INS

## Vacca Washer Flat

Quantity – 10  
Dimensions –  
5(h) x 16(w) x 16(d) mm (306940-INS)  
5(h) x 19(w) x 19(d) mm (306942-INS)  
5(h) x 22(w) x 22(d) mm (306944-INS)  
5(h) x 25(w) x 25(d) mm (306946-INS)

306940-INS 3/8"

306942-INS 1/2"

306944-INS 5/8"

306946-INS 3/4"



## Pegler Washer Flat

Quantity – 5  
Dimensions –  
4(h) x 16(w) x 16(d) mm (306950-INS)  
4(h) x 18(w) x 18(d) mm (306952-INS)

306950-INS 1/2"

306952-INS 3/4"



## Straight Boiler Filling Loop

Quantity – 1  
Dimensions – 500(h) x 39(w) x 24(d) mm

307413-INS



## 15mm (Chrome) Snappit Cover 200mm

Quantity – 10  
Dimensions – 30(h) x 15(w) x 19(d) mm

317274-INS



## Chrome Pipe Covers + Floor Plate

Quantity – 2 of Each  
Dimensions – Please request

317290-INS



## 1/2" Directional Air Vent + 1/2" Plug Kit (Chrome)

Quantity – 1 of Each  
Dimensions – 19(h) x 24(w) x 24(d) mm

313580-INS



## Brass Clock Radiator Key

Quantity – 1  
Dimensions – 34(h) x 39(w) x 9(d) mm

313713-INS

**Guarantees**

**1** Year on Pre-Packed Fittings

# Pre-Packed Fittings



**Filling Loop Straight (Part L Approved) 15mm**

Quantity – 1  
Dimensions – 500(h) x 45(w) x 25(d) mm  
**307425-INS**



**Filling Loop Straight with Gauge (Part L Approved) 15mm**

Quantity – 1  
Dimensions – 580(h) x 65(w) x 40(d) mm  
**307430-INS**



**Flexible Tap Connector with Iso Valve – 30cm**

Quantity – 2  
Dimensions – 315(h) x 26(w) x 26(d) mm (324652-INS)  
318(h) x 35(w) x 35(d) mm (324656-INS)  
**324652-INS** 15mm x 1/2"  
**324656-INS** 22mm x 3/4"



**15mm Pushfit x 1/2" Flexible Tap Connector – 30cm**

Quantity – 2  
Dimensions – 302(h) x 28(w) x 28(d) mm  
**324705-INS**



**Brass Olives**

Quantity – 5 (324015-INS, 324019-INS, 324024-INS, 324032-INS, 324037-INS)  
10 (324028-INS)  
Dimensions – 6(h) x 10(w) x 10(d) mm (324015-INS)  
6(h) x 12(w) x 12(d) mm (324019-INS)  
6(h) x 14(w) x 14(d) mm (324024-INS)  
6(h) x 17(w) x 17(d) mm (324028-INS)  
7(h) x 24(w) x 24(d) mm (324032-INS)  
8(h) x 30(w) x 30(d) mm (324037-INS)

<b>324015-INS</b>	8mm
<b>324019-INS</b>	10mm
<b>324024-INS</b>	12mm
<b>324028-INS</b>	15mm
<b>324032-INS</b>	22mm
<b>324037-INS</b>	28mm



**Copper Olives**

Quantity – 5 (324122-INS, 324154-INS)  
10 (324118-INS, 324122-INS10)  
Dimensions – 6(h) x 17(w) x 17(d) mm (324118-INS)  
7(h) x 24(w) x 24(d) mm (324122-INS)  
7(h) x 24(w) x 24(d) mm (324122-INS10)  
6(h) x 24(w) x 24(d) mm (324154-INS)

<b>324118-INS</b>	15mm
<b>324122-INS</b>	22mm
<b>324122-INS10</b>	22mm
<b>324154-INS</b>	3/4"



**Flexible Tap Connector**

Quantity – 1 (324636-INS)  
2 (324634-INS, 324643-INS, 324645-INS)  
Dimensions – 317(h) x 26(w) x 26(d) mm (324634-INS)  
516(h) x 25(w) x 25(d) mm (324636-INS)  
315(h) x 29(w) x 29(d) mm (324643-INS)  
323(h) x 29(w) x 29(d) mm (324645-INS)

<b>324634-INS</b>	15mm x 1/2" Flexible Tap Connector – 30cm
<b>324636-INS</b>	15mm x 1/2" Flexible Tap Connector – 50cm
<b>324643-INS</b>	15mm x 3/4" Flexible Tap Connector – 30cm
<b>324645-INS</b>	22mm x 3/4" Flexible Tap Connector – 30cm



**15mm Flexible Tap Connector – 30cm**

Quantity – 2  
Dimensions – 327(h) x 26(w) x 26(d) mm  
**324665-INS**



**15mm x 10mm Flexible Tap Connector – 30cm**

Quantity – 2  
Dimensions – 400(h) x 75(w) x 24(d) mm  
**324675-INS**



**15mm x 12mm Flexible Tap Connector – 30cm**

Quantity – 2  
Dimensions – 400(h) x 75(w) x 24(d) mm  
**324679-INS**



**15mm Pushfit x 3/4" Flexible Tap Connector – 30cm**

Quantity – 2  
Dimensions – 300(h) x 36(w) x 36(d) mm  
**324714-INS**



**15mm Pushfit Flexible Connector – 30cm**

Quantity – 2  
Dimensions – 340(h) x 28(w) x 28(d) mm  
**324740-INS**



**15mm Pushfit x 1/2" Flexible Tap Connector with Iso Valve – 30cm**

Quantity – 2  
Dimensions – 130(h) x 42(w) x 32(d) mm  
**324720-INS**

# Pre-Packed Fittings

Guarantees

**1** Year  
on Pre-Packed Fittings


## 1/2" Flexible Tap Fibre Washer

Quantity – 2  
Dimensions – 2(h) x 20(w) x 20(d) mm

324790-INS



## 3/4" Flexible Tap Rubber Washer

Quantity – 2  
Dimensions – 2(h) x 24(w) x 24(d) mm

324795-INS



## 1/2" BS5412 Brass Headwork (Pair)

Quantity – 1  
Dimensions – 150(h) x 150(w) x 24(d) mm

330135-INS



## 1/2" Ceramic Disc Headwork (Pair)

Quantity – 1  
Dimensions – 150(h) x 150(w) x 24(d) mm

330180-INS



## Tap Washers

Quantity – 4  
Dimensions –  
4(h) x 16(w) x 16(d) mm (330910-INS)  
5(h) x 19(w) x 19(d) mm (330915-INS)  
5(h) x 25(w) x 25(d) mm (330920-INS)

330910-INS  $\frac{3}{8}$ "330915-INS  $\frac{1}{2}$ "330920-INS  $\frac{3}{4}$ "

## Universal Top Hat Washer

$\frac{1}{2}$ " +  $\frac{3}{4}$ "  
Quantity – 2  
Dimensions – 12(h) x 50(w) x 50(d) mm

330950-INS



## Conical Trap Washers

Quantity – 5  
Dimensions –  
8(h) x 44(w) x 44(d) mm (344260-INS)  
10(h) x 49(w) x 49(d) mm (340297-INS)

344260-INS 1.  $\frac{1}{4}$ "340297-INS 1.  $\frac{1}{2}$ "

## Flat Trap Washers

Quantity – 5  
Dimensions –  
2(h) x 39(w) x 39(d) mm (344215-INS)  
2(h) x 42(w) x 42(d) mm (344255-INS)

344215-INS 1.  $\frac{1}{4}$ "344255-INS 1.  $\frac{1}{2}$ "

## Cistern Overflow Stopper (Chrome)

Quantity – 1  
Dimensions – 40(h) x 37(w) x 34(d) mm

344325-INS



## Bottom Entry Overflow Pipe Angled

Quantity – 1  
Dimensions – 277(h) x 42(w) x 42(d) mm

344330-INS



## 1 1/2" Flush Pipe Sealing Ring

Quantity – 3  
Dimensions – 9(h) x 47(w) x 47(d) mm

344335-INS



## Shower Hose Washers

Quantity – 5  
Dimensions – 2(h) x 18(w) x 18(d) mm

344405-INS



## 1/2" Diaphragm Washer (Siamp)

Quantity – 1  
Dimensions – 15(h) x 27(w) x 27(d) mm

345365-INS



## Plastic Internal Flush Cone

Quantity – 1  
Dimensions – 27(h) x 70(w) x 70(d) mm

345400-INS



## Universal Flush Pipe Connector External

Quantity – 1  
Dimensions – 55(h) x 73(w) x 73(d) mm

345405-INS



## Rubber Internal Flush Cone

Quantity – 1  
Dimensions – 26(h) x 53(w) x 59(d) mm

345410-INS

**Guarantees**

**1** Year  
on Pre-Packed Fittings

# Pre-Packed Fittings



**1 1/2" Compression Syphon Nut**

Quantity – 1  
Dimensions – 17(h) x 57(w) x 57(d) mm


**345420-INS**



**Oblong Syphon Washer**

Quantity – 5  
Dimensions – 1(h) x 86(w) x 86(d) mm

**345430-INS**



**Round Syphon Washer**

Quantity – 5  
Dimensions –  
1(h) x 114(w) x 114(d) mm (345433-INS)  
1(h) x 127(w) x 124(d) mm (345435-INS)

**345433-INS** 4.1/2"


**345435-INS** 5"



**Syphon Bolt Kit Long + Washer**

Quantity – 1  
Dimensions – Please request

**345505-INS**



**Toilet Pan Screw Set**

Quantity – 1  
Dimensions – 120(h) x 180(w) x 31(d) mm

**345550-INS**



**Sanitary Fixing Kit 10 x 120**

Quantity – 1  
Dimensions – 120(h) x 180(w) x 31(d) mm

**345560-INS**



**Brass Adjustable Cistern Lift Arm**

Quantity – 1  
Dimensions – 102(h) x 29(w) x 15(d) mm

**345605-INS**



**Plastic Adjustable Cistern Lift Arm**

Quantity – 1  
Dimensions – 106(h) x 16(w) x 18(d) mm

**345610-INS**



**Cistern Handle Ceramic (Chrome)**

Quantity – 1  
Dimensions – 160(h) x 108(w) x 40(d) mm

**345617-INS**



**Metal Cistern Lever Kit (Chrome)**

Quantity – 1  
Dimensions – 150(h) x 170(w) x 37(d) mm

**345620-INS**



**Chrome Lever Kit 160mm Spindle**

Quantity – 1  
Dimensions – 150(h) x 250(w) x 41(d) mm

**345630-INS**



**E Type Finger Tip Front Cistern Lever**

Quantity – 1  
Dimensions – 180(h) x 150(w) x 40(d) mm

**345635-INS**



**Small Cistern C Link**

Quantity – 2  
Dimensions – 60(h) x 20(w) x 3(d) mm

**345650-INS**



**Large Cistern C Link**

Quantity – 2  
Dimensions – 110(h) x 20(w) x 3(d) mm

**345660-INS**



**C Link Pack (Small and Large Bag)**

Quantity – 1 of Each  
Dimensions – 180(h) x 105(w) x 3(d) mm

**345670-INS**



**Set of Toilet Seat Hinges (Black)**

Quantity – 1  
Dimensions – 320(h) x 80(w) x 31(d) mm

**345700-INS**

# Pre-Packed Fittings

## Guarantees

**1** Year  
on Pre-Packed Fittings



### Set of Toilet Seat Hinges (White)

Quantity – 1  
Dimensions – 320(h) x 80(w) x 31(d) mm

**345705-INS**



### Close Couple Cistern Kit

Quantity – 1  
Dimensions – 240(h) x 150(w) x 22(d) mm

**345750-INS**



### Donut Washer

Quantity – 1  
Dimensions – 20(h) x 100(w) x 100(d) mm

**345805-INS**



### Brass Cap

Quantity – 2  
Dimensions –  
13(h) x 26(w) x 26(d) mm (348616-INS)  
14(h) x 32(w) x 32(d) mm (348620-INS)

**348616-INS** 1/2"

**348620-INS** 3/4"



### Brass Backnut Heavy

Quantity – 2  
Dimensions –  
11(h) x 38(w) x 38(d) mm (348910-INS)  
11(h) x 44(w) x 44(d) mm (348917-INS)

**348910-INS** 1/2"

**348917-INS** 3/4"



### Blanking Nut + Washer

Quantity – 1  
Dimensions –  
120(h) x 88(w) x 14(d) mm (348985-INS)  
120(h) x 88(w) x 14(d) mm (348987-INS)

**348985-INS** 1/2"

**348987-INS** 3/4"



### 3' 6" Micropoint Hose

Quantity – 1  
Dimensions – 1066(h) x 36(w) x 25(d) mm

**352020-INS**



### 1/2" Micropoint Socket Straight

Quantity – 1  
Dimensions – 35(h) x 25(w) x 25(d) mm

**352070-INS**



### 4' Bayonet Cooker Hose

Quantity – 1  
Dimensions – 1122(h) x 34(w) x 34(d) mm

**352121-INS**



### 1/2" Bayonet Socket (Angled)

Quantity – 1  
Dimensions – 35(h) x 25(w) x 25(d) mm

**352144-INS**



### 1/8" Test Nipples

Quantity – 1  
Dimensions – 16(h) x 10(w) x 10(d) mm

**352505-INS**



### Cooker Safety Chain – 1m

Quantity – 1  
Dimensions – 100(h) x 1120(w) x 4(d) mm

**352600-INS**



### Cooker Rest Chain – 16" (BS6172 Kit)

Quantity – 1  
Dimensions – 120(h) x 80(w) x 15(d) mm

**352615-INS**



### Meter Box Key

Quantity – 1  
Dimensions – 53(h) x 40(w) x 14(d) mm

**352655-INS**

### Hose Clips

Quantity – 2  
Dimensions –  
12(h) x 33(w) x 23(d) mm (390620-INS)  
15(h) x 36(w) x 28(d) mm (390622-INS)  
15(h) x 39(w) x 31(d) mm (390624-INS)  
15(h) x 49(w) x 40(d) mm (390626-INS)

**390620-INS** Size 00 14mm-20mm

**390622-INS** Size 0 16mm-22mm

**390624-INS** Size OX 18mm-25mm

**390626-INS** Size 1 25mm-35mm



**Guarantees**

**1** Year on Pre-Packed Fittings

# Pre-Packed Fittings



**Copper Saddle Clips**

Quantity – 2  
Dimensions –  
10(h) x 41(w) x 16(d) mm (390710-INS)  
10(h) x 49(w) x 24(d) mm (390715-INS)

<b>390710-INS</b>	15mm
<b>390715-INS</b>	22mm



**Washing Machine Hose (Red)**

Quantity – 1  
Dimensions –  
1500(h) x 32(w) x 32(d) mm (392442-INS)  
2500(h) x 32(w) x 32(d) mm (392451-INS)

<b>392442-INS</b>	1.5m
<b>392451-INS</b>	2.5m



**Washing Machine Hose (Blue)**

Quantity – 1  
Dimensions –  
1500(h) x 32(w) x 32(d) mm (392446-INS)  
2500(h) x 32(w) x 32(d) mm (392455-INS)


<b>392446-INS</b>	1.5m
<b>392455-INS</b>	2.5m



**2.5m Outlet Hose**

Quantity – 1  
Dimensions – 2500(h) x 34(w) x 34(d) mm

<b>392475-INS</b>
-------------------



**Washing Machine Y Piece**

Quantity – 1  
Dimensions – 80(h) x 69(w) x 32(d) mm

<b>392490-INS</b>
-------------------



**Washing Machine Hose Washer**

Quantity – 5  
Dimensions – 2(h) x 24(w) x 24(d) mm

<b>392495-INS</b>
-------------------



**Plumbing Out Kit**

Quantity – 1  
Dimensions – Please request

<b>392528-INS</b>
-------------------



**17mm Washing Machine Outlet Hose Joiner**

Quantity – 1  
Dimensions – 67(h) x 28(w) x 28(d) mm

<b>392530-INS</b>
-------------------



**Fibre Cap + Lining Washer**

Quantity – 10  
Dimensions –  
1.5(h) x 19(w) x 19(d) mm (394005-INS)  
1.5(h) x 24(w) x 24(d) mm (394010-INS)

<b>394005-INS</b>	1/2"
<b>394010-INS</b>	3/4"



**Plastic Washers**

Quantity –  
10 (394030-INS, 394035-INS)  
5 (394040-INS)  
Dimensions –  
1.5(h) x 38(w) x 38(d) mm (394030-INS)  
1.5(h) x 44(w) x 44(d) mm (394035-INS)  
1.5(h) x 59(w) x 59(d) mm (394040-INS)

<b>394030-INS</b>	1/2"
<b>394035-INS</b>	3/4"
<b>394040-INS</b>	1"



**1 1/4" Plastic Sink Washer**

Quantity – 5  
Dimensions – 1.5(h) x 57(w) x 57(d) mm

<b>394045-INS</b>
-------------------



**1 1/2" Plastic Washer**

Quantity – 2  
Dimensions – 1.5(h) x 86(w) x 86(d) mm

<b>394050-INS</b>
-------------------



**1 1/2" Rubber Pump Gaskets**

Quantity – 2  
Dimensions – 3(h) x 43(w) x 43(d) mm

<b>305431-INS</b>
-------------------



**PTFE Tape 12mm x 12m Reel (WRAS)**

Quantity – 1  
Dimensions – 20(h) x 57(w) x 57(d) mm

<b>INST61427N</b>
-------------------



**PTFE Tape 12mm x 5m Reel (Gas)**

Quantity – 1  
Dimensions – 20(h) x 57(w) x 57(d) mm

<b>INST61425T</b>
-------------------

# Pipe Clips



## 16, 22mm Masonry Nail Pipe Clip

Colour – Red, Blue, Black, Grey or Yellow  
Quantity – 100 Pack

Red	
M200	16mm
M201	22mm

Blue	
M202	16mm
M203	22mm

Black	
M204	16mm
M206	22mm

Grey	
M207	16mm
M208	22mm


Yellow	
M209	16mm
M210	22mm



## 11, 16, 22, 28mm Nail Clip

Colour – White  
Quantity –  
100 Pack (INSTC207, INSTM100, INSTM102)  
50 Pack (INSTM103)

INSTC207	11mm
INSTM100	16mm
INSTM102	22mm
INSTM103	28mm



## 10, 15, 22, 28mm Clip Link Trunking

Colour – White  
Quantity – 12 Pack

Double	
INSTT604	15mm
INSTT605	22mm



## 15, 22mm Clip Link Pipe Clip


Colour – Red, Blue, Black, Yellow or Black  
Quantity – 100 Pack, 50 Pack (P629)

Red	
P620	15mm
P621	22mm

Blue	
P622	15mm
P623	22mm

Yellow	
P624	15mm
P625	22mm

Black	
P627	15mm
P628	22mm
<b>NEW</b> P629	28mm



## 16, 20, 25, 32mm MDPE Clip Link

Colour – Translucent, Blue or Black  
Quantity –  
50 Pack (P682, P683, P685, P686, P688, P689)  
100 Pack (P680, P681, P684, P687)

Translucent	
P680	16mm
P681	20mm
P682	25mm
P683	32mm

Blue	
P684	20mm
P685	25mm
P686	32mm

Black	
P687	20mm
P688	25mm
P689	32mm



## 15, 22mm Clip Lock

Colour – HOT Red, COLD Blue, GAS Yellow  
Quantity – 100 Pack

HOT Red	
P500	15mm
P501	22mm

COLD Blue	
P502	15mm
P503	22mm

GAS Yellow	
P504	15mm
P505	22mm



## 15, 22, 28mm Clip Lock Pipe Clip

Colour – White  
Quantity – 100 Pack (Single), 50 Pack (Double)

Single		Double	
P100	15mm	<b>NEW</b> P103	15mm
P101	22mm	<b>NEW</b> P104	22mm
P102	28mm		




## 10, 15, 22, 28mm Hinged Clip

Colour – Translucent  
Quantity –  
100 Pack (P616, INSTP610, INSTP611, INSTP615)  
50 Pack (INSTP612, P617, INSTP613, INSTP614)

Single	
P616	10mm
INSTP610	15mm
INSTP611	22mm
INSTP612	28mm

Double	
INSTP613	15mm
INSTP614	22mm
INSTP615	Spacer Blocker

# Trunking Accessories



## 10, 15, 22, 28, 35, 42, 110mm Collar Clip

Colour – White or Chrome

Quantity –


25 Pack (P310, P311, P312, P313, P314, P315, P322)

5 Pack (P316, P317, P319, P320)

1 Pack (P318, P321)

White	
P310	10mm
P311	15mm
P312	22mm
P322	28mm
P319	35mm
P320	42mm
P321	110mm

Chrome	
P313	10mm
P314	15mm
P315	22mm
P316	35mm
P317	42mm
P318	110mm



## 10, 15, 22mm Corner Clips

Colour – White

Quantity –

10 Pack (T611, T612, T614, T615, T617, T618)

2 Pack (T610, T613, T616)

Inner Corner	
T610	10mm
T611	15mm
T612	22mm

Outer Corner	
T613	10mm
T614	15mm
T615	22mm

Flat Corner	
T616	10mm
T617	15mm
T618	22mm



## 15, 22mm T Connectors

Colour – White

Quantity – 1 Pack

T634	15mm
T635	22mm



## 10, 15, 22mm Straight Connector Clips

Colour – White

Quantity –

10 Pack (T620, T621)

2 Pack (T619)

T619	10mm
T620	15mm
T621	22mm



## 10, 15, 22, 28mm Stop End Clips

Colour – White


Quantity –

10 Pack (T622, T623, T624, T626, T627)

2 Pack (T625)

Single	
T622	15mm
T623	22mm
T624	28mm

Double	
T625	10mm
T626	15mm
T627	22mm



## 15, 22mm Access Clips

Colour – White

Quantity – 10 Pack

Top Access	
T628	15mm
T629	22mm

Side Access	
T630	15mm
T631	22mm



## 20, 70mm Vent Plugs

Colour – White

Quantity – 10 Pack

T632	20mm
T633	70mm



## 10mm Swept Bend

Colour – White

Quantity – 1 Pack

T636	10mm
------	------

# INSTINCT® | PRO



Domestic or commodity taps to suit your project



Acrylic and steel baths in a variety of sizes and shapes



High-quality sanitaryware in contemporary styles



Straight + simple ladder rails, perfect for family bathrooms



A collection of easy to fit, space saving bathroom furniture



Industry-leading range of concealed toilet cisterns + frames

## The choice for bathroom essentials.

High-quality, affordable, and perfect for everyday projects.

Whether you're a homeowner or a professional installer, the Instinct Pro range has you covered for all your domestic or commercial bathroom needs.



Visit [instinctproducts.co.uk](https://instinctproducts.co.uk)  
and find your local stockist

Visit our Trade Centres today to discover the full INSTINCT range.

Our **INSTINCT PRO Bathroom Collection 2025/26** Catalogue is available in Branches and on our website. This catalogue highlights our fantastic range of Bathroom products for **trade customers**.

Our **INSTINCT Bathroom Collection Autumn 2025** Catalogue displays a comprehensive range of our **bathroom showroom products** to cater for all of your customers' bathroom needs.



# INSTINCT® | PRO

## Find your nearest Richmonds Branch

### GLASGOW - CARNOUSTIE PLACE

(Main Showroom & Trade Centre)

15-25 Carnoustie Place, Glasgow G5 8PA

T: 0141 429 7441

E: sales@rphm.co.uk

**Open: Mon-Fri 9am - 5pm, Sat 9am - 1pm  
(Showroom) & Mon-Fri 7.30am - 5pm, Sat 8am -  
12noon (Trade Centre)**

### GLASGOW - SOUTH ST

(Trade Only)

Units 3D, Albion Ind Est, 760 South Street,  
Glasgow G14 0SY

T: 0141 954 0101

E: glasgow.southst@rphm.co.uk

**Open: Mon-Fri 7.30am - 5pm, Sat 8am - 12noon**

### EDINBURGH - STENHOUSE MILL WYND

(Showroom & Trade Centre)

22 Stenhouse Mill Wynd, Edinburgh EH11 3XX

T: 0131 443 5738

E: stenhouse@rphm.co.uk

**Open: Mon-Fri 7.30am - 5pm, Sat 8am - 12noon**

### EDINBURGH - PRESTONFIELD

(Showroom & Trade Centre)

30-34 Kings Haugh, Prestonfield, Edinburgh  
EH16 5UY

T: 0131 560 2888

E: prestonfield@rphm.co.uk

**Open: Mon-Fri 7.30am - 5pm, Sat 8am -  
12noon**

### PAISLEY

(Showroom & Trade Centre)

Units 3-5, Baltic Business Park, Murray Street,  
Paisley PA3 1QG

T: 0141 887 9901

E: paisley@rphm.co.uk

**Open: Mon-Fri 7.30am - 5pm, Sat 8am - 12noon**

### BELLSHILL

(Showroom & Trade Centre)

Block 22, Unit 1, Motherwell Park, Bellshill ML4  
3NP

T: 01698 845845

E: bellshill@rphm.co.uk

**Open: Mon-Fri 7.30am - 5pm, Sat 8am - 12noon**

### HAMILTON

(Trade Only)

Units 9-12, Fullwood Industrial Estate, Burnbank  
Road, Hamilton ML3 9AZ

T: 01698 283506

E: hamilton@rphm.co.uk

**Open: Mon-Fri 7.30am - 5pm, Sat 8am -  
12noon**

[www.richmonds-phm.co.uk](http://www.richmonds-phm.co.uk)



**RICHMONDS**  
plumbing & heating