



Flushing

Section	Page No.
Frames + Concealed Cisterns	
WC Frames	
Instinct 400mm Wall Hung Bidet and WC Frame	122
Instinct 820mm Wall Hung Frame and Cistern	122
Instinct 1000mm Wall Hung Frame and Cistern	122
Instinct 1170mm Wall Hung Frame and Cistern	122
Concealed Cisterns	
Instinct In-Wall Dual Flush Cistern	123
Instinct Comfort Concealed Dual Flush Cistern	123
Instinct Torrent Concealed Dual Flush Cistern	123
Instinct Cascade Side Entry Concealed Cistern	123
Dual Flush Plates + Buttons	
Dual Flush Plates	
Nuance	124
Kiso	125
Instinct Glass	125
Hemsworth	125
Espada	125
Dual Flush Buttons	
new Oval	126
Nuance	126
Kiso	126
Contactless Flushing	
Instinct Contactless Close Coupled Flushing	127
Instinct Contactless Remote Sensor	127
Instinct Touch Sensor Flush Plate	127

What's new and trending this season...



Flushing Range Selector

WC Frames								
		Compatibility						
Range	Page No.	Standard Depth 500 BTW Unit	Standard Depth 600 BTW Unit	Slim Depth 500 BTW Unit	Slim Depth 600 BTW Unit	Boxed/Tiled in with Worktop	Boxed/Tiled in Full Height	Boxed/Tiled in Full Height – Slim Stud Wall
Instinct 400mm Wall Hung Bidet and WC Frame	122	● ^Δ	● ^Δ	● ^Δ	● ^Δ	● ^Δ		
Instinct 820mm Wall Hung Frame and Cistern	122		●*		●*	●	●	
Instinct 1000mm Wall Hung Frame and Cistern	122					●	●	
Instinct 1170mm Wall Hung Frame and Cistern	122						●	●

*Use with adaptor kit INST13007 ^ΔUse with concealed cisterns INST13001 or INST13002

Concealed Cisterns								
		Compatibility						Flush Button
Range	Page No.	Standard Depth 500 BTW Unit	Standard Depth 600 BTW Unit	Slim Depth 500 BTW Unit	Slim Depth 600 BTW Unit	Boxed/Tiled in with Worktop	Boxed/Tiled in Full Height	Supplied with Concealed Cistern
Instinct In-Wall Dual Flush Concealed Cistern	123					●	●	
Instinct Comfort Dual Flush Concealed Cistern	123	●	●	●	●			●
Instinct Bottom Entry Dual Flush Concealed Cistern	123	●	●	●	●			●
Instinct Side Entry Dual Flush Concealed Cistern	123	●	●	●	●			●

Flushing Features

There are many features in our flushing range. Use the icons to help choose the right option for you.



Guarantees

All WC frames, concealed cisterns, flush plates, flush buttons and contactless flushing products come with a five year guarantee.



Back To Wall Pans

Can be used for back to wall pans.



Wall Hung Pans

Allows wall hung pans to be used.



Wall Hung Bidets

Can be used for wall hung bidets.



Air Gap

WRAS approved Air Gap inlet valve included.



Dual Flush Volume

The Dual Flush allows you to save water while providing you with the flexibility to choose between a water saving 3 litre flush or a standard 6 litre flush.



Easy Install

Our concealed cisterns and WC frames are designed for easy maintenance and installation.



Insulation

The Instinct concealed cistern jackets are fully insulated.



Low Battery Alarm

Alarm activates when batteries are running low.



Contactless Controls

Infrared switch allows control with the wave of your hand.

WC Frames

Guarantees

5 Years
on WC Frames + Concealed Cisterns



Instinct 400mm Wall Hung Bidet + WC Frame

Width – 400mm
Adjustable depth – 170-335mm
Adjustable leg height – 200mm
Compatibility – INST13001 and INST13008 cisterns (see page 123)
Fixings – Brackets, fixings and 1st fix protective covers included
Allows Wall Hung Pans to be used in narrow furniture units



INST13018 £164.00



Instinct 820mm Wall Hung Frame + Cistern

Width – 500mm
Adjustable depth – 167-215mm
Adjustable leg height – 200mm
Maintenance – Front access for easy maintenance and installation
Fixings – Brackets, fixings and 1st fix protective covers included
Flush Valve – WRAS approved 6/3 Litre pneumatic flush valve
Inlet Valve – WRAS approved side entry 1/2" (female) inlet valve with Air Gap



INST13005 £327.00

INST13007 Furniture Adaptor Kit £72.00



Instinct 1000mm Wall Hung Frame + Cistern

Width – 500mm
Adjustable depth – 167-215mm
Adjustable leg height – 200mm
Maintenance – Top and front access for easy maintenance and installation
Fixings – Brackets, fixings and 1st fix protective covers included
Ideal for use below windows
Flush Valve – WRAS approved 6/3 Litre pneumatic flush valve
Inlet Valve – WRAS approved side entry 1/2" (female) inlet valve with Air Gap



INST13015 £333.00



Instinct 1170mm Wall Hung Frame + Cistern

Adjustable depth – 140-200mm (for side or floor exit pipe runs)
Adjustable leg height – 200mm
Maintenance – Front access for easy maintenance and installation
Fixings – Brackets, fixings and 1st fix protective covers included
Compatible with pneumatic flush plates & buttons (sold separately)
Flush Valve – WRAS approved 6/3 Litre pneumatic flush valve
Inlet Valve – WRAS approved side entry 1/2" (female) inlet valve with Air Gap



INST13006 £342.00

Concealed Cisterns



Instinct In-Wall Dual Flush Concealed Cistern

Flush – 6/3 Litre flush
 Insulation – Jacket insulated
 Maintenance – Top or front access for easy maintenance and installation
 Flush Valve – Pneumatic flush valve
 Inlet Valve – WRAS approved Air Gap Side Inlet valve
 Flush plate/button – Not supplied (Ensure maintenance access is available if a button or contactless sensor)
 Dimensions – 745(h) Max x 600(w) x 138-194(d) mm



INST13009

£156.00



Instinct Comfort Dual Flush Concealed Cistern

Flush – 6/3 Litre flush
 Insulation – Jacket insulated
 Maintenance – Top or front access for easy maintenance and installation
 Flush Valve – Pneumatic flush valve
 Inlet Valve – WRAS approved Air Gap Bottom Inlet Valve
 Flush plate/button – Round button supplied with cistern as standard
 For use in 820mm high furniture
 Dimensions – 324(h) x 437(w) x 165(d) mm



INST13008

£132.00



Instinct Bottom Entry Dual Flush Concealed Cistern

Flush – 6/3 Litre flush
 Insulation – Jacket insulated
 Maintenance – Top or front access for easy maintenance and installation
 Flush Valve – Pneumatic flush valve
 Inlet Valve – WRAS approved Air Gap Bottom Inlet Valve
 Flush plate/button – Round button supplied with cistern as standard
 Dimensions – 365(h) x 434(w) x 140(d) mm



INST13001

£132.00



Instinct Side Entry Dual Flush Concealed Cistern

Flush – 6/3 Litre flush
 Insulation – Jacket insulated
 Maintenance – Top or front access for easy maintenance and installation
 Flush Valve – Pneumatic flush valve
 Inlet Valve – WRAS approved Air Gap Bottom Inlet Valve
 Flush plate/button – Round button supplied with cistern as standard
 Dimensions – 365(h) x 464(w) x 140(d) mm



INST13002

£132.00

Flush Plates

Guarantees

5 Years
on Flush Plates


Flush Plates + Flush Buttons

Range	Page No.	Compatibility							
		Nuance Flush Plate	Kiso Flush Plate	Espada Flush Plate	Instinct Glass Flush Plate	Hemsworth Flush Plate	Nuance Square + Kiso Round Buttons	Instinct Contactless Remote Sensor Kit	Instinct Touch Sensor Flush Plate
Instinct 820mm Wall Hung Frame and Cistern	122	●	●	●	●	●*	●*	●*	●
Instinct 1000mm Wall Hung Frame and Cistern	122	●	●	●	●	●*	●*	●*	●
Instinct 1170mm Wall Hung Frame and Cistern	122	●	●	●	●	●*	●*	●*	●
Instinct In-Wall Dual Flush Concealed Cistern	123	●	●	●	●	●*	●*	●*	●
Instinct Comfort Dual Flush Concealed Cistern	123	● ⁺	● ⁺	● ⁺	● ⁺	●	● ⁺	●	● ⁺
Instinct Bottom Entry Dual Flush Concealed Cistern	123	●	●	●	●	●	●	●	● ⁺
Instinct Side Entry Dual Flush Concealed Cistern	123	●	●	●	●	●	●	●	● ⁺

*Compatible, so long as provision made for maintenance access *Compatible when used in standard depth furniture only


Nuance Dual Flush Plates

new



Flush – Dual
Dimensions –
137(h) x 210(w) x 12(d) mm

INST13036 Brushed Brass £125.00



Flush – Dual
Dimensions –
137(h) x 210(w) x 12(d) mm

INST13010 Chrome £55.00



Flush – Dual
Dimensions –
137(h) x 210(w) x 12(d) mm

INST13020 Matt Black £55.00



Flush – Dual
Dimensions –
137(h) x 210(w) x 12(d) mm

INST13019 Stainless Steel £131.00



Nuance Dual Flush
Plate in Matt Black

Flush Plates Compatibility




All are suitable with the cisterns on page 123 except where shown or require allowance for maintenance access.
Note: Flush plates are not compatible with the comfort cistern in slim depth fitted furniture installations.

From hygienic, contactless flushing to flush plates and buttons, Instinct will have the flushing solution for you. Scan to view the range



Flush Plates

Kiso Dual Flush Plates



new

Flush – Dual
Dimensions –
137(h) x 210(w) x 12(d) mm

INST13021 Black £55.00

Flush – Dual
Dimensions –
137(h) x 210(w) x 12(d) mm

INST13012 Chrome £55.00

Flush – Dual
Dimensions –
137(h) x 210(w) x 12(d) mm

INST13037 Brushed Brass £125.00

Instinct Glass Dual Flush Plate (Copper Nickel Buttons)



Flush – Dual
Dimensions –
137(h) x 210(w) x 12(d) mm

INST13030 Black Glass £139.00


Hemsworth Dual Flush Plate



Flush – Dual
Dimensions –
137(h) x 210(w) x 18(d) mm

INST13017 Chrome £62.00

Espada Dual Flush Plate




Flush – Dual
Dimensions –
142(h) x 210(w) x 16(d) mm

INST13004 Chrome £55.00



Nuance Dual Flush Plate in Chrome



Kiso Dual Flush Plate in Brushed Brass

Flush Plates Compatibility

All are suitable with the cisterns on page 123 except where shown or require allowance for maintenance access.

Note: Flush plates are not compatible with the comfort cistern in slim depth fitted furniture installations.

Flush Buttons

Guarantees

5 Years
on Flush Buttons


Oval Dual Flush Buttons (Concealed Cisterns)



Flush – Dual
Dimensions –
88(h) x 157(w) x 112(d) mm

INST13023 Chrome £81.00

new



Flush – Dual
Dimensions –
88(h) x 157(w) x 112(d) mm


INST13040 Matt Black £100.00



Oval Dual Flush
Button in Chrome


Nuance Dual Flush Buttons (Concealed Cisterns)

new



Flush – Dual
Dimensions –
72(h) x 72(w) mm

INST13035 Brushed Brass £58.00



Flush – Dual
Dimensions –
72(h) x 72(w) mm

INST13003 Chrome £24.00




Flush – Dual
Dimensions –
72(h) x 72(w) mm

INST13028 Black £24.00

Kiso Dual Flush Buttons (Concealed Cisterns)

new



Flush – Dual
Dimensions –
72 (diameter) mm

INST13034 Brushed Brass £58.00



Flush – Dual
Dimensions –
72 (diameter) mm

INST13022 Black £24.00



Kiso Dual Flush
Button in
Brushed Brass

Replacement Dual Flush Buttons (Close Coupled Ceramic Cisterns)

new



Flush – Dual
Dimensions –
38 (diameter) mm

INST02044 Brushed Brass £26.00

new



Flush – Dual
Dimensions –
48 (diameter) mm

INST02045 Brushed Brass £26.00



Flush – Dual
Dimensions –
38 (diameter) mm

INST02036 Black £20.00



Flush – Dual
Dimensions –
48 (diameter) mm

INST02037 Black £20.00

Flush Buttons Compatibility

Suitable with the cisterns on page 123 except where shown or require allowance for maintenance access (INST02036 + INST02037 not suitable). Replacement buttons for close coupled ceramic cisterns – Ø38mm buttons are suitable for use with Espada (INST01009), Keros (INST01002), Kinsley (INST02022) close coupled ceramic cisterns. Ø48mm sized buttons are suitable for use with Firbeck (INST01055), Lissett (INST02034) & Brierley (INST01034).

Contactless Flushing


INST02041



INST02043



INST02042



Instinct Contactless Close Coupled Flushing

Finish – Chrome

Compatibility – INST02041 compatible with Espada, Keros, Kinsley and Lissett cisterns to upgrade to contactless flush. Use INST02042 for Firbeck and Brierley Cistern

Both kits compatible with most paddle operated flush valves for retrofit applications. If retrofitting to cisterns with cable operated or screw in buttons, replace flush valve with INST02043 which has a 2" base



INST02041	Close Coupled Sensor Flush Kit (For ø38mm Cistern Hole)	£94.00
INST02042	Close Coupled Sensor Flush Kit (For ø48mm Cistern Hole)	£94.00
INST02043	Paddle Operated Close Coupled Dual Flush Valve 2"	£34.00




Instinct Contactless Remote Sensor Kit (Pneumatic Concealed Cisterns)

Power Source – Powered by 4 x AA batteries (lasts about one year)
Dimensions – 104(h) x 73(w) x 97(d) mm



INST13014	£157.00
------------------	---------

On



Off



Instinct Touch Sensor Flush Plate (In-Wall Concealed Cistern and Wall Hung Frames)

Compatibility – Compatible when used in standard depth furniture
Power Source – Powered by 4 x AA batteries (lasts about one year)
Dimensions – 137(h) x 210(w) mm

Touch version recommended for low height plate installations



INST13016	Touch Sensor Flush Plate (Recommended for INST13005)	£186.00
INST13025	Contactless Sensor Flush Plate (For INST13009, INST13006, INST13015)	£186.00