
# Showers

| Section  | Page No. |
|--|----------|
| Showers  |          |
| Push Button Bar Showers                                |          |
| new los  | 260      |
| new Andros   | 261      |
| Twin Outlet Bar Showers                                |          |
| Kiso Twin  | 262      |
| Ivelet Twin  | 262      |
| Nuance Twin  | 263      |
| Helme Twin   | 263      |
| Single Outlet Bar Showers                              |          |
| Cool   | 264      |
| Kiso   | 264      |
| Della  | 264      |
| Nuance   | 264      |
| Mixer Showers  |          |
| Vardi Single Lever                                     | 265      |
| Vardi Dual Lever                                       | 265      |
| Maxcel Dual Lever Exposed                              | 265      |
| Maxcel Dual Lever Concealed                            | 265      |
| Traditional Showers                                    |          |
| New Hemsworth Lever                                    | 266      |
| Hemsworth Single Control Shower + Rigid Riser          | 268      |
| Hemsworth Dual Control Shower + Rigid Riser            | 268      |
| Hemsworth Dual Control Shower + Diverter + Rigid Riser | 269      |
| Concealed Showers                                      |          |
| Helme  | 270      |
| Ivelet   | 271      |
| Kiso Packs   | 272      |
| Nuance Packs   | 274      |
| Shower Kit Components                                  |          |
| Outlet Valves  | 276      |
| Slide Rail Kits  | 277      |
| Wall Elbow   | 278      |
| Handset Holder   | 278      |
| Handsets   | 278      |
| Shower Hose  | 278      |
| Wall Bracket with Fixed Handset & Standard Hose        | 279      |
| Bath Filler, Waste & Overflow                          | 279      |
| Shower Arms  | 280      |
| Shower Heads   | 281      |
|  |          |

# What's new and trending this season...







# Shower Range Selector

| Showers  |      |         |         |               |                  |        |               |          |          |              |       |            |                              |
|--|------|---------|---------|---------------|------------------|--------|---------------|----------|----------|--------------|-------|------------|------------------------------|
|  |      |         | Fixing  |               |                  | Shov   | wer Head / He | andset   |          | Safe         | ly    | Ra         | il                           |
|  | Page | Wall    | Deck    | Fast<br>Fix © | Single           | Twin   | Overhead      | Single   | Multi    | Thermostatic | Cool  | Telescopic | <b>\$\rightarrow\$</b> Slide |
| Range  | No.  | Mounted | Mounted | Fix           | Single<br>Outlet | Outlet | Soaker        | Function | Function | Valve        | Touch | Rail       | Rail                         |
| new los  | 260  | •       |         | •             | •                | •      | •             |          | •        | •            | •     |            | •                            |
| new Andros   | 261  | •       |         | •             |                  | •      | •             |          | •        | •            | •     |            | •                            |
| Kiso Twin  | 262  | •       |         | •             |                  | •      | •             |          | •        | •            | •     | •          | •                            |
| Ivelet Twin  | 262  | •       |         | •             |                  | •      | •             | •        |          | •            | •     | •          | •                            |
| Nuance Twin  | 263  | •       |         | •             |                  | •      | •             | •        |          | •            | •     | •          | •                            |
| Helme Twin   | 263  | •       |         | •             |                  | •      | •             | •        |          | •            | •     | •          | •                            |
| Cool   | 264  | •       |         | •             | •                |        |               |          | •        | •            | •     |            | •                            |
| Kiso   | 264  | •       |         | •             | •                |        |               |          | •        | •            | •     |            | •                            |
| Della  | 264  | •       | •       |               | •                |        |               | •        |          | •            |       |            | •                            |
| Nuance   | 264  | •       |         | •             | •                |        |               | •        |          | •            | •     |            | •                            |
| Vardi  | 265  | •       |         |               | •                |        |               |          | •        | •            |       |            | •                            |
| Maxcel   | 265  | •       |         |               | •                |        |               |          | •        | •            |       |            | •                            |
| New Hemsworth Lever                                | 266  | •       |         |               |                  | •      | •             | •        |          | •            |       |            | •                            |
| Hemsworth Single Control<br>+ Rigid Riser          | 268  | •       |         |               | •                |        | •             | •        |          | •            |       |            |                              |
| Hemsworth Dual Control<br>+ Rigid Riser            | 268  | •       |         |               | •                |        | •             | •        |          | •            |       |            |                              |
| Hemsworth Dual Control<br>+ Diverter + Rigid Riser | 269  | •       |         |               |                  | •      | •             | •        |          | •            |       |            | •                            |
| Helme (Concealed)                                  | 270  | •       |         |               | •                | •      | •             | •        |          |              |       |            | •                            |
| Ivelet (Concealed)                                 | 271  | •       |         |               | •                | •      | •             | •        |          |              |       |            | •                            |
| Kiso Pack 1  | 272  | •       |         |               | •                |        |               | •        |          |              |       |            | •                            |
| Kiso Pack 2  | 272  | •       |         |               |                  | •      | •             | •        |          |              |       |            | •                            |
| Kiso Pack 3  | 273  | •       |         |               | •                |        | •             | •        |          |              |       |            |                              |
| Kiso Pack 4  | 273  | •       |         |               | •                |        | •             | •        |          |              |       |            |                              |
| Kiso Pack 5  | 273  | •       |         |               | •                |        |               | •        |          |              |       |            | •                            |
| Nuance Pack 1                                      | 274  | •       |         |               | •                |        | •             | •        |          |              |       |            |                              |
| Nuance Pack 2                                      | 274  | •       |         |               |                  | •      | •             | •        |          |              |       |            |                              |
| Nuance Pack 3                                      | 274  | •       |         |               | •                |        |               | •        |          |              |       |            | •                            |
| Nuance Pack 4                                      | 275  | •       |         |               |                  | •      | •             | •        |          |              |       |            | •                            |
| Nuance Pack 5                                      | 275  | •       |         |               |                  | •      | •             | •        |          |              |       |            | •                            |

### **Shower Features**

There are many features in our shower. Use the icons to help choose the right option for you.



### **Minimum Operating** Pressure

Suitable for a system with low water pressure.



Featuring safe touch valve bodies and anti-scald thermostatic technology.



### **Maximum Operating**

Pressure Suitable for a system with high water pressure.



### Fast Fix

For a quick and easy installation.



### Single Outlets

These shower valves supply water to just a single outlet such as a fixed shower head or hand shower.



### Twin Outlets

Come with two separate heads, allowing you to enjoy the most relaxing shower possible.



### Multiple Function Handset

Multiple spray settings are controlled individually on these shower heads.





### Thermostatic Valve

Thermostatic control means the temperature of the water is regulated to prevent any nasty hot or cold surprises if someone else in your home is using the water.



Consist of a shower head, a shower hose and a rail on which the shower heads slides up and down.



### Telescopic Rail Kit

Consist of a shower head, and a rigid riser rail on which the shower heads moves up and down.



### Single Function Handset

A single spray function is available on this shower head.

# Push Button Showers




A modern design, los showers provide the complete shower system for the busy home. Scan to view the range

### **Guarantees**










Finish – Chrome, Matt Black
Overhead – 200mm (INSIO3004 + INSIO3038)
Riser Rail – Adjustable fixing (INSIO3003)
Handset – Three function
Hose – Smooth finish
Hose Length – 1500mm







The shapely edges of the Andros twin outlet shower system with push button bar valve, shower head and multi function handset provide a modern look. Scan to view the range



# Push Button Showers





### **Andros Square Twin Outlet Thermostatic Bar Shower Mixer (Push Button)**

Finish – Chrome Overhead - 200mm (Adjustable height) Handset - Three function Hose – Smooth finish Hose Length - 1500mm





















INSAN3037

£380.00









The push button on the Andros handset has three functions and can easily be changed by pressing the button at the bottom of the shower head.

# Twin Outlet

### **Guarantees**

Years

**Years** on Ivelet Bar Showers 2

### **Round Twin Outlet Showers**





### Kiso Twin Outlet Bar Shower, Overhead Soaker + Slide Rail Kit

Finish - Chrome Overhead – Adjustable height Handset - Push button handset Hose – Smooth finish Handles - Metal











Valve Only

IN20018CP

£404.00

## Complete the look

Choose from a selection of coordinating wastes and accessories to complement your

See pages 230 – 241 for available options in -

**Shower Wastes** 

Bathroom Accessories

### Ivelet Round Twin Outlet Thermostatic Bar **Shower Mixer**

Finish – Matt Black, Brushed Brass, Brushed Nickel Overhead – 200mm (Adjustable height) Riser Rail – Adjustable fixing Handset – Single function

Hose – Standard finish (Stainless Steel)

Shower Arm Length – 355mm Hose Length – 1500mm Accreditation – WRAS approved valve

### Thermostatic Bar Shower Mixer



### Flow Rate - 4.9 I/min

| INSIV1004 | Matt Black     | £321.00 |  |
|-----------|----------------|---------|--|
| INSIV1005 | Brushed Brass  | £331.00 |  |
| INSIV1006 | Brushed Nickel | £331.00 |  |
|           |                |         |  |

### Cool Touch Thermostatic Bar Shower Mixer



| INSIV10CT1 | Matt Black    | £369.00 |
|------------|---------------|---------|
| INSIV10CT2 | Brushed Brass | £381.00 |



### **Guarantees**

**Years** 5

**Years** on Helme Bar Showers

# Twin Outlet

### **Square Twin Outlet Showers**







### Helme Square Twin Outlet Thermostatic **Bar Shower Mixer**

Finish – Matt Black, Brushed Brass, Brushed Nickel Overhead - 200mm (Adjustable height) Riser Rail – Adjustable fixing Handset – Single function Hose – Standard finish (Stainless Steel) Shower Arm Length – 345mm Hose Length – 1500mm Accreditation – WRAS approved valve

### Thermostatic Bar Shower Mixer



### Flow Rate - 4.9 I/min

| INSHE1011 | Matt Black     | £392.00 |
|-----------|----------------|---------|
| INSHE1012 | Brushed Brass  | £411.00 |
| INSHE1013 | Brushed Nickel | £411.00 |

### Cool Touch Thermostatic Bar Shower Mixer



Flow Rate - 4.7 I/min

| INSHE10CT1 | Matt Black    | £451.00 |  |
|------------|---------------|---------|--|
| INSHE10CT2 | Brushed Brass | £473.00 |  |

### Nuance Twin Outlet Bar Shower, Overhead Soaker + Slide Rail Kit

Finish – Chrome Shower Head – Stylish slim overhead soaker Handset – Single function Hose – Smooth finish



















IN30018CP

£372.00

### Complete the look

Choose from a selection of coordinating wastes and accessories to complement your

See pages 230 – 241 for available options in -

**Shower Wastes** 

Bathroom Accessories

# Single Outlet

### **Guarantees**





### **Cool Single Outlet Bar Shower** (Slide Rail Kit)

Finish - Chrome Handset – Multi function handset Hose – Standard finish













### Kiso Single Outlet Bar Shower (Slide Rail Kit)

Finish – Chrome Handset – Sliding push button handset Hose – Smooth finish Handles – Metal













£151.00



Finish – Chrome Adjustment – Adjustable fixing points Control – Sure-safe maximum

temperature limit Safety – Anti-scald fail safe technology Hose – Standard finish











TR30024CP £318.00



### **Nuance Single Outlet Bar** Shower (Slide Rail Kit)

 ${\sf Finish-Chrome}$ Handset – Sliding Hose – Smooth finish

IN20017CP









£196.00

IN30019CP £227.00

### **Guarantees**



# Vardi / Maxcel



### Vardi Single Lever Exposed Mini Valve + Kit

Finish - Chrome Adjustment - Adjustable pipe centres 110-155mm Riser Rail - Riser rail with adjustable

fixing bracket Handset - Multi mode handset

Hose - Standard finish Compatibility - Suitable for use with unvented water supplies, combi boilers, gravity and mains pressure systems







### Vardi Dual Lever Exposed Mini Valve + Kit

Finish - Chrome Adjustment - Adjustable pipe centres 110-155mm Riser Rail – Riser rail with adjustable

fixing bracket Handset - Multi mode handset

Hose - Standard finish Compatibility – Suitable for use with unvented water supplies, combi boilers, gravity and mains pressure systems









WRAS

Flow Rate - 2.7 I/min



INSVDEV002 £344.00



### **Maxcel Dual Lever Exposed** Maxi Valve + Kit

Finish – Chrome Adjustment - Adjustable pipe centres 136-158mm

Riser Rail - Riser rail with adjustable fixing bracket

Handset – Multi mode handset Hose - Standard finish Compatibility – Suitable for use with

unvented water supplies, combi boilers, gravity and mains pressure systems



INSVEV0001







£319.00

Flow Rate - 2.8 I/min





### **Maxcel Dual Lever Concealed** Maxi Valve + Kit

Finish - Chrome Riser Rail – Riser rail with adjustable fixing bracket Handset – Multi mode handset Hose - Standard finish Compatibility - Suitable for use with unvented water supplies, combi boilers, gravity and mains pressure systems














INSMEV0003

£384.00

INSMBIV004

£384.00

### Guarantees



# Hemsworth Lever



Introducing the Hemsworth Lever exposed twin outlet shower system, a luxury addition to any bathroom that exudes traditional elegance. Scan to view the range



# Hemsworth Lever











### Hemsworth Lever Twin Outlet Thermostatic Bar Shower Mixer

Finish – Chrome, Brushed Brass Overhead – 200mm (Adjustable height) Riser Rail – Adjustable fixing Handset – Single function Hose – Standard finish (Stainless Steel) Hose Length – 1500mm











Flow Rate - 9.6 I/min

| INSHE3034 | Chrome        | £710.00  |
|-----------|---------------|----------|
| INSHE3035 | Brushed Brass | £1034.00 |

# Hemsworth

### **Guarantees**





### Hemsworth Single Control Shower (Rigid Riser)


Finish - Chrome

Control – Flow and temperature are controlled by an easily operated single lever handle Adjustment – Adjustable inlet centres mean you can use existing pipework with centres between 110-155mm

Kit – Rigid riser kit includes traditional shower rose

Safety – Automatic shut-off in the event of hot or cold water supply failure, thus

reducing the risk of injury
Flow – Supplied with  $1 \times 71/m$  and  $1 \times 51/m$  flow limiters



INSHEV0001 £368.00



### Hemsworth Dual Control Shower (Rigid Riser)

Finish - Chrome

Control – Flow and temperature are controlled separately giving accurate control of both Adjustment – Adjustable inlet centres mean you can use existing pipework with centres between 110-155mm

Kit – Rigid riser kit includes traditional shower rose

Safety – Automatic shut-off in the event of hot or cold water supply failure, thus reducing the risk of injury Flow – Supplied with  $1 \times 7l/m$  and  $1 \times 5l/m$  flow limiters



**INSHDEV002** £429.00

# Hemsworth





### Hemsworth Dual Control Shower (Diverter + Rigid Riser)

Finish – Chrome

Finish – Chrome
Control – Flow and temperature are controlled separately giving accurate control of both Adjustment – Adjustable inlet centres mean you can use existing pipework with centres between 136mm and 158mm
Kit – Traditional shower kit with external diverter, shower rose, rigid riser and handset Safety – Automatic shut-off in the event of hot or cold water supply failure, thus reducing the risk of injury
Flow – Supplied with 2 x 81/m flow limiters
Hose – Standard finish









INSHDEV003

£1023.00

# Helme

### Guarantees







Matt Black

Brushed Brass INSHE1015

### Square Two Handle Single Outlet

Concealed Shower Valve
Finish – Matt Black or Brushed Brass
Dimensions – 200(h) × 120(w) × 29-54(d) mm

| Min<br>0.2 Bar 5 Ba | x 38° | Flow Rate – 4.1 I/min |
|---------------------|-------|-----------------------|

| INSHE1014 | Matt Black    | £303.00 |
|-----------|---------------|---------|
| INSHE1015 | Brushed Brass | £318.00 |





Matt Black Brushed Brass INSHE1016 INSHE1017

### Square Two Handle Twin Outlet Concealed Shower Valve

Finish – Matt Black or Brushed Brass Dimensions – 200(h)  $\times$  120(w)  $\times$  29-54(d) mm

| Min<br>0.2 Bar | Max<br>5 Bar | 38° | Flow Rate – 3.8 I/min |
|----------------|--------------|-----|-----------------------|

| INSHE1016 | Matt Black    | £303.00 |
|-----------|---------------|---------|
| INSHE1017 | Brushed Brass | £318.00 |





Matt Black
INSHE1018

Brushed Brass INSHE1019

### Square Three Handle Twin Outlet Concealed Shower Valve

Finish – Matt Black or Brushed Brass Dimensions – 280(h) x 120(w) x 29-54(d) mm

| Min<br>0.2 Bar | Max<br>5 Bar | 38° | Flow Rate – 4.0 l/min |
|----------------|--------------|-----|-----------------------|

| INSHE1018 | Matt Black    | £374.00 |
|-----------|---------------|---------|
| INSHE1019 | Brushed Brass | £402.00 |

Matt Black
INSHE1020



Brushed Brass INSHE1021

### **Square Wall Mounted Shower Arm**

Finish – Matt Black or Brushed Brass Dimensions – 12(h) x 30(w) x 350(d) mm

| INSHE1020 | Matt Black    | £67.00 |
|-----------|---------------|--------|
| INSHE1021 | Brushed Brass | £72.00 |




Brushed Brass INSHE1024

Matt Black

### Square 220mm Ceiling Arm

Finish – Matt Black or Brushed Brass Dimensions – 18(h) x 30(w) x 220(d) mm

| INSHE1023 | Matt Black    | £67.00 |
|-----------|---------------|--------|
| INSHE1024 | Brushed Brass | £72.00 |



Brushed Brass INSHE1026

### Square Slimline 200mm Shower Head

Finish – Matt Black or Brushed Brass Dimensions – 50(h) x 200(w) x 200(d) mm

| INSHE1025 | Matt Black    | £76.00 |
|-----------|---------------|--------|
| INSHE1026 | Brushed Brass | £81.00 |



### **Square Wall Outlet Kit**

Finish – Matt Black Dimensions – 245(h)  $\times$  52.5(w)  $\times$  51(d) mm

| INSHE1027 | £83.00 |
|-----------|--------|
|           |        |



Matt Black
INSHE1028

Brushed Brass INSHE1029

### **Square Wall Outlet**

Finish – Matt Black or Brushed Brass Dimensions –  $53(h) \times 53(w) \times 60(d)$  mm

| INSHE1029 | Brushed Brass | £55.00 |
|-----------|---------------|--------|
| INSHE1028 | Matt Black    | £51.00 |



### Square Deluxe Slide Rail Kit

Finish – Matt Black or Brushed Brass Dimensions – 667(h) x 118(w) x 75(d) mm







| INSHE1030 | Matt Black    | £119.00 |
|-----------|---------------|---------|
| INSHE1031 | Brushed Brass | £128.00 |

# **l**velet



Matt Black **INSIV1007** 

**Brushed Brass** INSIV1008

### Round Two Handle Single Outlet

Dimensions – 200(h) x 120(w) x 29-54(d) mm

| Min<br>0.2 Bar | Max<br>5 Bar | 38° | Flow Rate – 4.1 I/min |
|----------------|--------------|-----|-----------------------|
|                |              |     |                       |

| INSIV1007 | Matt Black    | £303.00 |
|-----------|---------------|---------|
| INSIV1008 | Brushed Brass | £318.00 |



| NSIV1007 | Matt Black    | £303.00 |
|----------|---------------|---------|
| NSIV1008 | Brushed Brass | £318.00 |
|          |               |         |



### **Round Wall Mounted Shower Arm**

Finish – Matt Black or Brushed Brass Dimensions –  $70(h) \times 54(w) \times 350(d)$  mm

| INSIV1013 | Matt Black    | £51.00 |
|-----------|---------------|--------|
| INSIV1014 | Brushed Brass | £55.00 |



### **Round Wall Outlet Kit**

Finish - Matt Black Dimensions –  $217(h) \times 55(w) \times 56(d)$  mm

| INSIV1024 | £75.00 |
|-----------|--------|
|           |        |



Matt Black INSIV1009

**INSIV1010** 

**Brushed Brass** INSIV1010

£364.00

### Round Two Handle Twin Outlet **Concealed Shower Valve**

Finish – Matt Black or Brushed Brass Dimensions – 200(h) x 120(w) x 29-54(d) mm

| Min<br>0.2 Bar 5 Bar | Flow Rate – 3.8 I/min |         |
|----------------------|-----------------------|---------|
| INSIV1009            | Matt Black            | £339.00 |

**Brushed Brass** 



### Round Ceiling Arm

INSIV1020

Finish – Matt Black or Brushed Brass Dimensions -

55(h) x 55(w) x 100(d) mm (INSIV1017 + INSIV1018) 55(h) x 55(w) x 100(d) mm (INSIV1019) 54(h) x 54(w) x 65(d) mm (INSIV1020)

| INSIV1017 | Matt Black (220mm)    | £40.00 |
|-----------|-----------------------|--------|
| INSIV1018 | Brushed Brass (220mm) | £43.00 |
| INSIV1019 | Matt Black (100mm)    | £39.00 |
| INSIV1020 | Matt Black (65mm)     | £37.00 |



**INSIV1025** 

Brushed Brass **INSIV1026** 

### **Round Wall Outlet**

Finish - Matt Black or Brushed Brass Dimensions –  $25(h) \times 25(w) \times 60(d)$  mm

| INSIV1025 | Matt Black    | £30.00 |
|-----------|---------------|--------|
| INSIV1026 | Brushed Brass | £32.00 |



Matt Black INSIV1011

INSIV1012



Brushed Brass INSIV1012

£402.00

### Round Three Handle Twin Outlet **Concealed Shower Valve**

Finish – Matt Black or Brushed Brass Dimensions – 280(h) x 120(w) x 29-54(d) mm

| Min Max<br>0.2 Bar 5 Bar |   | Flow Rate – 4.0 I/min |         |
|--------------------------|---|-----------------------|---------|
| INSIV1011                | N | Natt Black            | £368.00 |

**Brushed Brass** 



Brushed Brass INSIV1016

### Round Slimline 200mm Shower Head

Finish - Matt Black or Brushed Brass Dimensions –  $50(h) \times 200(w) \times 200(d)$  mm

| INSIV1015 | Matt Black    | £61.00 |
|-----------|---------------|--------|
| INSIV1016 | Brushed Brass | £66.00 |



### Round Deluxe Slide Rail Kit

Finish - Matt Black or Brushed Brass Dimensions –  $670(h) \times 100(w) \times 68(d)$  mm



| INSIV1023 | Brushed Brass | £128.00 |
|-----------|---------------|---------|
| INSIV1022 | Matt Black    | £119.00 |

# Kiso Packs

### **Guarantees**

10 Years on Concealed Showers **Years** on Working Parts



# Fixed Head Kit (D) INS37017 Twin Outlet Valve (B) IN\$37003 Slide Rail Kit + Standard Hose (C1) Round Wall Elbow (C2) INS37019

### Kiso Pack 1

Finish - Chrome

Maintenance – Fully serviceable via front access Accreditation – WRAS approved valve

Cartridge – Easy access, easy clean cartridge Insertion Depth – 80mm min - 100mm max Inlet and Outlet Connections – ½" BSP threads

Compatibility – Suitable for low pressure systems with minimum working pressure requirement of 0.2 Bar









| INS37001 | Single Outlet Valve (A)             |       | £258.00 |
|----------|-------------------------------------|-------|---------|
| INS37021 | Slide Rail Kit + Standard Hose (C1) |       | £64.00  |
| INS37019 | Round Wall Elbow (C2)               |       | £17.00  |
| INS37043 | Kiso Pack 1                         | Total | £339.00 |

### Kiso Pack 2

Finish - Chrome

Maintenance – Fully serviceable via front access
Accreditation – WRAS approved valve

Accreditation – WKAS approved valve
Cartridge – Easy access, easy clean cartridge
Insertion Depth – Insertion depth 80mm min - 100mm max
Inlet and Outlet Connections – Inlet and outlet connections - ½" BSP threads
Compatibility – Suitable for medium pressure systems with minimum working pressure requirement of 0.5 Bar











| INS37003 | Twin Outlet Valve (B)               |       | £301.00 |
|----------|-------------------------------------|-------|---------|
| INS37021 | Slide Rail Kit + Standard Hose (C1) |       | £64.00  |
| INS37017 | Fixed Head Kit (D)                  |       | £52.00  |
| INS37019 | Round Wall Elbow (C2)               |       | £17.00  |
| INS37044 | Kiso Pack 2                         | Total | £434.00 |

# Kiso Packs



Fixed Head Kit (D) INS37017



Single Outlet Valve (A) INS37001



Fixed Head Kit (D) INS37017

Twin Outlet Valve (B) INS37003





Bath Filler, Waste + Overflow (F) INS37050

# Round Wall Elbow (C2) INS37019 Bath Filler, Waste + Overflow (F) INS37050

Slide Rail Kit + Standard Hose (C1) INS37021

### Kiso Pack 3

Finish – Chrome

Maintenance – Fully serviceable via front access Accreditation – WRAS approved valve Cartridge – Easy access, easy clean cartridge Insertion Depth – 80mm min - 100mm max Inlet and Outlet Connections – ½" BSP threads Compatibility – Suitable for low pressure systems with minimum working pressure requirement of 0.2 Bar







| INS37001 | Single Outlet Valve (A) |       | £258.00 |
|----------|-------------------------|-------|---------|
| INS37017 | Fixed Head Kit (D)      |       | £52.00  |
| INS37048 | Kiso Pack 3             | Total | £310.00 |

### Kiso Pack 4

Finish – Chrome

Maintenance – Fully serviceable via front access Accreditation – WRAS approved valve Cartridge – Easy access, easy clean cartridge Insertion Depth – 80mm min - 100mm max Inlet and Outlet Connections – ½" BSP threads Compatibility – Suitable for low pressure systems with minimum working pressure requirement of 0.2 Bar







| INS37003 | Twin Outlet Valve (B)                |       | £301.00 |
|----------|--------------------------------------|-------|---------|
| INS37017 | Fixed Head Kit (D)                   |       | £52.00  |
| INS37050 | Bath Filler, Waste +<br>Overflow (F) |       | £65.00  |
| INS37049 | Kiso Pack 4                          | Total | £418.00 |
|          |                                      |       |         |

### Kiso Pack 5

Finish – Chrome

Maintenance – Fully serviceable via front access Accreditation – WRAS approved valve Cartridge – Easy access, easy clean cartridge Insertion Depth – 80mm min - 100mm max Inlet and Outlet Connections – ½" BSP threads Compatibility – Suitable for low pressure systems with minimum working pressure requirement of 0.5 Bar







| INS37003 | Twin Outlet Valve (B)                  |       | £301.00 |
|----------|--|-------|---------|
| INS37021 | Slide Rail Kit + Standard<br>Hose (C1) |       | £64.00  |
| INS37019 | Round Wall Elbow (C2)                  |       | £17.00  |
| INS37050 | Bath Filler, Waste +<br>Overflow (F)   |       | £65.00  |
| INS37051 | Kiso Pack 5                            | Total | £447.00 |

# Nuance Packs

### **Guarantees**







Fixed Head Kit (D) INS37015



Single Outlet Valve (A) INS37004



Fixed Head Kit (D) INS37016





### Nuance Pack 1

Finish - Chrome

Maintenance – Fully serviceable via front access Accreditation – WRAS approved valve Cartridge - Easy access, easy clean cartridge Insertion Depth – 80mm min - 100mm max Inlet and Outlet Connections –  $\frac{1}{2}$ " BSP threads Compatibility – Suitable for low pressure systems with minimum working pressure requirement of 0.2 Bar







Valve Only

| INS37004 | Single Outlet Valve (A) |       | £258.00 |
|----------|-------------------------|-------|---------|
| INS37015 | Fixed Head Kit (D)      |       | £59.00  |
| INS37045 | Nuance Pack 1           | Total | £317.00 |

### Nuance Pack 2

Finish - Chrome

Maintenance – Fully serviceable via front access Accreditation – WŔAS approved valve Cartridge – Easy access, easy clean cartridge Insertion Depth – 80mm min - 100mm max Inlet and Outlet Connections – ½" BSP threads Compatibility – Suitable for medium pressure systems with minimum working pressure requirement of 0.5 Bar





INS37006 Twin Outlet Valve (B) £301.00 Square Wall Bracket with Fixed Handset + Smooth Hose (E) INS37014 £67.00 INS37016 Fixed Head Kit (D) £76.00 INS37046 Nuance Pack 2 £444.00 Total

### **Nuance Pack 3**

Finish - Chrome

Maintenance – Fully serviceable via front access Accreditation – WRAS approved valve Cartridge - Easy access, easy clean cartridge Insertion Depth - 80mm min - 100mm max Inlet and Outlet Connections –  $\frac{1}{2}$ " BSP threads Compatibility – Suitable for low pressure systems with minimum working pressure requirement of 0.2 Bar









| INS37004  | Single Outlet Valve (A)                |       | £258.00 |
|-----------|--|-------|---------|
| 114337004 | Single Collei valve (A)                |       | £230.00 |
| INS37023  | Slide Rail Kit + Standard<br>Hose (C1) |       | £81.00  |
| INS37020  | Square Wall Elbow (C2)                 |       | £22.00  |
| INS37047  | Nuance Pack 3                          | Total | £361.00 |

# Nuance Packs



Fixed Head Kit (D) INS37015





Fixed Head Kit (D) INS37015



### Nuance Kiso Pack 4

Finish - Chrome

Maintenance – Fully serviceable via front access

Accreditation – WRAS approved valve

Cartridge – Easy access, easy clean cartridge Insertion Depth – Insertion depth 80mm min - 100mm max

Inlet and Outlet Connections – Inlet and outlet connections -  $\ensuremath{\mathcal{V}}_2{''}$  BSP threads

Compatibility – Suitable for medium pressure systems with minimum working pressure requirement of 0.5 Bar











|          | valve Only                          |       |         |
|----------|-------------------------------------|-------|---------|
| INS37005 | Twin Outlet Valve (B)               |       | £275.00 |
| INS37023 | Slide Rail Kit + Standard Hose (C1) |       | £81.00  |
| INS37020 | Square Wall Elbow (C2)              |       | £22.00  |
| INS37015 | Fixed Head Kit (D)                  |       | £59.00  |
| INS37052 | Nuance Pack 4                       | Total | £437.00 |

### Nuance Pack 5

Finish - Chrome

Maintenance – Fully serviceable via front access

Accreditation – WŔAS approved valve

Cartridge – Easy access, easy clean cartridge Insertion Depth – Insertion depth 80mm min - 100mm max

Inlet and Outlet Connections – Inlet and outlet connections -  $\ensuremath{\mathcal{V}}_2{}''$  BSP threads

Compatibility – Suitable for medium pressure systems with minimum working pressure requirement of 0.5 Bar



INS37053









Nuance Pack 5

| INS37006 | Twin Outlet Valve (B)               | £301.00 |
|----------|-------------------------------------|---------|
| INS37023 | Slide Rail Kit + Standard Hose (C1) | £81.00  |
| INS37020 | Square Wall Elbow (C2)              | £22.00  |
| INS37015 | Fixed Head Kit (D)                  | £59.00  |

£463.00

### **Guarantees**

10 Years

**Years** on Valve Working Parts Year on Rail Kit Working Parts

### Make your own showers up by selecting components from the sections below

- Select a valve from Section A or B
- 2 If you choose a single outlet valve from Section A choose one item from Section C1, D, E or F
- 3 If you choose a two outlet valve from Section B then choose two items from C1, D, E or F
- Don't forget if you choose a slide rail kit from C1 you will also need a wall elbow from C2

### **Outlet Valves**





INS37001

В



INS37002

В



Three Handle INS37003

### Kiso

### Single Outlet Concealed Valve + Brass Plate

Finish - Chrome Handles – Round x 2

Compatibility – Suitable for low pressure systems with minimum working pressure requirement of 0.2 Bar



INS37001 Two Handle £258.00

### Twin Outlet Concealed Valve + Brass Plate

Finish - Chrome

Handles – Round x 2 (INS37002),

Round x 3 (INS37003)

Compatibility -

Suitable for medium pressure systems with minimum working pressure requirement of 0.5 Bar (INS37002) Suitable for low pressure systems with minimum working pressure requirement of 0.2 Bar (INS37003)



| INS37002 | Two Handle   | £275.00 |
|----------|--------------|---------|
| INS37003 | Three Handle | £301 00 |

### Α



INS37004

В



Two Handle INS37005

### В



Three Handle INS37006

### **Nuance**

### Single Outlet Concealed Valve + Brass Plate

Finish - Chrome

Handles - Square x 2

Compatibility - Suitable for low pressure systems with minimum working pressure requirement of 0.2 Bar

INS37004 Two Handle £258.00

### Twin Outlet Concealed Valve + Brass Plate

Finish - Chrome

Handles – Square x 2 (INS37005), Square x 3 (INS37006)

Compatibility -

Suitable for medium pressure systems with minimum working pressure requirement of 0.5 Bar (INS37005) Suitable for low pressure systems with minimum working pressure requirement of 0.2 Bar (INS37006)



| INS37005 | Two Handle   | £275.00 |
|----------|--------------|---------|
| INS37006 | Three Handle | £301.00 |

### Slide Rail Kit + Hose

### Kiso

### Slide Rail Kit + Hose

Finish – Chrome
Design – Round
Hose Length – 1500mm
Hose Bore – 7mm

Handset Function – Single Adjustable Rider Rail – Yes

Compatibility – Suitable for low pressure systems with minimum working pressure requirement of 0.2 Bar











| INS37021 | Standard Hose | £64.00 |
|----------|---------------|--------|
| INS37022 | Smooth Hose   | £70.00 |

### Nuance

### Slide Rail Kit + Hose

Finish – Chrome
Design – Square
Hose Length – 1500mm
Hose Bore – 7mm
Handset Function – Single
Adjustable Rider Rail – No

Compatibility – Suitable for low pressure systems with minimum working pressure requirement of 0.2 Bar











| INS37023 | Standard Hose | £81.00 |
|----------|---------------|--------|
| INS37024 | Smooth Hose   | £87.00 |

### **Guarantees**

10 Years

**Years** on Working Parts

### Wall Elbow / Wall Bracket Handset Holder





Kiso Wall Elbow Wall Bracket Handset Holder INS37019 INS37033



### Wall Elbow / Wall Bracket Handset Holder

Finish - Chrome Design - Round

Dimensions - 52(h) x 52(w) x 56(d) mm (INS37019)

 $60(h) \times 60(w) \times 70(d) \text{ mm (INS37033)}$ 

INS37019 Wall Elbow £17.00 INS37033 Wall Bracket Handset Holder £26.00





Wall Bracket Handset Holder INS37034



### Nuance

### Wall Elbow / Wall Bracket Handset Holder

Finish - Chrome Design - Square

Dimensions –  $50(h) \times 50(w) \times 48(d)$  mm (INS37020)

 $50(h) \times 50(w) \times 69(d) \text{ mm (INS37034)}$ 

INS37020 £22.00 INS37034 Wall Bracket Handset Holder £31.00

### Handsets

Wall Elbow

INS37020



Kiso ABS INS37025



Kiso ABS Pencil Handset INS37028



Nuance ABS Handset INS37026



Nuance ABS Pencil Handset INS37027

### Kiso

### Handsets

 ${\sf Finish-Chrome}$ Design - Round Handset Function – Single Dimensions – 230(h) × 100(w) × 35(d) mm (INS37025) 185(h) × 30(w) × 34(d) mm (INS37028)



| 7 150 1 1d11d001   | £11.00                          |
|--------------------|---------------------------------|
| ABS Pencil Handset | £11.00                          |
|                    | ABS Handset  ABS Pencil Handset |

### **Nuance**

### Handsets

Finish - Chrome Design - Square

Handset Function – Single Dimensions –  $220(h) \times 40(w) \times 30(d)$  mm (INS37026)  $200(h) \times 35(w) \times 20(d) \text{ mm (INS}37027)$ 



| INS37026 | ABS Handset        | 211.00 |
|----------|--------------------|--------|
| INS37027 | ABS Pencil Handset | £15.00 |

### Hose



Standard Hose INS37029 / INS37030



Smooth Hose INS37031 / INS37032

### Standard / Smooth Hose

Finish - Chrome Hose Bore – 7mm

| Standard Hose |  |  |
|---------------|--|--|
| £11.00        |  |  |
| £13.00        |  |  |
|               |  |  |

| Smooth Hose |        |        |
|-------------|--------|--------|
| INS37031    | 1500mm | £17.00 |
| INS37032    | 2000mm | £22.00 |

### Wall Bracket, Fixed Handset + Hose

### Kiso

### Wall Bracket, Fixed Handset + Hose

Finish – Chrome Design – Round Handset Function – Single Handset Material – ABS Hose Length – 1500mm Hose Bore – 7mm Kit Includes –

### Standard Hose

Kiso Round Wall Outlet Elbow with Bracket (INS37033), Standard Hose (INS37029) & Round Pencil ABS Head (INS37028)

### Smooth Hose

Kiso Round Wall Outlet Elbow with Bracket (INS37033), Smooth Hose (INS37031) & Round Pencil ABS Head (INS37028)



| INS37011 | Standard Hose | £46.00 |
|----------|---------------|--------|
| INS37012 | Smooth Hose   | £58.00 |

### Nuance

### Wall Bracket, Fixed Handset + Hose

Finish – Chrome
Design – Round
Handset Function – Single
Handset Material – ABS
Hose Length – 1500mm
Hose Bore – 7mm
Kit Includes –

### Standard Hose

Nuance Square Wall Outlet Elbow with Bracket (INS37034), Standard Hose (INS37029) & Square Pencil ABS Head (INS37026)

### Smooth Hose

Nuance Square Wall Outlet Elbow with Bracket (INS37034), Smooth Hose (INS37031) & Square Pencil ABS Head (INS37026)



| INS37013 | Standard Hose | £59.00 |
|----------|---------------|--------|
| INS37014 | Smooth Hose   | £67.00 |



Kiso Wall Bracket, Fixed Handset + Standard Hose INS37011



Kiso Wall Bracket, Fixed Handset + Smooth Hose IN537012



Nuance Wall Bracket, Fixed Handset + Standard Hose INS37013

Nuance Wall Bracket, Fixed Handset + Smooth Hose INS37014

### Bath Filler, Waste + Overflow

### Bath Filler, Waste + Overflow

Finish – Chrome (INS37050) Chrome Plated (202480-INS)





| NS37050    | £65.00 |
|------------|--------|
| 202480-INS | £63.00 |

### Guarantees





### Ceiling Arms / Shower Arms



### Kiso

| Ceiling Mounted Arms   |  |
|--|--|
| Finish – Chrome<br>Design – Round<br>Valve Connection – 1/2" |  |

 INS37060
 200mm
 £22.00

 INS37061
 75mm
 £18.00

### **Shower Arms**

Finish – Chrome Material – Brass Design – Round Valve Connection – 1/2"

**INS37010** 360mm £26.00

### Nuance

### Ceiling Mounted Arms

Finish – Chrome Design – Round Valve Connection – 1/2"

 IN537062
 200mm
 £26.00

 IN537063
 75mm
 £21.00

### **Shower Arms**

Finish – Chrome Material – Brass Design – Round Valve Connection – 1/2"

INS37009 400mm

9 400mm £34.00

# Nuance Ceiling Mounted Arm – 200mm INS37062 Nuance Shower Arm INS37009

### **Fixed Head Kits**



Kiso Fixed Slimline Head Kit INS37018



Kiso Fixed ABS Head Kit INS37017

### Kiso

### **Fixed Head Kits**

Finish – Chrome Design – Round Shower Head Size – 200mm Shower Arm Length – 360mm Shower Head Material – ABS (INS37018), Polished (INS37017) Compatibility – Suitable for low pressure systems with minimum working pressure requirement of 0.2 Bar



| INS37018 | Slimline Head | £60.00 |
|----------|---------------|--------|
| INS37017 | ABS Head      | £52.00 |

# D

Nuance Fixed Slimline Head Kit INS37016



Nuance Fixed ABS Head Kit INS37015

### Nuance

### **Fixed Head Kits**

Finish – Chrome Design – Square Shower Head Size – 200mm Shower Arm Length – 400mm Shower Head Material – ABS (INS37016), Polished (INS37015) Compatibility – Suitable for low pressure systems with minimum working pressure requirement of 0.2 Bar

ABS Head



INS37015

| U.Z Bar  |               |
|----------|---------------|
| INS37016 | Slimline Head |

£76.00 £59.00

281

# Shower Kit Components

### **Shower Heads**

### **Kiso**

### **Shower Heads**

Finish - Chrome Design – Round Shower Head Size -200mm (INS37041)

250mm (INS37035)

250mm (INS37036) 300mm (INS37037)

Shower Head Material -

ABS (INS37041), Polished (INS37035, INS37036, INS37037)

Compatibility -

Suitable for low pressure systems with minimum working pressure requirement of 0.2 Bar (INS37035, INS37041)

Suitable for medium pressure systems with minimum working pressure requirement of 0.5 Bar (INS37036, INS37037)







Kiso ABS Shower Head INS37041

Kiso Slimline Shower Head INS37035





| INS37041 | ABS Head      | £26.00 |
|----------|---------------|--------|
| INS37035 | Slimline Head | £34.00 |
| INS37036 | Slimline Head | £60.00 |
| INS37037 | Slimline Head | £68.00 |

Kiso Slimline Shower Head INS37037

### Nuance

### **Shower Heads**

Finish - Chrome Design – Square

Shower Head Size -

200mm (INS37042)

250mm (INS37038)

250mm (INS37039)

300mm (INS37040)

Shower Head Material -

ABS (INS37042),

Polished (INS37038, INS37039, INS37040)

Compatibility -

Suitable for low pressure systems with minimum working pressure requirement of 0.2 Bar (INS37038, INS37042)

Suitable for medium pressure systems with minimum working pressure requirement of 0.5 Bar (INS37038, INS37039)







Nuance ABS Shower Head INS37042

Nuance Slimline Shower Head INS37038



| INS37042 | ABS Head      | £26.00 |
|----------|---------------|--------|
| INS37038 | Slimline Head | £43.00 |
| INS37039 | Slimline Head | £69.00 |
| INS37040 | Slimline Head | £77.00 |

Nuance Slimline Shower Head INS37040

