Flushing

Section	Page No.
Pneumatic Flushing	
WC Frames	
Instinct 400mm Wall Hung Bidet + WC Frame	132
Instinct 820mm Wall Hung Frame + Cistern	132
Instinct 1000mm Wall Hung Frame + Cistern	132
Instinct 1170mm Wall Hung Frame + Cistern	132
Concealed Cisterns	
Instinct In-Wall Dual Flush Concealed Cistern	133
Instinct Comfort Dual Flush Concealed Cistern	133
Instinct Bottom Entry Dual Flush Concealed Cistern	133
Instinct Side Entry Dual Flush Concealed Cistern	133
Dual Flush Plates	
Nuance	134
Kiso	135
Hemsworth	135
Dual Flush Buttons	
Oval	136
Nuance	136
Kiso	136

Contactless Flushing	
Instinct Contactless Close Coupled Flushing	137
Instinct Contactless Dual Flush Remote Sensor Kit	137
Instinct Touch Sensor Flush Plate	137

What's new and trending this season...









Features + Buying Guide

WC Frames										
			Compatibility							
Range	Page No.	Standard Depth 500 BTW Unit	Standard Depth 600 BTW Unit	Slim Depth 500 BTW Unit	Slim Depth 600 BTW Unit	Boxed / Tiled in with Worktop	Boxed / Tiled in Full Height	Boxed / Tiled in Full Height – Slim Stud Wall		
Instinct 400mm Wall Hung Bidet + WC Frame	132	Φ Δ	Φ Δ	Φ Δ	● [△]	Φ Δ				
Instinct 820mm Wall Hung Frame + Cistern	132		•*		•*	•	•			
Instinct 1000mm Wall Hung Frame + Cistern	132					•	•			
Instinct 1170mm Wall Hung Frame + Cistern	132						•	•		

^{*}Use with adaptor kit INST13007 $\,^{\Delta}$ Use with concealed cisterns INST13001 or INST13002

Concealed Cisterns								
			Compatibility					
Range	Page No.	Standard Depth 500 BTW Unit	Standard Depth 600 BTW Unit	Slim Depth 500 BTW Unit	Slim Depth 600 BTW Unit	Boxed / Tiled in with Worktop	Boxed / Tiled in Full Height	Supplied with Concealed Cistern
Instinct In-Wall Dual Flush Concealed Cistern	133					•	•	
Instinct Comfort Dual Flush Concealed Cistern	133	•	•	•	•			•
Instinct Bottom Entry Dual Flush Concealed Cistern	133	•	•	•	•			•
Instinct Side Entry Dual Flush Concealed Cistern	133	•	•	•	•			•

Flushing Features

There are many features in our flushing range. Use the icons to help choose the right option for you.



Guarantees All WC frames, concealed cisterns, flush plates, flush buttons and contactless flushing products come with a five year guarantee.



Back To Wall PansCan be used for back to wall pans.



Wall Hung Pans Allows wall hung pans to be used.



Wall Hung Bidets
Can be used for wall
hung bidets.



Air Gap WRAS approved Air Gap inlet valve included.



Dual Flush Volume

The Dual Flush allows you to save water while providing you with the flexibility to choose between a water saving 3 litre flush or a standard 6 litre flush.



Easy Install

Our concealed cisterns and WC frames are designed for easy maintenance and installation.



Insulation

The Instinct concealed cistern jackets are fully insulated.



Low Battery Alarm

Alarm activates when batteries are running low.



Contactless Controls

Infrared switch allows control with the wave of your hand.

WC Frames

Guarantees

Years 5 on WC Frames + Concealed Cisterns



Instinct 400mm Wall Hung Bidet + WC Frame

Width - 400mm Adjustable depth - 170-335mm Adjustable leg height – 200mm Compatibility - INST13001 and INST13008 cisterns (see page 133) Fixings - Brackets, fixings and 1st fix protective covers included Allows Wall Hung Pans to be used in narrow furniture units



INST13018 £172.00



Instinct 1000mm Wall Hung Frame + Cistern

Width - 500mm Adjustable depth - 167-215mm

Adjustable leg height – 200mm

Maintenance – Top and front access for easy maintenance and installation
Fixings – Brackets, fixings and 1st fix protective covers included

Ideal for use below windows Flush Valve – WRAS approved 6/3 Litre pneumatic flush valve

Inlet Valve – WRAS approved side entry ½" (female) inlet valve with Air Gap















Instinct 820mm Wall Hung Frame + Cistern

Width - 500mm Adjustable depth – 167-215mm

Adjustable leg height – 200mm Maintenance – Front access for easy maintenance and installation Fixings – Brackets, fixings and 1st fix protective covers included Flush Valve – WRAS approved 6/3 Litre pneumatic flush valve Inlet Valve – WRAS approved side entry 1/2" (female) inlet valve with Air Gap









INST13005 £344.00 INST13007 £71.00 Furniture Adaptor Kit



Instinct 1170mm Wall Hung Frame + Cistern

Adjustable depth - 140-200mm (for side or floor exit pipe runs) Adjustable leg height – 200mm

Maintenance – Front access for easy maintenance and installation Fixings – Brackets, fixings and 1st fix protective covers included Compatible with pneumatic flush plates & buttons (sold separately) Flush Valve – WRAS approved 6/3 Litre pneumatic flush valve Inlet Valve – WRAS approved side entry ½" (female) inlet valve with Air Gap



£352.00







INST13006 £360.00

Guarantees



on WC Frames + Concealed Cisterns

Concealed Cisterns



Instinct In-Wall Dual Flush Concealed Cistern

Flush - 6/3 Litre flush

Insulation – Jacket insulated

Maintenance - Top or front access for easy maintenance and installation

Flush Valve - Pneumatic flush valve

Inlet Valve - WRAS approved Air Gap Side Inlet valve

Flush plate/button - Not supplied (Ensure maintenance access is available if a button

or contactless sensor)

Dimensions – 745(h) Max x 600(w) x 138-194(d) mm











INST13009 £170.00



Instinct Bottom Entry Dual Flush Concealed Cistern

Flush - 6/3 Litre flush

Insulation – Jacket insulated

Maintenance - Top or front access for easy maintenance and installation

Flush Valve – Pneumatic flush valve

Inlet Valve – WRAS approved Air Gap Bottom Inlet Valve Flush plate/button – Round button supplied with cistern as standard

Dimensions – $365(h) \times 434(w) \times 140(d)$ mm

















Instinct Comfort Dual Flush Concealed Cistern

Flush - 6/3 Litre flush

Insulation - Jacket insulated

Maintenance – Top or front access for easy maintenance and installation Flush Valve – Pneumatic flush valve

Inlet Valve - WRAS approved Air Gap Bottom Inlet Valve

Flush plate/button - Round button supplied with cistern as standard

For use in 820mm high furniture

Dimensions – $324(h) \times 437(w) \times 165(d)$ mm











INST13008 £144.00



Instinct Side Entry Dual Flush Concealed Cistern

Flush - 6/3 Litre flush

Insulation - Jacket insulated

Maintenance – Top or front access for easy maintenance and installation

Flush Valve - Pneumatic flush valve

Inlet Valve – WRAS approved Air Gap Bottom Inlet Valve Flush plate/button – Round button supplied with cistern as standard

Dimensions $-365(h) \times 464(w) \times 140(d)$ mm











INST13002

£142.00

Flush Plates


Guarantees

5 Years on Flush Plates

Flush Plates + F	lush B	uttons							
Compatibility									
Range	Page No.	Nuance Dual Flush Plate	Kiso Dual Flush Plate	Hemsworth Dual Flush Plate	Nuance Dual Flush Button	Kiso Dual Flush Button	Oval Dual Flush Button	Instinct Contactless Remote Sensor Kit	Instinct Touch Sensor Flush Plate
Instinct 820mm Wall Hung Frame + Cistern	132	•	•	•*	• *	•*	•*	•*	•
Instinct 1000mm Wall Hung Frame + Cistern	132	•	•	•*	• *	•*	•*	•*	•
Instinct 1170mm Wall Hung Frame + Cistern	132	•	•	•*	• *	•*	•*	•*	•
Instinct In-Wall Dual Flush Concealed Cistern	133	•	•	•*	• *	•*	•*	•*	•
Instinct Comfort Dual Flush Concealed Cistern	133	•	•	•	• +	•	•	•	• +
Instinct Bottom Entry Dual Flush Concealed Cistern	133	•	•	•	•	•	•	•	•*
Instinct Side Entry Dual Flush Concealed Cistern	133	•	•	•	•	•	•	•	• *


^{*}Compatible, so long as provision made for maintenance access *Compatible when used in standard depth furniture only

Nuance Dual Flush Plates



Finish – Brushed Brass Flush – Dual Dimensions – 137(h) x 210(w) mm

INST13036 £131.00




Finish – Chrome Flush – Dual Dimensions – 137(h) x 210(w) mm

INST13010 £48.00



Finish – Matt Black Flush – Dual Dimensions – 137(h) x 210(w) mm

INST13020 £46.00



Finish – Stainless Steel Flush – Dual Dimensions – 137(h) x 210(w) mm

INST13019

£151.00



Flush Plates Compatibility

All are suitable with the cisterns on page 133 except where shown or require allowance for maintenance access.


Note: Flush plates are not compatible with the comfort cistern in slim depth fitted furniture installations.

Guarantees

5 Years on Flush Plates Take a closer look at the Instinct contactless flushing, flush plate and flush button collections


Flush Plates

Kiso Dual Flush Plates



Finish – Brushed Brass Flush – Dual Dimensions – 137(h) x 210(w) mm

INST13037 £131.00



Finish – Chrome Flush – Dual Dimensions – 137(h) x 210(w) mm

INST13012 £48.00



Finish – Matt Black Flush – Dual Dimensions – 137(h) x 210(w) mm

INST13021 £46.00




Finish – Gunmetal Flush – Dual Dimensions – 137(h) x 210(w) mm

INST13044 £131.00



Finish – Brushed Bronze Flush – Dual Dimensions – 137(h) x 210(w) mm

INST13049 £131.00



Finish – Brushed Nickel Flush – Dual Dimensions – 137(h) x 210(w) mm

INST13050 £131.00





Hemsworth Dual Flush Plate



Finish – Chrome Flush – Dual Dimensions – 137(h) x 210(w) mm

INST13017

£49.00

Flush Plates Compatibility

All are suitable with the cisterns on page 133 except where shown or require allowance for maintenance access. **Note:** Flush plates are not compatible with the comfort cistern in slim depth fitted furniture installations.

Flush Buttons

Guarantees



Oval Dual Flush Buttons (Concealed Cisterns)



Finish - Chrome Flush — Dual Dimensions – $88(h) \times 157(w)$ mm





Finish – Gunmetal Flush – Dual Dimensions – $88(h) \times 157(w)$ mm

INST13039 £126.00



Finish – Brushed Brass Flush — Dual Dimensions – 88(h) x 157(w) mm

INST13041 £119.00



Finish – Matt Black Flush - Dual Dimensions – $88(h) \times 157(w)$ mm

INST13040



Nuance Dual Flush Buttons (Concealed Cisterns)



Finish – Brushed Brass Flush – Dual Dimensions – $72(h) \times 72(w)$ mm

INST13035

£63.00



Finish - Chrome Flush – Dual Dimensions – $72(h) \times 72(w)$ mm

INST13003



Finish - Matt Black Flush – Dual Dimensions – $72(h) \times 72(w)$ mm

INST13028

£98.00

£23.00

£19.00

Kiso Dual Flush Buttons (Concealed Cisterns)



Finish – Brushed Brass Flush – Dual Dimensions - 72 (diameter) mm

INST13034 £63.00 Finish – Matt Black Flush – Dual Dimensions – 72 (diameter) mm

INST13022 £24.00



Finish – Gunmetal $\mathsf{Flush}-\mathsf{Dual}$ Dimensions - 72 (diameter) mm

INST13038 £63.00



Finish - Brushed Bronze Flush — Dual Dimensions – 72 (diameter) mm

INST13047 £63.00



Finish - Brushed Nickel $\mathsf{Flush}-\mathsf{Dual}$ Dimensions – 72 (diameter) mm

INST13048 £63.00

Flush Buttons Compatibility

Oval, Nuance and Kiso Dual flush buttons are suitable with cisterns on page 133 except where shown or require allowance for maintenance access.

Guarantees



Contactless Flushing



Instinct Contactless Close Coupled Flushing

Compatibility – INST02041 compatible with Espada, Keros, Kinsley and Lissett cisterns to upgrade to contactless flush. Use INST02042 for Eske, Firbeck and Brierley Cistern

Both kits compatible with most paddle operated flush valves for retrofit applications If retrofitting to cisterns with cable operated or screw in buttons, replace flush valve with INST02043 which has a 2" base.



INST02041	Close Coupled Sensor Flush Kit (For Ø38mm Cistern Hole)	£114.00
INST02042	Close Coupled Sensor Flush Kit (For Ø48mm Cistern Hole)	£115.00
INST02043	Paddle Operated Close Coupled Dual Flush Valve 2"	£37.00





Instinct Contactless Dual Flush Remote Sensor Kit (Pneumatic Concealed Cisterns)


Power Source - Powered by 4 x AA batteries (lasts about one year) Dimensions – $104(h) \times 73(w) \times 97(d)$ mm





INST13014 £185.00





Instinct Touch Sensor Flush Plate (In-Wall Concealed Cistern + Wall Hung Frames)

Compatibility – Compatible when used in standard depth furniture Power Source – Powered by $4\times AA$ batteries (lasts about one year) Dimensions – $137(h)\times 210(w)$ mm

Touch version recommended for low height plate installations





INST13016	Touch Sensor Flush Plate (Recommended for INST13005)	£214.00
INST13025	Contactless Sensor Flush Plate	£214.00