

Showers

Section	Page No.
Mixer Showers	
Round Bar Showers	
Islay	138
Square Bar Showers	
Harris	139
Mixer Showers	
Tummel	140
Aline	140
Laidon	140
new Zing (Single Outlet)	141
new Zing2 (Single Outlet)	141
new Zing2 (Twin Outlet)	141
Vardi Single Lever	141
Vardi Dual Lever	141

Accessible Showers

new Design Utility Lever Bar Shower Valve (Adjustable Riser Kit)	142
new Design Utility Lever Thermostatic TMV2 Bath Shower Mixer	142

Commercial Showers

Concealed Shower Valve	143
Exposed Shower Valve	143
Vandal Resistant Showerhead	143

Shower Kits + Accessories


Shower Kits

new One Function Shower Set (Flexi-Fit Riser Rail + Eco Option)	144
new Three Function Shower Set (Flexi-Fit Riser Rail + Eco Option)	144
new Five Function Shower Set (Flexi-Fit Riser Rail + Eco Option)	144

Shower Accessories

new Shower Handsets	145
new Shower Hoses	145
new Universal Riser Rail Slider	145
new Bath Screen Seals	145

What's new and trending this season...




Features + Buying Guide

Showers													
Range	Page No.	Fixing			Shower Head / Handset					Safety		Rail	
		Wall Mounted	Deck Mounted	Fast Fix	Single Outlet	Twin Outlet	Overhead Soaker	Single Function X1	Multi Function X2+	Thermostatic Valve	Cool Touch	Telescopic Rail	Slide Rail
Round Bar Showers													
Islay	138	•		•		•	•		•	•		•	•
Square Bar Showers													
Harris	139	•		•		•	•	•		•		•	•
Mixer Showers													
Tummel	140	•	•	•	•				•	•			•
Aline	140	•		•	•				•	•	•		•
Laidon	140	•		•	•			•	•	•			•
Zing (Single Outlet)	141	•		•	•				•	•			•
Zing2 (Single Outlet)	141	•		•	•				•	•			•
Zing2 (Twin Outlet)	141	•		•	•	•	•	•	•	•		•	•
Vardi	141	•		•	•				•	•			•
Accessible Showers													
Design Utility Lever Bar Shower Valve	142	•		•	•				•	•	•		•
Design Utility Lever Bath Shower Mixer	142		•						•				

Shower Features

There are many features in our shower range. Use the icons to help choose the right option for you.

 <p>Min 0.1 Bar</p> <p>Minimum Operating Pressure Suitable for a system with low water pressure.</p>	 <p>Max 6 Bar</p> <p>Maximum Operating Pressure Suitable for a system with high water pressure.</p>	 <p>Fast Fix</p> <p>For a quick and easy installation.</p>	 <p>Single Outlets</p> <p>These shower valves supply water to just a single outlet such as a fixed shower head or hand shower.</p>	 <p>Twin Outlets</p> <p>Come with two separate heads, allowing you to enjoy the most relaxing shower possible.</p>	 <p>Thermostatic Valve</p> <p>The temperature of the water is regulated to prevent any nasty hot or cold surprises if someone else in your home is using the water.</p>
 <p>Cool Touch</p> <p>Featuring safe touch valve bodies and anti-scald thermostatic technology.</p>	 <p>Slide Rail Kit</p> <p>Consist of a shower head, a shower hose and a rail on which the shower heads slides up and down.</p>	 <p>Telescopic Rail Kit</p> <p>Consist of a shower head, and a rigid riser rail on which the shower heads moves up and down.</p>	 <p>Single Function Handset</p> <p>A single spray function is available on this shower head.</p>	 <p>Multiple Function Handset</p> <p>Multiple spray settings are controlled individually on these shower heads.</p>	 <p>Rub Clean Nozzles</p> <p>Shower heads with rubber rub clean nozzles. Rub the nozzles with your finger or a toothbrush to loosen any deposits.</p>
 <p>System Pressure</p> <p>Recommended minimum system pressure. Low Pressure at 0.1 Bar. Medium Pressure at 0.5 Bar.</p>	 <p>Flow Rate</p> <p>Flow rate shown is based on testing conducted against lowest published pressure or using the following criteria. LP at 0.2 bar. MP at 0.5 bar. HP at 3 bar.</p>		 <p>Hose Type</p> <p>Instinct Pro shower hoses are available in Reinforced Stainless Steel or Smooth.</p>	 <p>Hose Bore Size</p> <p>Instinct Pro shower hoses are available in a 10mm bore size.</p>	

Mixer Showers

Guarantees

5 Years
on Islay Showers

Round Bar Showers



Best Seller



Islay
Twin Outlet



Islay Twin Outlet Thermostatic Shower Valve + Kit

Finish – Chrome
Handset – Three function
Hose – Stainless Steel
Safety – Anti-scald fail safe technology
Dimensions –
870-1200(h) mm adjustable rail



STAINLESS STEEL
Flow Rate – 5.6 l/min



Valve Only Valve Only

Great Value

Anti Scald

INST-13117P

£178.00



Islay Twin Outlet Thermostatic Shower Valve + Kit

Finish – Matt Black
Handset – Three function
Hose – Smooth PVC
Safety – Anti-scald fail safe technology
Dimensions –
870-1200(h) mm adjustable rail



SMOOTH
Flow Rate – 5.6 l/min



Valve Only

Anti Scald

INSIV1004P

£232.00

Guarantees

5 Years
on Harris Showers

Mixer Showers

Square Bar Showers



Harris Twin Outlet Thermostatic Shower Valve + Kit

Finish – Chrome
Handset – Single function
Hose – Stainless Steel
Safety – Anti-scald fail safe technology
Dimensions –
800-1180(h) mm adjustable rail

MP	Min 0.5 Bar	Max 5 Bar			
Flow Rate – 5.6 l/min					
Valve Only			Valve Only		

Great Value ✓

Anti Scald

INST-13126P £225.00



Harris Twin Outlet Thermostatic Shower Valve + Kit

Finish – Matt Black
Handset – Single function
Hose – Smooth PVC
Safety – Anti-scald fail safe technology
Dimensions –
800-1180(h) mm adjustable rail

MP	Min 0.5 Bar	Max 5 Bar			
Flow Rate – 5.6 l/min					
Valve Only					

Anti Scald

INSHE1011P £296.00



Mixer Showers

Guarantees

5 Years
on Bar Shower Mixers




Tummel Thermostatic Bath Shower Mixer + Kit

Finish – Chrome
Handset – Three function
Hose – 2m Stainless Steel
Safety – Anti-scald fail safe technology
Dimensions – 900(h) mm riser rail



Flow Rate – 8.0 l/min




INST-13003P £209.00



Aline Single Outlet Thermostatic Shower Valve + Kit

Finish – Chrome
Handset – Five function
Hose – Stainless Steel
Safety – Anti-scald fail safe technology
Dimensions – 700(h) mm riser rail



Flow Rate – 5.9 l/min




INST-13040P £118.00



Laidon Single Outlet Thermostatic Shower Valve + Kit

Finish – Chrome
Handset – Single function
Hose – Stainless Steel
Safety – Anti-scald fail safe technology
Dimensions – 600(h) mm riser rail



Flow Rate – 8.0 l/min



INST-13006P £135.00

Guarantees

5 Years on Mixer Showers



Mixer Showers



new
Anti Scald

Zing Single Outlet Safe Touch Bar Shower Mixer

Finish – Chrome
Handset – Single Function
Hose – 1.5m Stainless Steel
Safety – Anti-scald fail safe technology
Dimensions – 685(h) mm riser rail

LP	Min 0.2 Bar	Max 5 Bar	NSF	NSF	NSF	X1
STAINLESS STEEL	Flow Rate – 3.6 l/min	Valve Only	NSF	NSF	NSF	NSF

ZI SHXSMCT C £129.00



new
Anti Scald

Zing2 Single Outlet Safe Touch Bar Shower Mixer (Fast Fix Connections)

Finish – Chrome
Handset – Single Function
Hose – 1.5m Stainless Steel
Safety – Anti-scald fail safe technology
Dimensions – 680(h) mm riser rail

LP	Min 0.2 Bar	Max 5 Bar	NSF	NSF	NSF	X1
STAINLESS STEEL	Fast Fix	Flow Rate – 2.7 l/min	Valve Only	NSF	NSF	NSF

ZI SHXSMCTFC £152.00



new
Anti Scald

Zing2 Twin Outlet Thermostatic Rigid Riser Bar Shower Mixer

Finish – Chrome
Handset – Single Function
Hose – 1.5m Stainless Steel
Safety – Anti-scald fail safe technology
Dimensions – 713-1009(h) mm adjustable rail

MP	Min 0.5 Bar	Max 5 Bar	NSF	NSF	NSF	X1
STAINLESS STEEL	Flow Rate – 5.8 l/min	WRAS	NSF	NSF	NSF	NSF

ZI SHXDIVSMFF C £240.00



Vardi Single Lever Exposed Mini Valve + Kit

Finish – Chrome
Adjustment – Adjustable pipe centres 110–155mm
Riser Rail – Riser rail with adjustable fixing bracket
Handset – Multi mode handset
Hose – Standard finish
Compatibility – Suitable for use with unvented water supplies, combi boilers, gravity and mains pressure systems

LP	Min 0.1 Bar	Max 5 Bar	NSF	NSF	NSF	X3
STAINLESS STEEL	Flow Rate – 2.7 l/min	WRAS	NSF	NSF	NSF	NSF

INSVEV0001 £319.00



Vardi Dual Lever Exposed Mini Valve + Kit

Finish – Chrome
Adjustment – Adjustable pipe centres 110–155mm
Riser Rail – Riser rail with adjustable fixing bracket
Handset – Multi mode handset
Hose – Standard finish
Compatibility – Suitable for use with unvented water supplies, combi boilers, gravity and mains pressure systems

LP	Min 0.1 Bar	Max 5 Bar	NSF	NSF	NSF	X3
STAINLESS STEEL	Flow Rate – 2.7 l/min	WRAS	NSF	NSF	NSF	NSF

INSVDEV002 £344.00

Accessible Showers

Guarantees



5 Year on Accessible Showers



new

Anti Scald

Easy Turn Levers

Design Utility Lever Bar Shower Valve



Design Utility Lever Thermostatic Bar Shower Valve + Kit

Finish – Chrome
Handset – Three function
Hose – 1.5m Stainless Steel
Safety – Anti-scald fail safe technology
Dimensions – 650(h) mm riser rail

MP	Min 0.5 Bar	Max 5 Bar		
			Fast Fix	STAINLESS STEEL

Flow Rate – 2.6 l/min



DUL2 SHXARFF C £333.00



new

Anti Scald

Easy Turn Levers

Design Utility Lever Bath Shower Mixer

Design Utility Lever Thermostatic TMV2 Bath Shower Mixer

Finish – Chrome
Shower Kit – Not included
Safety – Anti-scald fail safe technology
Dimensions – 105(h) x 256(w) 200(d) mm

MP	Min 0.5 Bar	Max 5 Bar		
-----------	-------------	-----------	--	--

Flow Rate – 8.1 l/min



DUL3 THBSM C £490.00

Guarantees

1 Year on Commercial Showers



Commercial Showers

Opac Lever Concealed Shower Valve

Finish – Chrome
 Controls – Single sequential control for both temperature and flow
 Performance – High performance even at low pressure
 Safety – Automatic shut off in the event of hot or cold water supply failure
 Maintenance – Easy isolation and filter removal
 Cleaning – Integral thermal flushing for infection control
 Dimensions – 220(h) x 175(w) 135(d) mm

HP	Min 1 Bar	Max 5 Bar		Flow Rate – 3.9 l/min



- Anti Scald
- Easy Turn Lever

OP TS3650 CL C £721.00

Opac Lever Exposed Shower Valve

Finish – Chrome
 Controls – Single sequential control for both temperature and flow
 Performance – High performance even at low pressure
 Safety – Automatic shut off in the event of hot or cold water supply failure
 Maintenance – Adjustable isolation inlet elbows allow centres between 140mm-160mm
 Cleaning – Integral thermal flushing for infection control
 Dimensions – 80(h) x 185(w) 135(d) mm

HP	Min 1 Bar	Max 5 Bar		Flow Rate – 3.9 l/min



- Anti Scald
- Easy Turn Lever

OP TS3650 EL C £648.00

Vandal Resistant Showerhead

Finish – Chrome
 Compatibility – Suitable for exposed or concealed pipework
 Fixings – Concealed fixings and security screw heads for tamper resistance
 Water Supply – Bottom or rear supply
 Fitting – 15mm inlet connection
 Spare – Supplied with optional spray rings
 Dimensions – 62(h) x 62(w) 96(d) mm

LP	Min 0.2 Bar	Max 5 Bar	Flow Rate – 13.5 l/min
-----------	-------------	-----------	------------------------



- Vandal Resistant

VR1000 £155.00

Shower Kits

Guarantees

2 Years on Shower Kits

Shower Kits

new

Water Saving



One Function Shower Set (Flexi-Fit Riser Rail + Eco Option)

Finish – Chrome
 Shower Head – Single function
 Hose Length – 1.5m
 Dimensions – 650(h) mm riser rail
 Compatibility – Ideal for all shower types
 Water Saving – Optional Eco function reduces water usage



INST1SSC £49.00

new

Water Saving



Three Function Shower Set (Flexi-Fit Riser Rail + Eco Option)

Finish – Chrome
 Shower Head – Three function
 Hose Length – 1.5m
 Dimensions – 650(h) mm riser rail
 Compatibility – Ideal for all shower types
 Water Saving – Optional Eco function reduces water usage



INST3SSC £51.00

new

Water Saving



Five Function Shower Set (Flexi-Fit Riser Rail + Eco Option)

Finish – Chrome
 Shower Head – Five function
 Hose Length – 1.5m
 Dimensions – 650(h) mm riser rail
 Compatibility – Ideal for all shower types
 Water Saving – Optional Eco function reduces water usage



INST5SSC £53.00

Guarantees

2 Years
on Shower Accessories

Shower Accessories

Shower Handsets



Water Saving

One Function Shower Head + Eco Option

Finish – Chrome
No. of Handset Functions – One
Hose Connection Type – ½" male thread
Compatibility – Ideal for all shower types
Water Saving – Optional Eco function reduces water usage



new INST1SHC £14.00



Water Saving

Three Function Shower Head + Eco Option

Finish – Chrome or Matt Black
No. of Handset Functions – Three
Hose Connection Type – ½" male thread
Compatibility – Ideal for all shower types
Water Saving – Optional Eco function reduces water usage



new INST3SHC Chrome £15.00

new INST3SHMB Matt Black £15.00



Water Saving

Five Function Shower Head + Eco Option

Finish – Chrome
No. of Handset Functions – Five
Hose Connection Type – ½" male thread
Compatibility – Ideal for all shower types
Water Saving – Optional Eco function reduces water usage



new INST5SHC £16.00

Shower Hoses



1500mm Stainless Steel Shower Hose (10mm Bore)

Finish – Chrome
Hose Connection Type – 2 cones



new INST15SSH £11.00



1750mm Stainless Steel Shower Hose (10mm Bore)

Finish – Chrome
Hose Connection Type – 2 cones




new INST17SSH £12.00



1500mm Smooth Shower Hose (10mm Bore)

Finish – Silver or Matt Black
Hose Connection Type – 2 cones



new INST15SMHC Silver £13.00

new INST15SCHMB Matt Black £13.00



2000mm Smooth Shower Hose (10mm Bore)

Finish – Silver
Hose Connection Type – 2 cones



new INST20SMHC £14.00

Universal Riser Rail Slider



Universal Riser Rail Slider (Fits 19-25mm Diameter Rails)

Finish – Chrome
Dimensions – 40(h) x 40(w) 110(d) mm

new INSTRRC £11.00

Bath Screen Seals



Universal Bathscreen Seal (5mm + 6mm)

Finish – Clear
Material – Silicone
Compatibility – Shower seal suitable for 5mm and 6mm glass screens

new INSTUBS6C £7.00



Universal Bathscreen Seal (8mm)

Finish – Clear
Material – Silicone
Compatibility – Shower seal suitable for 8mm glass screens

new INSTUBS8C £7.00