

Easy to
InstallEasy to
MaintainWRAS
Approved

62

WC Frames (Pneumatic Flushing)

Easy to
InstallEasy to
MaintainWRAS
Approved

63

Concealed Cisterns (Pneumatic Flushing)

Compact
DesignEasy to
MaintainWRAS
ApprovedKIWA
Approved

67

Wirquin Concealed Cisterns
(Cable Flushing)

64

Flush Plates + Buttons

WRAS
Approved

69

VIVA Flush + Fill Valves

Flushing

Pneumatic Flushing

WC Frames

Instinct 400mm Wall Hung Bidet + WC Frame	62
Instinct 820mm Wall Hung Frame + Cistern	62
Instinct 1000mm Wall Hung Frame + Cistern	62
Instinct 1170mm Wall Hung Frame + Cistern	62

Concealed Cisterns

Instinct In-Wall Dual Flush Concealed Cistern	63
Instinct Comfort Dual Flush Concealed Cistern	63
Instinct Bottom Entry Dual Flush Concealed Cistern	63
Instinct Side Entry Dual Flush Concealed Cistern	63

Dual Flush Plates + Flush Buttons

Kiso Dual Flush Plate	64
Nuance Dual Flush Plate	64
Oval Dual Flush Button	65
Nuance Dual Flush Button	65
Kiso Dual Flush Button	65

Cable Flushing

WC Frames

Wirquin Initio 0.8m	66
Wirquin Initio 1m	66

Flush Plates

Wirquin Lunar Dual Flush Plates	66
Wirquin Essential Dual Flush Plates	66

Concealed Cisterns

Wirquin Side Entry	67
Wirquin Bottom Entry	67
Wirquin Touchless	67

Flush Buttons

Wirquin Dual Flush Buttons	67
----------------------------	----

Contactless Flushing

Wirquin Contactless Flushing	68
------------------------------	----

Flush + Fill Valves

VIVA Flush + Fill Valves	69
--------------------------	----

Features + Buying Guide

WC Frames								
Range	Page No.	Compatibility						
		Standard Depth 500 BTW Unit	Standard Depth 600 BTW Unit	Slim Depth 500 BTW Unit	Slim Depth 600 BTW Unit	Boxed/Tiled in with Worktop	Boxed/Tiled in Full Height	Boxed/Tiled in Full Height – Slim Stud Wall
Instinct 400mm Wall Hung Bidet + WC Frame	62	● ^Δ	● ^Δ	● ^Δ	● ^Δ	● ^Δ		
Instinct 820mm Wall Hung Frame + Cistern	62		●*		●*	●	●	
Instinct 1000mm Wall Hung Frame + Cistern	62					●	●	
Instinct 1170mm Wall Hung Frame + Cistern	62						●	●

*Use with adaptor kit INST13007 ^ΔUse with concealed cisterns INST13001 or INST13002

Concealed Cisterns								
Range	Page No.	Compatibility						Flush Button
		Standard Depth 500 BTW Unit	Standard Depth 600 BTW Unit	Slim Depth 500 BTW Unit	Slim Depth 600 BTW Unit	Boxed/Tiled in with Worktop	Boxed/Tiled in Full Height	Supplied with Concealed Cistern
Instinct In-Wall Dual Flush Concealed Cistern	63					●	●	
Instinct Comfort Dual Flush Concealed Cistern	63	●	●	●	●			●
Instinct Bottom Entry Dual Flush Concealed Cistern	63	●	●	●	●			●
Instinct Side Entry Dual Flush Concealed Cistern	63	●	●	●	●			●

Icon Key

Our handy icon key helps you quickly recognise key product features and choose the product that suits you best.



Back To Wall Pans



Wall Hung Pans



Wall Hung Bidets



Air Gap



Dual Flush Volume



Easy To Install



Insulation



Infrared Control

WC Frames

Guarantees

 Years **5**
 on WC Frames + Concealed Cisterns

WC Frames (Pneumatic Operated)

Easy to Install



Instinct 400mm Wall Hung Bidet + WC Frame

Adjustable depth 170–335mm

Adjustable height legs (2mm adjustment)

Only 4mm wide, so it is suitable for narrow 5mm back to wall unit applications

Can also be used for bidets

Fixings + brackets included

Compatible with INST13001 and INST13008 concealed cisterns (see page 65)

Dimensions – 400(w) x 400(h) x 200(d) mm



INST13018

£176.00

Easy to Install

Easy to Maintain

WRAS Approved



Instinct 1000mm Wall Hung Frame + Cistern

Underwindow adjustable depth 167–215mm, 5mm width

Adjustable height legs (2mm adjustment)

Top and front access for easy maintenance and installation

Fixings + brackets included

WRAS approved and tested to the highest industry standards

Dimensions – 500(w) x 1000(h) x 167(d) mm



INST13015

£376.00

Easy to Install

Easy to Maintain

WRAS Approved



Instinct 820mm Wall Hung Frame + Cistern

Adjustable depth 167–215mm

Adjustable height legs (2mm adjustment)

Top and front access for easy maintenance and installation, flush plate mounting options

Fixings + brackets included

WRAS approved and tested to the highest industry standards

Dimensions – 500(w) x 812(h) x 170(d) mm



INST13005

£368.00

INST13007

Furniture Adaptor Kit

£65.00

Easy to Install

Easy to Maintain

WRAS Approved



Instinct 1170mm Wall Hung Frame + Cistern

Adjustable depth 140–200mm

Adjustable height legs (2mm adjustment)

Front access for easy maintenance and installation, flush plate mounting options

Fixings + brackets included

WRAS approved and tested to the highest industry standards

Dimensions – 500(w) x 1168(h) x 140(d) mm



INST13006

£381.00

Guarantees

5 Years
on WC Frames + Concealed Cisterns

Concealed Cisterns

Concealed Cisterns (Pneumatic Operated)



Instinct In-Wall Dual Flush Concealed Cistern

Polystyrene insulation jacket

Top or front access for easy maintenance and installation

With an internal isolation valve to regulate the flow of water from the mains to a water service pipe

Pneumatic flush valve, requires flush plate/button, or contactless sensor

WRAS approved and tested to the highest industry standards

Dimensions – 745(h) Max x 600(w) x 138-194(d) mm



INST13009

£174.00



Instinct Comfort Dual Flush Concealed Cistern

Polystyrene insulation jacket

Bottom entry inlet valve

Developed specifically for comfort height BTW WCs in furniture installations

Top or front flush plate mounting

Pneumatic flush valve, comes with chrome flush button, push button upgrades available

WRAS approved and tested to the highest industry standards

Dimensions – 324(h) x 437(w) x 165(d) mm



INST13008

£153.00



Instinct Bottom Entry Dual Flush Concealed Cistern

Polystyrene insulation jacket

Bottom entry inlet valve

Top or front access for easy maintenance and installation

1/2" BSP connection

Pneumatic flush valve, comes with chrome flush button, push button upgrades available

WRAS approved and tested to the highest industry standards

Dimensions – 365(h) x 434(w) x 140(d) mm



INST13001

£151.00



Instinct Side Entry Dual Flush Concealed Cistern

Polystyrene insulation jacket

Side entry inlet valve

Side access for easy installation and maintenance

Designed to work with low height furniture and ideal for slimline furniture

Pneumatic flush valve, comes with chrome flush button, push button upgrades available

WRAS approved and tested to the highest industry standards

Dimensions – 365(h) x 464(w) x 140(d) mm



INST13002

£151.00


Flush Plates

Guarantees

Years
on Flush Plates **5**

Kiso Dual Flush Plates (Pneumatic Operated)

Easy to Clean

Available in **Brushed Brass**

Compatible with Instinct wall hung frames (Page 62)

Two flush settings

Dimensions – 137(h) x 210(w) mm

INST13037 £117.00Available in **Chrome**

Compatible with Instinct wall hung frames (Page 62)

Two flush settings

Dimensions – 137(h) x 210(w) mm

INST13012 £51.00Available in **Matt Black**

Compatible with Instinct wall hung frames (Page 62)


Two flush settings

Dimensions – 137(h) x 210(w) mm

INST13021 £49.00

Nuance Dual Flush Plates (Pneumatic Operated)

Easy to Clean

Available in **Brushed Brass**

Compatible with Instinct wall hung frames (Page 62)

Two flush settings

Dimensions – 137(h) x 210(w) mm

INST13036 £117.00Available in **Chrome**

Compatible with Instinct wall hung frames (Page 62)

Two flush settings

Dimensions – 137(h) x 210(w) mm

INST13010 £51.00Available in **Matt Black**

Compatible with Instinct wall hung frames (Page 62)

Two flush settings

Dimensions – 137(h) x 210(w) mm

INST13020 £49.00

Flush Plates + Flush Buttons

Range	Page No.	Compatibility			
		Nuance Flush Plate	Kiso Flush Plate	Nuance Square Flush Buttons	Kiso Round Flush Buttons
Instinct 820mm Wall Hung Frame + Cistern	62	●	●	●*	●*
Instinct 1000mm Wall Hung Frame + Cistern	62	●	●	●*	●*
Instinct 1170mm Wall Hung Frame + Cistern	62	●	●	●*	●*
Instinct In-Wall Dual Flush Concealed Cistern	63	●	●	●*	●*
Instinct Comfort Dual Flush Concealed Cistern	63	●*	●*	●*	●*
Instinct Bottom Entry Dual Flush Concealed Cistern	63	●	●	●	●
Instinct Side Entry Dual Flush Concealed Cistern	63	●	●	●	●

*Compatible, so long as provision made for maintenance access *Compatible when used in standard depth furniture only

Flush Plates Compatibility

All are suitable with the cisterns on page 63 except where shown or require allowance for maintenance access.

Note: Flush plates are not compatible with the comfort cistern in slim depth fitted furniture installations.

Guarantees

5 Years
on Flush Buttons

Flush Buttons

Oval Dual Flush Buttons (Pneumatic Operated – Concealed Cisterns)



Available in **Brushed Brass**

Compatible with Instinct concealed cisterns (Page 63)

Two flush settings

Dimensions – 88(h) x 157(w) mm

INST13041 £112.00



Available in **Chrome**

Compatible with Instinct concealed cisterns (Page 63)

Two flush settings

Dimensions – 88(h) x 157(w) mm

INST13023 £74.00



Available in **Matt Black**


Compatible with Instinct concealed cisterns (Page 63)

Two flush settings

Dimensions – 88(h) x 157(w) mm

INST13040 £93.00

Nuance Dual Flush Buttons (Pneumatic Operated – Concealed Cisterns)




Available in **Brushed Brass**

Compatible with Instinct concealed cisterns (Page 63)

Two flush settings

Dimensions – 72(h) x 72(w) mm

INST13035 £54.00



Available in **Chrome**

Compatible with Instinct concealed cisterns (Page 63)

Two flush settings

Dimensions – 72(h) x 72(w) mm

INST13003 £22.00



Available in **Matt Black**

Compatible with Instinct concealed cisterns (Page 63)

Two flush settings

Dimensions – 72(h) x 72(w) mm

INST13028 Matt Black £20.00

Kiso Dual Flush Buttons (Pneumatic Operated – Concealed Cisterns)



Available in **Brushed Brass**

Compatible with Instinct concealed cisterns (Page 63)

Dimensions – 72 (diameter) mm

INST13034 £54.00



Available in **Matt Black**

Compatible with Instinct concealed cisterns (Page 63)

Dimensions – 72 (diameter) mm

INST13022 £26.00

Flush Buttons Compatibility

Oval, Nuance and Kiso Dual flush buttons are suitable with cisterns on page 63 except where shown or require allowance for maintenance access.

WC Frames + Flush Plates

Guarantees

Years **10**
on WC FramesYears **2**
on Flush Plates

WC Frames (Cable Operated)

Compact Design

Easy to Maintain

WRAS Approved

KIWA Approved

Scan for
Installation
video

Initio 0.8m Wall Hung Frame

Durable metallic structure – lightweight anticorrosion coated steel, load tested to 400kg**Easy servicing** – large front access panel for **ease of maintenance**, access also possible from the rear for service ducts installations**Innovative insulation system** – double wall insulated tank**Tool free plate installation** – ratchet system to automatically adjust to the wall thickness**WRAS/KIWA approved** and tested to the highest industry standards

Dimensions – 733–928(h) x 360(w) x 175–280(d) mm



50120511

£204.00

Compact Design

Easy to Maintain

WRAS Approved

KIWA Approved

Scan for
Installation
video

Initio 1m Wall Hung Frame

Durable metallic structure – lightweight anticorrosion coated steel, load tested to 400kg**Easy servicing** – large front access panel for **ease of maintenance**, access also possible from the rear for service ducts installations**Innovative insulation system** – double wall insulated tank**Tool free plate installation** – ratchet system to automatically adjust to the wall thickness**WRAS/KIWA approved** and tested to the highest industry standards

Dimensions – 982–1177(h) x 360(w) x 175–280(d) mm



50120565

£219.00

Dual Flush Plates (Cable Operated)

Easy to Install

Easy to Clean



Chrome



Matt Black



Matt Brass



White

Lunar Dual Flush Plates

Available in **Chrome, Matt Black, Matt Brass** or **White****Dual flush mechanism** – offers two flush options for **water-saving efficiency****Compatible with Wirquin INITIO + CHRONO WC frames****Suitable for domestic and commercial applications**

Dimensions – 166(h) x 208(w) mm

50120787	Chrome	£43.00
50120789	Matt Black	£41.00
50120791	Matt Brass	£79.00
50120788	White	£38.00

Easy to Install

Easy to Clean



Chrome



Matt Black



Matt Brass



White

Essential Dual Flush Plates

Available in **Chrome, Matt Black, Matt Brass** or **White****Dual flush mechanism** – offers two flush options for **water-saving efficiency****Compatible with Wirquin INITIO + CHRONO WC frames****Suitable for domestic and commercial applications**

Dimensions – 166(h) x 208(w) mm

55950009	Chrome	£39.00
55722889	Matt Black	£39.00
50120764	Matt Brass	£79.00
55720347	White	£38.00

Guarantees

10 Years
on Concealed Cisterns

2 Years
on Flush Buttons

Concealed Cisterns

Concealed Cisterns (Cable Operated)



Duo Compact Side Entry Concealed Cistern

Compact size – an ideal solution for 400mm furniture units


Air Gap Compliant – meets all AG Air Gap requirements, eliminates the risk of backflow

Easy to maintain – access to the cistern from both the front and top

Fittings, flush pipe and chrome button included

WRAS/KIWA approved and tested to the highest industry standards

Dimensions – 320(h) x 336(w) x 140(d) mm



CDC41CP-AG

£47.00



Duo Compact Bottom Entry Concealed Cistern

Compact size – an ideal solution for 400mm furniture units


Air Gap Compliant – meets all AG Air Gap requirements, eliminates the risk of backflow

Easy to maintain – access to the cistern from both the front and top

Fittings, flush pipe and chrome button included


WRAS/KIWA approved and tested to the highest industry standards

Dimensions – 320(h) x 336(w) x 140(d) mm



CDC71CP-AG

£47.00



Touchless Duo Compact Dual Flush Concealed Cistern

Compact size – an ideal solution for 400mm furniture units

Hygienic Flushing – Touchless sensor has a battery lifespan of 40,000 flush cycles. Requires 4 AA alkaline batteries.

Easy to maintain – access to the cistern from the top

Fittings, flush pipe and chrome button included

WRAS/KIWA approved and tested to the highest industry standards

Dimensions – 320(h) x 336(w) x 140(d) mm



50120590


£141.00



Dual Flush Buttons (Cable Operated)



Chrome



Matt Black

Brushed Brass

White

Round Dual Flush Plates

Available in **Chrome, Matt Black, Brushed Brass or White**

50mm ABS dual flush push button

Compatible with Duo Compact Concealed Cisterns

Can be positioned in either front or top of the cistern

Dimensions – 50 (diameter) mm

50120569	Chrome	£10.00
50120760	Matt Black	£10.00
50120762	Brushed Brass	£12.00
50120759	White	£10.00

Contactless Flushing

Guarantees

Years **10**
on Contactless Flushing

Touchless – The most hygienic way to flush

Easy to
InstallEasy to
MaintainHygienic
FlushingWRAS
ApprovedKIWA
Approved

Motion activated infrared mechanism



Touchless Flush Valve

Thanks to its motion activated infrared mechanism, any contact with the flush button can be avoided, making the Touchless a great hygienic option. The user can control the volume of water being used to flush with a quick hand wave activating half a flush, and a handheld over the button for 4 seconds activating a full 6L flush. The cable operated button allows for easy installation and can easily be adjusted to the height of the cistern.

Touchless operation for hygienic, germ-free protection

100% Hygienic – Infrared sensor enables precise, touch-free operation

Suitable for close coupled and low-level ceramic cisterns

Suitable for use with cistern heights from 320-420mm

Water Saving – water volume control

Quick and easy to install and maintain – No height adjustment compensates misalignment between lid hole and tank. Cable operated system.

Proven performance – endurance tested to 200,000 flush cycles

Battery operated (4 AA alkaline batteries), manual override should batteries fail

Supplied with a sensor with variable diameter from 38-45mm to suit most installations

WRAS/KIWA approved and tested to the highest industry standards

Dimensions – 320-420(h) mm



Scan for
Installation video

10950189

£72.00

Easy to
InstallEasy to
MaintainHygienic
FlushingWRAS
ApprovedKIWA
Approved

Motion activated infrared mechanism



Touchless + Jollyfill Air Telescopic Universal Flushing Kit

This Wirquin universal fittings kit is suitable for almost all bottom entry close coupled cisterns. Touchless cable operated flush valve is suitable for both 1.5" and 2" cistern outlets. Jollyfill Air telescopic inlet valve is adjustable in height to fit any height of cistern.

Touchless operation for hygienic, germ-free protection

100% Hygienic – Infrared sensor enables precise, touch-free operation

Suitable for close coupled and low-level ceramic cisterns

Suitable for use with cistern heights from 320-420mm

Water Saving – water volume control

Quick and easy to install and maintain – No height adjustment compensates misalignment between lid hole and tank. Cable operated system.

Proven performance – endurance tested to 200,000 flush cycles

Battery operated (4 AA alkaline batteries), manual override should batteries fail

Supplied with a sensor with variable diameter from 38-45mm to suit most installations

Supplied with bolted close coupling kit and close coupling washer and reducing washer

WRAS/KIWA approved and tested to the highest industry standards

Dimensions – 320-420(h) mm



Scan for
Installation video

10950190

£88.00

Guarantees

10 Years
on Flush + Fill Valves

Flush + Fill Valves

Flush Valve



Skylo Dual Flush Valve

Compact cable operated flush valve, that can cater for both 1½" and 2" outlet sizes

Fully adjustable dual flush volumes, internal adjustable overflow

Easy to fit uni-button allowing **quick access** to a cistern for maintenance

Universal Button Fits all 40mm, 50mm & 60mm Holes

Supplied with Universal Cradles

WRAS approved and tested to the highest industry standards

Dimensions –

315(h) x 95(w) x 200(d) mm (SKY005)

325(h) x 85(w) x 200(d) mm (SKY030)



SKY005 Skylo Dual Flush Valve £16.00

SKY030 Skylo Button + Handle Dual Flush Valve £19.00

VIVA Flush + Fill Valve Compatibility

	Fill Valve		Flush Valve	
Range	SKY005	SKY030	SKYAIR01	SKYAIR02
Instinct Pro Sanitaryware				
Brandsby	•	•	•	
Allerston	•	•	•	
Eske	•		•	
Tulla	•	•	•	
Della	•	•	•	
Instinct Sanitaryware				
Hemsworth (Close Coupled)			•	
Hemsworth (Low Level)			•	
Hemsworth (High Level)				•
Nostell	•			
Kinsley	•		•	
Dene	•	•	•	
Espada	•		•	
Malham	•		•	
Firbeck	•		•	
Brierley	•		•	
Lisett	•		•	
Wave	•	•	•	
Ecstasy	•	•	•	
Skean	•	•	•	
Nuance	•	•	•	

Fill Valves



Skylo AIR Bottom Entry Fill Valve (½" UK) Brass Thread

Small and compact, allowing it to fit in a variety of different cistern sizes

Telescopic design can adjust in height from 8" to 12"

Water saving delayed fill

Suitable with requirements of AUK1, BS1212-4 compliant

WRAS approved and tested to the highest industry standards

Dimensions – 270-310(h) x 55(w) x 90(d) mm



SKYAIR01 £15.00



Skylo AIR Side Entry Fill Valve (½" UK) Brass Thread

Small and compact, allowing it to fit in a variety of different cistern sizes

Telescopic design can adjust in height from 8" to 12"

Water saving delayed fill

Suitable with requirements of AUK1, BS1212-4 compliant

WRAS approved and tested to the highest industry standards

Dimensions – 215(h) x 55(w) x 163(d) mm



SKYAIR02 £15.00