

WRAS
Approved



127

Tummel Kitch Tap

WRAS
Approved



122

Marsett Kitchen Taps

WRAS
Approved



124

Brandsby Kitchen Taps

WRAS
Approved



123

Kensington Lever Kitchen Tap

WRAS
Approved



126

Eske Kitchen Taps

WRAS
Approved



130

Commercial Kitchen Taps

Kitchen Taps

Kitchen Taps		Commercial Kitchen Taps	
Marsett	122	Club	130
Darton	123	Cross Top	130
Kensington Lever	123	3" Lever	131
Brandsby	124	6" Lever	131
Allerston	125		
Eske	126		
Tulla	127		
Thirn	127		
Tummel	127		
S12 Eco	127		
Dune	128		
Odyssey	129		
Cello	129		

Features + Buying Guide

Kitchen Taps													
		Handles			Pressure		Features						
Range	Page No.												
Kitchen Taps													
Marsett	122	●	●			●	●		●	●	●	●	
Darton	123			●	●				●	●		●	
Kensington Lever	123		●		●				●	●		●	
Brandsby	124		●		●				●	●		●	
Allerston	125	●			●				●	●		●	
Eske	126	●				●			●	●		●	
Tulla	127		●			●			●	●		●	
Thirn	127	●				●			●	●	●	●	
Tummel	127		●		●			●		●			●
S12 Eco	127	●			●				●	●		●	
Dune	128		●		●			●		●		●	
Odyssey	129	●				●		●		●		●	
Cello	129	●			●					●		●	
Commercial Kitchen Taps													
Club	130		●		●			●					
Cross Top	130			●	●			●					
3" Lever	131		●		●			●					
6" Lever	131		●		●			●					

Icon Key

Our handy icon key helps you quickly recognise key product features and choose the product that suits you best.



Min
0.1 Bar



Max
6 Bar



LP



MP



HP



Flexible
Hose



Flow
Straightener



Flow
Aerator



Pull Out
Spout



Metal
Backnut



Fast
Fix



Cold Open



Single Flow



Dual Flow

Flow Rate – X.X l/min

Flow rate shown is based on testing conducted against published minimum pressure.

Marsett

All dimensions in mm. All measurements are approximate and subject to standard tolerances.
Prices include VAT.

Guarantees

Years **20**
on Marsett Kitchen Taps

Pull-out
SpoutEasy to
InstallWRAS
Approved

Chrome – Marsett Chef Plus Single Lever

Marsett Chef Single Lever
Mono Kitchen Mixer

Available in **Chrome + Black Spout** or
Black + Black Spout

Contemporary design for a sleek, modern kitchen look

Pull-out silicone spout for flexible, easy cleaning

Efficient **flow aerator** for reduced water waste

Single flow for ease of temperature control

Fast Fix installation for quick + easy fitting

Flexible hoses for quick, hassle-free installation

WRAS approved and tested to the highest industry standards

Dimensions – 440(h) x 105(w) x 266(d) mm



Flow Rate – 2.4 l/min



INST-MCF-1HKM Chrome + Black Spout £127.00

INSMCSKMMB Black + Black Spout £143.00

Marsett Chef Plus Single + Twin Lever
Mono Kitchen Mixer

Available in **Chrome**

Contemporary design for a sleek, modern kitchen look

Pull-out stainless steel braided spout for flexible, easy cleaning

Efficient **flow aerator** for reduced water waste

Single flow for ease of temperature control

Fast Fix installation for quick + easy fitting

Flexible hoses for quick, hassle-free installation

WRAS approved and tested to the highest industry standards



Flow Rate – 2.4 l/min



Single Lever

Dimensions – 440(h) x 105(w) x 266(d) mm

INST-MCP-1HKM Chrome £138.00

Twin Lever

Dimensions – 446(h) x 116(w) x 266(d) mm

INST-MCP-2HKM Chrome £146.00



Chrome + Black Spout – Marsett Chef Single Lever



Chrome – Marsett Chef Plus Single Lever



Marsett Chef Single Lever
– Chrome + Black Spout

Marsett Chef Single Lever
– Black + Black Spout




Marsett Chef Plus Single Lever
– Chrome

Marsett Chef Plus Twin Lever
– Chrome

Guarantees

5 Years
on Darton + Kensington Lever Kitchen Taps

Darton / Kensington Lever



Darton Twin Handle Mono Kitchen Mixer

Available in **Chrome**

Classic design to suit timeless kitchen styles

Single flow for ease of temperature control

Aerator for efficient flow control


WRAS approved and tested to the highest industry standards

Dimensions – 347(h) x 170(w) x 235(d) mm



INST-DRT-KM

£112.00



Kensington Lever Twin Lever Mono Kitchen Mixer

Available in **Chrome**

Classic design to suit timeless kitchen styles

Single flow for ease of temperature control

Aerator for efficient flow control

WRAS approved and tested to the highest industry standards

Dimensions – 345(h) x 180(w) x 200(d) mm



INST-KNL-KM

£90.00





Brushed Brass



Chrome

Matt Black

Brushed Brass

Copper

Brushed Chrome

Brandsby Twin Lever Mono Kitchen MixerAvailable in **Chrome, Matt Black, Brushed Brass, Copper or Brushed Chrome****Contemporary design** for a sleek, modern kitchen look**Single flow** for ease of temperature control**Aerator** for efficient flow control**WRAS approved** for safe, compliant water use

Dimensions – 372(h) x 122(w) x 287(d) mm

LP	Min 0.2 Bar	Max 10 Bar			
Flow Rate – 3.8 l/min					

INSBRTKMC	Chrome	£78.00
INSBRTCMMB	Matt Black	£90.00
INSBRTKMBB	Brushed Brass	£96.00
INSBRTKMCO	Copper	£96.00
INSBRTKMBC	Brushed Chrome	£85.00

All dimensions in mm. All measurements are approximate and subject to standard tolerances.
Prices include VAT.

Guarantees

12 Years
on Allerston Kitchen Taps

Allerston



Matt Black

Allerston Single Lever Mono Kitchen Mixer

Available in **Chrome**, **Matt Black** or **Brushed Chrome**

Contemporary design for a sleek, modern kitchen look

Single flow for ease of temperature control

Aerator for efficient flow control

WRAS approved for safe, compliant water use

Dimensions – 380(h) x 105(w) x 210(d) mm



Flow Rate – 3.3 l/min



INSALSKMC	Chrome	£77.00
INSALSKMMB	Matt Black	£92.00
INSALSKMBC	Brushed Chrome	£89.00



Chrome



Matt Black



Brushed Chrome

Eske

Guarantees
Years **12**
on Eske Kitchen Taps

WRAS
Approved



Chrome



Chrome



Matt Black



Brushed Brass



Copper

Eske Single Lever Mono Kitchen Mixer

Available in **Chrome, Matt Black, Brushed Brass or Copper**

Contemporary design for a sleek, modern kitchen look

Single flow for ease of temperature control

Aerator for efficient flow control

Flexible hoses for quick, hassle-free installation

WRAS approved for safe, compliant water use

Dimensions – 359(h) x 104(w) x 248(d) mm

MP	Min 0.5 Bar	Max 5 Bar			
Flow Rate – 3.2 l/min					

INSESSKMC	Chrome	£77.00
INSESSKMMB	Matt Black	£88.00
INSESSKMBB	Brushed Brass	£91.00
INSESSKMCO	Copper	£91.00

Guarantees

5 Years on Tulla, Thirn + S12 Eco Kitchen Taps
12 Years on Tummel Kitchen Taps

Tulla / Thirn / Tummel / S12 Eco



Tulla Twin Lever Mono Kitchen Mixer

Available in **Chrome**

Contemporary design for a sleek, modern kitchen look

Aerator for efficient flow control

Flexible hoses for quick, hassle-free installation

Single flow for ease of temperature control

Dimensions – 360(h) x 132(w) x 230(d) mm

MP **Min 0.5 Bar** **Max 5 Bar** **Aerator** **G** **Flow Rate – 5.0 l/min**

INSTUTKMC £85.00



Tummel Twin Lever Mono Kitchen Mixer

Available in **Chrome**

Flexible hoses for quick, hassle-free installation

Flow straightener for smooth water flow

Dual Flow for performance at low pressure and separation of feed

WRAS approved and tested to the highest industry standards

Dimensions – 240(h) x 45(w) x 302(d) mm

LP **Min 0.1 Bar** **Max 10 Bar** **Aerator** **G** **Flow Rate – 7.6 l/min** **WRAS**

INSTUTKMC £84.00



Easy to Install

Chrome



Easy to Install

Stainless Steel

Thirn Single Lever Mono Kitchen Mixer

Available in **Chrome** or **Stainless Steel**

Flexible hoses for quick, hassle-free installation

Single flow for ease of temperature control


Fast Fix installation for quick + easy fitting

Dimensions – 320(h) x 90(w) x 195(d) mm

MP **Min 0.5 Bar** **Max 5 Bar** **Aerator** **Fast Fix** **G** **Flow Rate – 5.0 l/min**

INSTHSMC Chrome £62.00

INSTHSMSS Stainless Steel £66.00



WRAS Approved

S12 Eco Single Lever Mono Kitchen Mixer

Available in **Chrome**

Flexible hoses for quick, hassle-free installation

Aerator for efficient flow control

Single flow for ease of temperature control

WRAS approved and tested to the highest industry standards

Dimensions – 148(h) x 52(w) x 270(d) mm

LP **Min 0.1 Bar** **Max 5 Bar** **Aerator** **G** **Flow Rate – 4.4 l/min** **WRAS**

INST-S12-EC £52.00

Dune

WRAS
Approved

Guarantees

Years 
on Dune Kitchen Taps



Dune Twin Lever Mono Kitchen Mixer
Available in **Chrome** or **Stainless Steel**

Contemporary design for a sleek, modern kitchen look

Single flow for ease of temperature control

Flow straightener for smooth water flow

Flexible hoses for quick, hassle-free installation

WRAS approved for safe, compliant water use

Dimensions – 361(h) x 50(w) x 230(d) mm


LP	Min 0.2 Bar	Max 5 Bar			
Flow Rate – 3.0 l/min					

DU SNK C	Chrome	£86.00
DU SNK SS	Stainless Steel	£102.00

Guarantees

 **Years**
on Odyssey + Cello Kitchen Taps

Odyssey / Cello



Odyssey Single Lever Mono Kitchen Mixer

Available in **Chrome**

Flow straightener for smooth water flow

Flexible hoses for quick, hassle-free installation

Single flow for ease of temperature control


WRAS approved and tested to the highest industry standards

Dimensions – 345(h) x 110(w) x 220(d) mm



OD SNK C

£89.00



Cello Single Lever Mono Kitchen Mixer

Available in **Chrome**

Flow straightener for smooth water flow

Flexible hoses for quick, hassle-free installation

Single flow for ease of temperature control

WRAS approved and tested to the highest industry standards

Dimensions – 114(h) x 45(w) x 225(d) mm



CE SNK C

£79.00



Club / Cross Top

Guarantees

Years **5**
on Club + Cross Top Kitchen Taps


Club

WRAS
Approved

Mono Kitchen Mixer

Available in **Chrome****Flow straightener** for smooth water flow**WRAS approved** for safe, compliant water use

Dimensions – 280(h) x 150(w) x 235(d) mm



Flow Rate – 12.1 l/min



VAC2 SNK C MT


£110.00

WRAS
Approved

Deck Mounted Kitchen Mixer (Two Taphole)

Available in **Chrome****Flow straightener** for smooth water flow**WRAS approved** for safe, compliant water use

Dimensions – 260(h) x 225(w) x 230(d) mm



Flow Rate – 17.2 l/min



VAC2 DSM C MT

£106.00

WRAS
Approved

High Neck Kitchen Pillar Taps (Pair)

Available in **Chrome****Flow straightener** for smooth water flow**WRAS approved** for safe, compliant water use

Dimensions – 153(h) x 47(w) x 110(d) mm



Flow Rate – 10.8 l/min



VAC HNK C MT

£52.00


Cross Top

WRAS
Approved

Mono Kitchen Mixer

Available in **Chrome****Flow straightener** for smooth water flow**WRAS approved** for safe, compliant water use

Dimensions – 280(h) x 200(w) x 240(d) mm



Flow Rate – 12.1 l/min



VAX2 SNK C

£122.00

WRAS
Approved

High Neck Kitchen Taps (Pair)

Available in **Chrome****Flow straightener** for smooth water flow**WRAS approved** for safe, compliant water use

Dimensions – 182(h) x 45(w) x 110(d) mm



Flow Rate – 13.9 l/min



VAX HNK C

£61.00



Club High Neck Kitchen Pillar Taps (Pair) – Chrome




6" Lever High Neck Kitchen Pillar Taps (Pair) – Chrome

Guarantees

5 Years
on 3" Lever + 6" Lever Kitchen Taps

3" Lever / 6" Lever

3" Lever



Mono Kitchen Mixer

Available in **Chrome**

Flow straightener for smooth water flow


WRAS approved for safe, compliant water use

Dimensions – 280(h) x 155(w) x 235(d) mm

LP	Min 0.2 Bar	Max 5 Bar	
Flow Rate – 9.6 l/min			

VAL2 SNK C CD

£136.00



Deck Mounted Kitchen Mixer (Two Taphole)

Available in **Chrome**

Flow straightener for smooth water flow


WRAS approved for safe, compliant water use

Dimensions – 260(h) x 220(w) x 230(d) mm

LP	Min 0.2 Bar	Max 5 Bar	
Flow Rate – 13.5 l/min			

VAL2 DSM C CD

£130.00



High Neck Kitchen Pillar Taps (Pair)

Available in **Chrome**

Flow straightener for smooth water flow

WRAS approved for safe, compliant water use

Dimensions – 165(h) x 45(w) x 110(d) mm

LP	Min 0.2 Bar	Max 5 Bar	
Flow Rate – 7.9 l/min			

VAL2 HNK C CD

£61.00

6" Lever



Bridge Deck Mounted Kitchen Mixer (Two Taphole)

Available in **Chrome**


WRAS approved for safe, compliant water use

Dimensions – 395(h) x 300(w) x 210(d) mm

LP	Min 0.2 Bar	Max 5 Bar	
Flow Rate – 12.5 l/min			

VAL2 BRDSM C 6 CD

£370.00



Deck Mounted Kitchen Mixer (Two Taphole)

Available in **Chrome**

Flow straightener for smooth water flow


WRAS approved for safe, compliant water use

Dimensions – 260(h) x 220(w) x 230(d) mm

LP	Min 0.2 Bar	Max 5 Bar	
Flow Rate – 13.5 l/min			

VAL2 DSM C 6 CD

£190.00



High Neck Kitchen Pillar Taps (Pair)

Available in **Chrome**

Flow straightener for smooth water flow

WRAS approved for safe, compliant water use

Dimensions – 185(h) x 45(w) x 165(d) mm

LP	Min 0.2 Bar	Max 5 Bar	
Flow Rate – 7.9 l/min			

VAL2 HNK C 6 CD

£95.00