

Great Value

Easy to Install

WRAS Approved




134

Isaly Round Bar Showers

Great Value

Easy to Install

WRAS Approved



136

Harris Square Bar Showers



142

Shower Accessories

Great Value

Easy to Install

WRAS Approved



137

Aline Single Outlet Mixer Shower

NEW



135

Isaly Lever Handles

WRAS Approved



141

Commercial Showers

Showers

Round Bar Showers		Accessible Showers		Shower Kits	
Isaly	134	Design Utility Lever Bar Shower Valve	140	One Function Shower Set	142
Square Bar Showers		Design Utility Lever Thermostatic TMV2 Bath Shower Mixer	140	Three Function Shower Set	142
Harris	136			Five Function Shower Set	142
Mixer Showers		Commercial Showers		Shower Accessories	
Tummel	137	Concealed Shower Valve	141	Shower Handsets	143
Aline	137	Exposed Shower Valve	141	Shower Hoses	143
Laidon	137	Vandal Resistant Showerhead	141	Universal Riser Rail Slider	143
Zing (Single Outlet)	138			Bath Screen Seals	143
Zing2 (Single Outlet)	138				
Zing2 (Twin Outlet)	138				
Vardi Single Lever	139				
Vardi Dual Lever	139				

Features + Buying Guide

Showers													
		Fixing			Shower Head / Handset					Safety		Rail	
													
Range	Page No.	Wall Mounted	Deck Mounted	Fast Fix	Single Outlet	Twin Outlet	Overhead Soaker	Single Function	Multi Function	Thermostatic Valve	Cool Touch	Telescopic Rail	Slide Rail
Round Bar Showers													
Islay	134	●		●		●	●		●	●		●	●
Square Bar Showers													
Harris	136	●		●		●	●	●		●		●	●
Mixer Showers													
Tummel	137	●	●	●	●				●	●			●
Aline	137	●		●	●				●	●	●		●
Laidon	137	●		●	●			●		●			●
Zing (Single Outlet)	138	●			●			●		●			●
Zing2 (Single Outlet)	138	●		●	●			●		●			●
Zing2 (Twin Outlet)	138	●				●	●	●		●		●	●
Vardi	139	●			●				●	●			●
Accessible Showers													
Design Utility Lever Bar Shower Valve	140	●		●	●				●	●	●		●
Design Utility Lever Bath Shower Mixer	140		●							●			

Icon Key

Our handy icon key helps you quickly recognise key product features and choose the product that suits you best.

											
Minimum Operating Pressure	Maximum Operating Pressure	Low System Pressure	Medium System Pressure	High System Pressure	Thermostatic Valve	Cool Touch	Slide Rail Kit	Telescopic Rail Kit	Single Function Handset	Three Function Handset	Five Function Handset
											
Rub Clean Nozzles	Stainless Steel Shower Hose	Smooth Shower Hose	Hose Bore Size	Low Pressure @ 0.1-0.3 Bar	Medium Pressure @ 0.5 Bar	Flow rate shown is based on testing conducted against published minimum pressure					

Islay

Great Value

Anti-Scald

Easy to Install

WRAS Approved



Islay Chrome Twin Outlet Thermostatic Shower Valve + Kit

Guarantees

5 Years
on Islay Showers

Islay

Twin Outlet – Round Bar Showers

Islay Twin Outlet Thermostatic Shower Valve + Kit

Available in **Chrome**, **Matt Black** or **Brushed Brass**

Anti-scald thermostatic function for safe, temperature control

Twin outlets for a versatile, enhanced shower experience

Complete slide rail kit for adjustable handset height

Telescopic rail kit for adjustable overhead positioning

Three-function handset for a personalised shower experience

Rub-clean nozzles for easy limescale removal

Overhead soaker delivers a relaxing, immersive shower experience

Flexible hose in stainless steel (Chrome) or Smooth PVC (Matt Black or Brushed Brass)


Fast Fix installation for quick + easy fitting

TMV2 approved for safe temperature control (Valve only)

WRAS approved and tested to the highest industry standards (Valve only)

Dimensions – 870-1200(h) mm adjustable rail

MP	Min 0.5 Bar	Max 5 Bar				
Flow Rate – 5.6 l/min						
			Valve Only	Valve Only		



Islay – Chrome

Islay – Matt Black

Islay – Brushed Brass

Shower Valve + Kit

INST-13117P	Chrome	£185.00
INSIV1004P	Matt Black	£241.00
INSIV1005P	Brushed Brass	£383.00

Lever Handles (Additional Charge)

NEW	INS37143C	Chrome	£18.00
NEW	INS37143MB	Matt Black	£24.00
NEW	INS37143BB	Brushed Brass	£31.00



Lever Handles
– Chrome



Lever Handles
– Matt Black



Lever Handles
– Brushed Brass

Harris

Guarantees

Years **5**
on Harris Showers

Twin Outlet – Square Bar Showers

Harris Twin Outlet Thermostatic Shower Valve + Kit

- Available in **Chrome, Matt Black** or **Brushed Brass**
- Anti-scald thermostatic function** for safe, temperature control
- Twin outlets** for a versatile, enhanced shower experience
- Complete slide rail kit** for adjustable handset height
- Telescopic rail kit** for adjustable overhead positioning
- Overhead soaker** delivers a relaxing, immersive shower experience
- Single-function handset** for simple, easy use
- Rub-clean nozzles** for easy limescale removal
- Flexible hose** in stainless steel (Chrome) or Smooth PVC (Matt Black or Brushed Brass)
- Fast Fix** installation for quick + easy fitting
- TMV2 approved** for safe temperature control (Valve only)
- WRAS approved** and tested to the highest industry standards (Valve only)

Dimensions – 800-1180(h) mm adjustable rail

MP	Min 0.5 Bar	Max 5 Bar	STAINLESS STEEL	SMOOTH	Fast Fix
Flow Rate – 5.6 l/min	NSF	WRAS			
	Valve Only	Valve Only			

INST-13126P	Chrome	£233.00
INSHE1011P	Matt Black	£307.00
INSHE1012P	Brushed Brass	£467.00



Harris Matt Black
Twin Outlet Thermostatic
Shower Valve + Kit



- Great Value
- Anti-Scald
- Easy to Install
- WRAS Approved

Guarantees

5 Years
on Bar Shower Mixers

Mixer Showers

Single Outlet



Tummel Thermostatic Bath Shower Mixer + Kit

Available in **Chrome**

Anti-scald thermostatic function for safe, temperature control

Fast-fix brackets and legs for **quick deck mounting**

Single outlet for simple, focused water control

Complete slide rail kit for adjustable handset height

Three-function handset for a personalised shower experience

Rub-clean nozzles for easy limescale removal


Flexible hose in stainless steel

Fast Fix installation for quick + easy fitting

TMV2 approved for safe temperature control (Valve only)


WRAS approved and tested to the highest industry standards (Valve only)

Dimensions – 900(h) mm riser rail



INST-13003P

£216.00



Aline Single Outlet Thermostatic Shower Valve + Kit

Available in **Chrome**

Anti-scald thermostatic function for safe, temperature control

Cool touch body with anti-scald protection

Single outlet for simple, focused water control

Complete slide rail kit for adjustable handset height

Five-function handset for a personalised shower experience


Rub-clean nozzles for easy limescale removal

Flexible hose in stainless steel

Fast Fix installation for quick + easy fitting


WRAS approved and tested to the highest industry standards (Valve only)

Dimensions – 700(h) mm riser rail



INST-13040P

£122.00



Laidon Single Outlet Thermostatic Shower Valve + Kit

Available in **Chrome**

Anti-scald thermostatic function for safe, temperature control

Single outlet for simple, focused water control

Complete slide rail kit for adjustable handset height

Single-function handset for simple, easy use

Rub-clean nozzles for easy limescale removal


Flexible hose in stainless steel

Fast Fix installation for quick + easy fitting

TMV2 approved for safe temperature control (Valve only)

WRAS approved and tested to the highest industry standards (Valve only)

Dimensions – 600(h) mm riser rail



INST-13006P

£140.00

Mixer Showers

Guarantees

Years 
on Bar Shower Mixers

Single Outlet


Anti-Scald

Easy to
InstallSafe
TouchWRAS
ApprovedKIWA
Approved

Zing Single Outlet Safe Touch Bar Shower Mixer

Available in **Chrome****Anti-scald thermostatic function** for safe, temperature control**Cool Touch** technology keeps valve cool during use**Single outlet** for simple, focused water control**Complete slide rail kit** for adjustable handset height**Single-function handset** for simple, easy use**Rub-clean nozzles** for easy limescale removal**Flexible hose** in stainless steel**TMV2 approved** from 1 bar of pressure**WRAS approved** and tested to the highest industry standards (Valve only)

Dimensions – 685(h) mm riser rail



Valve Only

ZI SHXSMCT C

£129.00

Anti-Scald

Easy to
InstallSafe
TouchWRAS
ApprovedKIWA
Approved

Zing2 Single Outlet Safe Touch Bar Shower Mixer (Fast Fix Connections)

Available in **Chrome****Anti-scald thermostatic function** for safe, temperature control**Cool Touch** technology keeps valve cool during use**Single outlet** for simple, focused water control**Complete slide rail kit** for adjustable handset height**Single-function handset** for simple, easy use**Rub-clean nozzles** for easy limescale removal**Flexible hose** in stainless steel**Tool-free installation** for quick + easy fitting**TMV2 approved** from 1 bar of pressure**WRAS approved** and tested to the highest industry standards (Valve only)

Dimensions – 680(h) mm riser rail



Valve Only

ZI SHXSMCTFF C

£152.00

Twin Outlet


Anti-Scald

Safe
TouchWRAS
Approved

Zing2 Twin Outlet Thermostatic Rigid Riser Bar Shower Mixer

Available in **Chrome****Anti-scald thermostatic function** for safe, temperature control**Cool Touch** technology keeps valve cool during use**Twin outlets** for a versatile, enhanced shower experience**Complete slide rail kit** for adjustable handset height**Telescopic rail kit** for adjustable overhead positioning**Overhead soaker** delivers a relaxing, immersive shower experience**Single-function handset** for simple, easy use**Rub-clean nozzles** for easy limescale removal**Flexible hose** in stainless steel**WRAS approved** and tested to the highest industry standards (Valve only)

Dimensions – 713-1009(h) mm adjustable rail



Valve Only

ZI SHXDIVSMFF C

£240.00

Accessible Showers



Design Utility Lever Thermostatic Bar Shower Valve + Kit

Available in **Chrome**

Anti-scald safety for safe, consistent temperature control

Cool touch body with anti-scald protection

Easy-turn levers for improved accessibility and control

Three-function handset for a personalised shower experience


1.5m hose for flexible, comfortable use

Fast Fix installation for quick + easy fitting

TMV2 approved for safe temperature control (Valve only)

WRAS approved and tested to the highest industry standards (Valve only)

Dimensions – 650(h) mm riser rail



DUL2 SHXARFF C

£333.00



Design Utility Lever Thermostatic TMV2 Bath Shower Mixer

Available in **Chrome**

Shower kit not included


Anti-scald safety for safe, consistent temperature control

Easy-turn levers for improved accessibility and control

TMV2 approved for safe temperature control (Valve only)

WRAS approved and tested to the highest industry standards (Valve only)

Dimensions – 105(h) x 256(w) 200(d) mm



DUL3 THBSM C

£490.00

Guarantees

1 Year
on Commercial Showers

Opac Lever Concealed Shower Valve

Available in **Chrome**

Single lever for **easy flow + temperature control**

High performance even at low water pressure

Automatic shut-off in the event of hot or cold water supply failure

Easy isolation for **simple maintenance + servicing**

Thermal flushing supports **improved hygiene control**

TMV3 approved from 1 bar of pressure

WRAS approved and tested to the highest industry standards

Adjustable pipe centres (110–113mm) for flexible installation

Dimensions – 220(h) x 175(w) 135(d) mm

HP Min 0.2 Bar Max 5 Bar  Flow Rate – 3.9 l/min



OP TS3650 CL C

£721.00

Opac Lever Exposed Shower Valve

Available in **Chrome**

Single lever for **easy flow + temperature control**

High performance even at low water pressure

Automatic shut-off in the event of hot or cold water supply failure

Adjustable isolation elbows for **flexible installation**

Thermal flushing supports **improved hygiene control**

TMV3 approved from 1 bar of pressure

WRAS approved and tested to the highest industry standards

Adjustable pipe centres (140–160mm) for flexible installation

Dimensions – 80(h) x 185(w) 135(d) mm

HP Min 0.2 Bar Max 5 Bar  Flow Rate – 3.9 l/min



OP TS3650 EL C

£648.00

Vandal Resistant Showerhead

Available in **Chrome**

Vandal-resistant showerhead for long-lasting performance

Works with exposed or concealed pipework

Concealed fixings + security screws **prevent tampering**

Bottom or rear water supply for **flexible installation**

15mm inlet connection for **easy fitting**

Optional spray rings included for versatility

WRAS approved and tested to the highest industry standards

Dimensions – 60(h) x 60(w) 95(d) mm

LP Min 0.2 Bar Max 5 Bar Flow Rate – 13.5 l/min*



VR1000

£155.00

*Flow rates may vary depending on the product used

Commercial Showers

Anti-Scald

Easy-Turn
Levers

WRAS
Approved



Anti-Scald

Easy-Turn
Levers

WRAS
Approved



Vandal
Resistant

WRAS
Approved



Shower Kits

Guarantees

Years **2**
on Shower Kits

Shower Kits


Single
Function
HandsetEco
FunctionWater
Saving**One Function Shower Set
(Flexi-Fit Riser Rail + Eco Option)**Available in **Chrome****Single-function handset** for simple, easy use**Rub-clean nozzles** for easy limescale removal**Complete slide rail kit** for adjustable shower height**1.5m hose** for flexible, comfortable use**Compatible** with all shower typesOptional Eco function **saves water + energy**

Dimensions – 650(h) mm riser rail



INST1SSC

£51.00

Three
Function
HandsetEco
FunctionWater
Saving**Three Function Shower Set
(Flexi-Fit Riser Rail + Eco Option)**Available in **Chrome****Three-function handset** for a personalised shower experience**Rub-clean nozzles** for easy limescale removal**Complete slide rail kit** for adjustable shower height**1.5m hose** for flexible, comfortable use**Compatible** with all shower typesOptional Eco function **saves water + energy**

Dimensions – 650(h) mm riser rail



INST3SSC

£51.00

Five
Function
HandsetEco
FunctionWater
Saving**Five Function Shower Set
(Flexi-Fit Riser Rail + Eco Option)**Available in **Chrome****Five-function handset** for a personalised shower experience**Rub-clean nozzles** for easy limescale removal**Complete slide rail kit** for adjustable shower height**1.5m hose** for flexible, comfortable use**Compatible** with all shower typesOptional Eco function **saves water + energy**

Dimensions – 650(h) mm riser rail



INST5SSC


£54.00

Guarantees

2 Years
on Shower Accessories

Shower Accessories

Shower Handsets




One Function Shower Head + Eco Option

Available in **Chrome**


Single-function handset for simple, easy use

Compatible with all shower types

Optional Eco function **saves water + energy**



INST1SHC £14.00



Three Function Shower Head + Eco Option

Available in **Chrome** or **Matt Black**

Three-function handset for a personalised shower


Compatible with all shower types

Optional Eco function **saves water + energy**



INST3SHC Chrome £14.00

INST3SHMB Matt Black £15.00



Five Function Shower Head + Eco Option

Available in **Chrome**

Five-function handset for a personalised shower

Compatible with all shower types

Optional Eco function **saves water + energy**



INST5SHC £15.00

Shower Hoses



1500mm Stainless Steel Shower Hose (10mm Bore)

Available in **Chrome**

2 cone connection for **secure, easy fitting**



INST15SSHCH £11.00



1750mm Stainless Steel Shower Hose (10mm Bore)

Available in **Chrome**

2 cone connection for **secure, easy fitting**



INST17SSHCH £12.00



1500mm Smooth Shower Hose (10mm Bore)

Available in **Silver** or **Matt Black**

2 cone connection for **secure, easy fitting**



INST15SMHCH Silver £13.00

INST15SCHMB Matt Black £13.00



2000mm Smooth Shower Hose (10mm Bore)

Available in **Silver**

2 cone connection for **secure, easy fitting**



INST20SMHCH £14.00

Universal Riser Rail Slider



Universal Riser Rail Slider

Available in **Chrome**

Fits 19-25mm diameter rails

Dimensions – 40(h) x 40(w) 110(d) mm

INSTRRC £11.00

Bath Screen Seals



Universal Bathscreen Seal (5mm + 6mm)

Clear finish for a discreet, seamless look

Flexible silicone for **watertight sealing**

Fits 5-6mm glass for **easy compatibility**

INSTUBS6C £7.00



Universal Bathscreen Seal (8mm)

Clear finish for a discreet, seamless look

Flexible silicone for **watertight sealing**

Fits 8mm glass for **easy compatibility**

INSTUBS8C £7.00